





Uncompahgre primitive

MINERAL RESOURCES, UNCOMPAGHRE PRIMITIVE AREA, COLO. C3




Figure 1.—Index map showing location of the Uncompahgre primitive area, topographic quadrangles, and main and secondary roads.

the rugged topography much of the area in the Ouray, Telluride, Iron- ton, and Handies Peak quadrangles (fig. 1) is accessible by trails to the numerous old mines and prospects; many of these trails are trav- eled by tourists in four-wheel-drive vehicles during the summer months. Parts of the area in the Wetherhorn Peak, Uncompahgre Peak, and Courthouse Mountain quadrangles and a part north of the Telluride quadrangle are almost inaccessible except for a few jeep and horse trails.

Wilson Mtn Primitive

A4 STUDIES RELATED TO WILDERNESS—PRIMITIVE AREAS




Figure 1.—Index map showing location of Wilson Mountains study area, topographic quadrangles, and physiographic provinces. Stipple, San Juan Mountains.

tical rock spire which rises 300 feet from a conical base to an altitude of 13,113 feet. The towering peaks and serrated ridges of the Wilson group are separated from the western cluster of peaks—the Dolores Peak group—by a saddle some 2 miles in length which separates the West Dolores River drainage on the south from the Fall Creek drainage on the