

2014

# Pocket Guide to Large Truck and Bus Statistics



U.S. Department of Transportation

**Federal Motor Carrier Safety Administration**

Office of Analysis, Research, and Technology

**October 2014 Update**

To access a printable version of this guide, please visit:  
[www.fmcsa.dot.gov/safety/data-and-statistics/commercial-motor-vehicle-facts](http://www.fmcsa.dot.gov/safety/data-and-statistics/commercial-motor-vehicle-facts). For more information about this publication, please contact:

E-mail: [FMCSA\\_Host@dot.gov](mailto:FMCSA_Host@dot.gov)

Mail: Federal Motor Carrier Safety Administration  
Office of Analysis, Research, and Technology  
1200 New Jersey Avenue, SE  
6th Floor  
Washington, DC 20590

Information Service:  
Phone: 1-800-832-5660

Updated October 2014

2014

Pocket Guide to  
Large Truck and Bus Statistics

October 2014 Update




U.S. Department of Transportation  
Federal Motor Carrier Safety Administration  
Office of Analysis, Research, and Technology

# INTRODUCTION

The Federal Motor Carrier Safety Administration's (FMCSA) *2014 Pocket Guide to Large Truck and Bus Statistics* highlights the Agency's role in collecting and analyzing crash data and statistics to support its mission to prevent commercial motor vehicle-related fatalities and injuries. It can serve as a valuable, compact resource for industry representatives, Federal agencies, and other individuals interested in motor carrier safety regulations and performance data.

The primary mission of FMCSA is to reduce crashes, injuries, and fatalities involving large trucks and buses. In carrying out its safety mandate, FMCSA develops and enforces data-driven regulations that balance motor carrier safety with efficiency. For more information about the Agency and its safety-based initiatives, please visit [www.fmcsa.dot.gov](http://www.fmcsa.dot.gov).

# LOCATIONS OF LARGE TRUCK AND BUS FATAL CRASHES, 2012



Note: In 2012, there were 3,702 fatal crashes involving large trucks and buses.  
Data Source: National Highway Traffic Safety Administration (NHTSA), Fatality Analysis Reporting System (FARS), 2012.

# CONTENTS

The Motor Carrier Management Information System .....	6
Section 1. Overview: Large Trucks and Buses.....	7
Section 2. Roadside Inspections and Violations.....	16
Section 3. Reviews .....	23
Section 4. Crashes .....	26
Section 5. Data Quality.....	42
Section 6. Grant Programs .....	46
Section 7. Agency Resources.....	49
Glossary and List of Acronyms .....	50

## THE MOTOR CARRIER MANAGEMENT INFORMATION SYSTEM

FMCSA created and currently maintains the Motor Carrier Management Information System (MCMIS). MCMIS contains information on the safety fitness of commercial motor carriers (large trucks and buses) and hazardous materials (HM) carriers subject to the Federal Motor Carrier Safety Regulations (FMCSRs) and Hazardous Materials Regulations (HMRs). This system contains crash, census, and inspection files created to monitor and develop safety standards for commercial motor vehicles (CMVs) operating in interstate commerce. The crash file includes information on all trucks and buses involved in reportable crashes. The census file includes all descriptive information on every motor carrier in MCMIS and is updated weekly. The inspection file contains data from State and Federal inspection actions involving motor carriers operating in the United States. Most of the data included in MCMIS are collected at the roadside by State personnel under the Motor Carrier Safety Assistance Program (MCSAP).

# 1. OVERVIEW: LARGE TRUCKS AND BUSES

In 2012, among the 253,639,386 total registered vehicles in the United States, 8,190,286 were single-unit trucks (straight trucks), 2,469,094 were combination trucks (tractor-trailers), and 764,509 were buses. FMCSA regulates all registered commercial motor vehicles (CMVs) that operate interstate or that carry hazardous materials (HM).

As of December 2013, there were 539,033 interstate motor carriers and intrastate HM motor carriers with recent activity operating in the United States:

- 251,817 were for-hire carriers
- 230,596 were private carriers
- 43,654 were both for-hire and private carriers
- 12,966 were neither for-hire nor private carriers (e.g., government).

FMCSA regulates all drivers involved in interstate commerce or intrastate transportation of HM, as well as all Commercial Driver's License (CDL) drivers both interstate and intrastate. Approximately 5.6 million CMV drivers operate in the United States:

- 3.5 million operate interstate
  - 3 million hold CDLs
- 2.2 million operate intrastate
  - 900,000 hold CDLs.

Notes: The number of carriers and/or drivers in operation at any given time is subject to change, due to enforcement actions, business failures, licensing issues, and other factors. Interstate and some intrastate driver counts are based on motor carrier registration data contained in the Motor Carrier Management Information System (MCMIS); intrastate driver counts for States that do not require intrastate carriers to register with FMCSA are estimated via extrapolation of State data. The numbers on this page may not add to totals due to rounding.

Data Sources: Registration Data - Federal Highway Administration (FHWA), *Highway Statistics 2012*; Carrier Counts - FMCSA, MCMIS, data snapshot as of December 27, 2013; CMV Driver Counts - FMCSA, MCMIS, data snapshot as of January 24, 2014.

## 1-1 Registered Vehicles in the United States, 2009-2012

Year	All Vehicles	Large Trucks	Buses
2009	254,212,610	10,973,214	841,993
2010	250,070,048	10,770,054	846,051
2011	253,215,681	10,270,693	666,064
2012	253,639,386	10,659,380	764,509

Data Source: Federal Highway Administration (FHWA), *Highway Statistics 2012*, Table VM-1.

## 1-2 Million Vehicle Miles Traveled (VMT) in the United States, 2009-2012

Year	All Vehicles	Large Trucks	Buses
2009	2,956,764	288,306	14,387
2010	2,967,266	286,527	13,770
2011	2,950,402	267,594	13,807
2012	2,968,815	268,318	14,755

Data Source: Federal Highway Administration (FHWA), *Highway Statistics 2012*, Table VM-1.

## 1-3 Motorcoach Passenger Trips in the United States and Canada by Fleet Size, 2012


Motorcoach Fleet Size	Passenger Trips:		Average Passenger Trips per:	
	Total	Percent	Motorcoach	Carrier
100 or more	221,274,000	34.7%	23,800	11,064,700
50 to 99	73,152,000	11.4%	22,500	1,493,900
25 to 49	84,773,000	13.3%	14,000	543,400
10 to 24	103,982,000	16.3%	13,500	221,700
1 to 9	154,261,000	24.2%	11,600	47,300
<b>Industry Total</b>	<b>637,442,000</b>	<b>100.0%</b>	<b>16,100</b>	<b>161,200</b>

Note: Percentages may not sum to 100 percent because of rounding.

Data Source: *Motorcoach Census 2013: A Study of the Size and Activity of the Motorcoach Industry in the United States and Canada in 2012*; prepared for the American Bus Association (ABA) Foundation by John Dunham and Associates, February 27, 2014.



## 1-4 Commercial Motor Vehicle (CMV) Drivers Operating in the United States, 2013



Notes: The number of carriers and/or drivers in operation at any given time is subject to change, due to enforcement actions, business failures, licensing issues, and other factors. Interstate and some intrastate driver counts are based on motor carrier registration data contained in the Motor Carrier Management Information System (MCMIS); intrastate driver counts for States that do not require intrastate carriers to register with FMCSA are estimated via extrapolation of State data.

Data Source: FMCSA, MCMIS, data snapshot as of January 24, 2014.


## 1-5 Active Motor Carriers by Type, 2009-2013

Year	2009	2010	2011	2012	2013
Interstate Freight	493,505	501,338	500,905	507,690	511,211
Interstate Passenger	11,313	11,804	11,819	12,184	12,384
Intrastate Hazardous Materials	12,933	14,228	15,122	15,549	15,438
<b>Total</b>	<b>517,751</b>	<b>527,370</b>	<b>527,846</b>	<b>535,423</b>	<b>539,033</b>

Notes: Company counts are estimates based on motor carriers in the Motor Carrier Management Information System (MCMIS) with recent activity, defined as those carriers that have had an inspection, a crash, a compliance review, a safety audit, an FMCSA Motor Carrier Identification Report (Form MCS-150) update, a vehicle registration activity, or a Unified Carrier Registration (UCR) system payment activity in the past 3 years, or have current operating authority indicated in the FMCSA Licensing and Insurance (L&I) database.

Data Source: FMCSA, MCMIS, data snapshots as of December 18, 2009, December 17, 2010, December 16, 2011, December 14, 2012, and December 27, 2013.

## 1-6 Carriers by Headquarters (Domicile) Location, 2013



Notes: Domicile refers to the headquarters location for a carrier. This map displays only interstate carriers and intrastate hazardous materials (HM) carriers. Intrastate non-HM carriers are not displayed. The number of carriers depicted in this map may not be the same as reported elsewhere by FMCSA. Due to potential differences in reporting dates and quality issues with carrier addresses, this map may not include all current carriers. Additionally, the number of carriers that operate at any given time is subject to change due to enforcement actions, business failures, and other factors. Data Source: FMCSA, Motor Carrier Management Information System (MCMIS), as of March 2013.

## 1-7 FMCSA-Regulated Carriers, 2009-2013

Motor Carrier Census Data	2009	2010	2011	2012	2013
Active Carriers with a USDOT Number	517,751	527,370	527,846	535,423	539,033
Power Units	3,971,773	4,116,259	4,176,144	4,279,988	4,604,338
Commercial Drivers	2,994,043	3,031,032	3,062,967	3,100,006	3,174,105
Total Drivers	4,100,819	4,216,408	4,266,852	4,357,244	4,409,242
Mexico Commercial Zone Carriers	5,649	7,360	7,070	7,930	8,296
Power Units	25,875	29,783	29,403	31,790	33,009
Commercial Drivers	20,475	23,367	23,071	25,032	25,984
Total Drivers	24,004	27,698	27,291	29,577	30,618

Note: Only interstate carriers and intrastate hazardous materials (HM) carriers with recent activity are included in this table.

Data Source: FMCSA, Motor Carrier Management Information System (MCMIS), data snapshots as of December 18, 2009, December 17, 2010, December 16, 2011, December 14, 2012, and December 27, 2013.


## 1-8 FMCSA-Regulated Carriers by Domicile, 2013

Motor Carrier Census Data	United States	Mexico	Canada	Other	All Domiciles
Active Carriers with USDOT Number	516,618	8,990	13,214	211	539,033
Power Units	4,470,153	34,052	99,080	1,053	4,604,338
Commercial Drivers	3,060,089	26,626	87,239	151	3,174,105
Total Drivers	4,269,615	31,743	106,825	1,059	4,409,242

Note: Only interstate carriers and intrastate hazardous materials (HM) carriers with recent activity are included in this table.

Data Source: FMCSA, Motor Carrier Management Information System (MCMIS), data snapshot as of December 27, 2013.

## 1-9 Average Daily Truck Traffic on the National Highway System, 2007



Note: In this map, both private and for-hire trucks are included; trucks that are part of multiple modes and mail, or trucks that move in conjunction with domestic air cargo are not included.

Data Source: Federal Highway Administration (FHWA), Freight Analysis Framework (FAF), June 2012 update (FAF Version 3.4), accessed January 2014.

## 1-10 Freight Shipments within the United States by Mode and Weight (in Millions of Tons)

Mode	2002	2007	2011
Truck	11,943	13,336	11,924
Rail	1,978	2,024	2,053
Water	680	655	645
Air*	5	5	6
Pipeline	1,574	1,674	1,912
Multiple modes	320	568	583
Other**	716	617	499
<b>Total</b>	<b>17,215</b>	<b>18,879</b>	<b>17,622</b>

\*Includes air and truck-air.


\*\*Includes other, unknown, and no domestic mode.

Note: Includes domestic trade and the domestic portion of imports and exports.

Data Source: Federal Highway Administration (FHWA), Freight Analysis

Framework (FAF), Version 3.4, available at <http://faf.ornl.gov> as of October 2013.

## 1-11 Percent of Total Domestic Freight Moved by Mode, 2011



Note: Includes domestic trade and the domestic portion of imports and exports.

Data Source: Federal Highway Administration (FHWA), Freight Analysis

Framework (FAF), Version 3.4, available at <http://faf.ornl.gov> as of October 2013.

## 1-12 Household Goods Carriers and Brokers Operating in the United States, 2009-2013

Year	Active Household Goods Carriers	Household Goods Brokers Registered	Property Brokers Registered
2009	4,732	816	20,141
2010	4,986	813	20,089
2011	5,052	841	20,884
2012	4,773	776	21,565
2013	4,898	522	13,710

Note: A broker is an individual, partnership, or corporation that receives payment for arranging the transportation of property or household goods belonging to others by using an authorized motor carrier.

Data Source: FMCSA, Licensing & Insurance (L&I), data snapshots as of December 18, 2009, December 17, 2010, December 16, 2011, December 14, 2012, and December 27, 2013.

## 1-13 New Entrant Safety Audits, 2009-2013

Year	Safety Audits	Safety Audit Pass Rate
2009	36,780	99.52%
2010	32,770	62.88%
2011	34,476	67.80%
2012	34,246	75.40%
2013	32,361	80.14%

Note: A new entrant is a motor carrier that applies for a U.S. Department of Transportation (USDOT) number in order to initiate operations in interstate commerce or the intrastate transportation of hazardous materials (HM). Carriers remain in the new entrant program until passing the safety audit and have been in business for 18 months.

Data Source: FMCSA, Motor Carrier Management Information System (MCMIS), data snapshots as of December 18, 2009, December 17, 2010, December 16, 2011, December 14, 2012, and December 27, 2013.

## 1-14 Driver and Passenger Safety Belt Usage by Commercial Motor Vehicle (CMV) Body Type, 2010 versus 2013

CMV Body Type	2010	2013
<b>Buses</b>		
Commercial Bus	47.0%	74.4%
School Bus	81.7%	85.9%
15-Passenger Van	87.9%	86.3%
Bobtail	70.9%	86.0%
<b>Large Trucks</b>		
Intermodal Container	75.3%	81.5%
Dump	64.5%	69.5%
Flatbed	74.0%	82.0%
Van (Enclosed Box Truck)	80.2%	85.7%
Tanker	82.5%	85.1%
Other	73.3%	81.0%

Notes: The Seat Belt Usage by Commercial Motor Vehicle Drivers (SBUCMVD) Survey was not conducted in 2011 or 2012. In 2013, a total of 27,157 CMVs, 27,157 drivers, and 1,730 other occupants were observed at 1,004 sites. In 2010, a total of 26,830 CMVs, 26,830 drivers, and 1,929 other occupants were observed at 998 sites. Only driver belt use is observed for buses (for the purposes of this study, 15-passenger vans are counted as buses).

Data Source: FMCSA, SBUCMVD 2013 Survey. For more information, refer to: <http://www.fmcsa.dot.gov/safety/safety-belt/safety-belt-studies>.

## 1-15 CMV Driver and Passenger Safety Belt Usage by Occupant Type, 2010 versus 2013

Occupant Type	2010	2013
All Occupants	77.1%	83.0%
Drivers	78.1%	83.7%
Other Occupants	64.0%	72.9%

Notes: The Seat Belt Usage by Commercial Motor Vehicle Drivers (SBUCMVD) Survey was not conducted in 2011 or 2012. In 2013, a total of 27,157 CMVs, 27,157 drivers, and 1,730 other occupants were observed at 1,004 sites. In 2010, a total of 26,830 CMVs, 26,830 drivers, and 1,929 other occupants were observed at 998 sites. Only driver belt use is observed for buses (for the purposes of this study, 15-passenger vans are counted as buses). "Other occupants" are right-front passengers.

Data Source: FMCSA, SBUCMVD 2013 Survey. For more information, refer to: <http://www.fmcsa.dot.gov/safety/safety-belt/safety-belt-studies>.

## 2. ROADSIDE INSPECTIONS AND VIOLATIONS

### What is a Roadside Inspection?

A roadside inspection is an examination of an individual commercial motor vehicle (CMV) and/or driver by an authorized safety inspector. Approximately 95 percent of all inspections are conducted by State inspectors, with the remainder conducted by Federal inspectors. The inspection determines whether the driver and/or the CMV is in compliance with the Federal Motor Carrier Safety Regulations (FMCSRs) or the Hazardous Materials Regulations (HMRs), as appropriate. Serious violations result in the issuance of vehicle or driver out-of-service (OOS) orders. These violations must be corrected before the affected driver or vehicle can return to service.

#### 2-1 Roadside Inspections Conducted by Federal and State Inspectors, 2009-2013

	2009	2010	2011	2012	2013
Roadside Inspections	3,553,337	3,603,291	3,591,789	3,541,408	3,497,937
State	3,430,111	3,457,961	3,453,150	3,403,412	3,364,250
Federal	123,226	145,330	138,639	137,996	133,687

Data Source: Source: FMCSA, Motor Carrier Management Information System (MCMIS), August 22, 2014, Archive Data (calendar years [CY] 2009-2011), data snapshot as of January 24, 2014 (CY 2012-2013).

#### 2-2 Safety Inspectors, Federal and State, 2009-2013

Inspector Type	2009	2010	2011	2012	2013
Safety Inspectors	14,408	14,194	14,061	13,882	13,726
State	13,821	13,627	13,496	13,325	13,184
Federal	587	567	565	557	542

Note: Not all personnel indicated are assigned full time to conducting inspections. Data Source: FMCSA, Motor Carrier Management Information System (MCMIS), August 22, 2014, Archive Data (calendar years [CY] 2009-2011), data snapshot as of January 24, 2014 (CY 2012-2013).



## 2-3 Roadside Inspection OOS Rates, 2009-2013

Type of Roadside Inspection	2009	2010	2011	2012	2013
Driver Inspections*	3,456,814	3,500,238	3,473,037	3,426,482	3,387,479
With OOS Violation	191,860	182,946	172,659	167,643	165,068
Driver OOS Rate	5.55%	5.23%	4.97%	4.89%	4.87%
Vehicle Inspections**	2,364,001	2,433,846	2,420,935	2,429,783	2,394,977
With OOS Violation	502,677	481,801	492,706	489,044	477,057
Vehicle OOS Rate	21.26%	19.80%	20.35%	20.13%	19.92%
Hazmat Inspections***	222,985	211,219	205,920	203,675	202,989
With OOS Violation	10,207	9,039	7,841	7,640	7,917
Hazmat OOS Rate	4.58%	4.28%	3.81%	3.75%	3.90%

\*Driver Inspections were computed based on inspection levels I, II, III, and VI.

\*\*Vehicle Inspections were computed based on inspection levels I, II, V, and VI.

\*\*\*Hazmat Inspections were computed based on inspection levels I, II, III, IV, V, and VI when hazardous materials were present.

Note: Roadside inspection OOS rates depicted in this table include both large trucks and buses. For more information on roadside inspections and inspection levels, please refer to <https://csa.fmcsa.dot.gov>.

Data Source: FMCSA, Motor Carrier Management Information System (MCMIS), data snapshot as of January 24, 2014.

## 2-4 Roadside Inspections by Inspection Level, 2009-2013


Inspection Level	2009	2010	2011	2012	2013
I. Full	1,137,684	1,154,341	1,138,385	1,113,801	1,089,853
With OOS Violation(s)*	301,316	285,858	288,146	284,255	273,452
II. Walk-Around	1,144,980	1,188,065	1,172,671	1,209,654	1,202,918
With OOS Violation(s)*	266,932	261,452	262,710	262,035	260,278
III. Driver Only	1,171,775	1,155,364	1,159,573	1,101,229	1,093,034
With OOS Violation(s)*	90,914	82,836	77,070	70,087	69,102
IV. Special Study	17,561	14,081	11,281	10,396	9,926
With OOS Violation(s)*	2,974	2,291	1,914	1,639	1,568
V. Terminal	78,962	88,972	107,471	104,530	100,532
With OOS Violation(s)*	5,783	5,215	6,740	6,453	6,054
VI. Radioactive Materials	2,375	2,468	2,408	1,798	1,674
With OOS Violation(s)*	25	28	27	18	11
<b>Total</b>	<b>3,553,337</b>	<b>3,603,291</b>	<b>3,591,789</b>	<b>3,541,408</b>	<b>3,497,937</b>

\*Out-of-service (OOS) violation numbers are based on roadside inspections. For example, in 2012, there were 1.1 million Level I inspections. Out of all the Level I inspections completed, 284,242 resulted in *at least one* OOS violation.

Note: For more information on roadside inspections and inspection levels, please refer to <https://csa.fmcsa.dot.gov>.

Data Source: FMCSA, Motor Carrier Management Information System (MCMIS), data snapshot as of January 24, 2014.

## 2-5 Roadside Inspections by Inspection Level, 2013



Note: For more information on roadside inspections and inspection levels, please refer to <https://csa.fmcsa.dot.gov>.

Data Source: FMCSA, Motor Carrier Management Information System (MCMIS), data snapshot as of January 24, 2014.

## 2-6 Roadside Inspections by Carrier Fleet Size, 2009-2013

Carrier Fleet Size	2009	2010	2011	2012	2013
Very Small (1-6 Power Units)	953,618	1,016,442	1,022,176	1,019,098	1,015,492
Small (7-20 Power Units)	566,895	588,234	592,551	604,720	608,760
Medium (21-100 Power Units)	695,191	715,865	723,876	726,249	722,373
Large (>100 Power Units)	928,976	893,975	882,412	863,055	852,992
Unknown	408,657	388,775	370,774	328,286	298,320
<b>Total</b>	<b>3,553,337</b>	<b>3,603,291</b>	<b>3,591,789</b>	<b>3,541,408</b>	<b>3,497,937</b>

Note: Carriers listed as having zero power units are included in the "Unknown" category. Data Source: FMCSA, Motor Carrier Management Information System (MCMIS), data snapshot as of January 24, 2014.

## 2-7 Roadside Inspections by Carrier Operation, 2009-2013

Carrier Operation	2009	2010	2011	2012	2013
Interstate	2,964,068	3,018,946	2,966,096	2,918,833	2,902,833
Intrastate	589,269	584,345	625,693	622,575	595,104
<b>Total</b>	<b>3,553,337</b>	<b>3,603,291</b>	<b>3,591,789</b>	<b>3,541,408</b>	<b>3,497,937</b>

Data Source: FMCSA, Motor Carrier Management Information System (MCMIS), data snapshot as of January 24, 2014.

## 2-8 Roadside Inspections by Gross Combination Weight Rating (GCWR), 2009-2013

GCWR	2009	2010	2011	2012	2013
<10,000 pounds	11,023	12,996	18,352	17,238	17,018
10,000 - 26,000 pounds	322,701	399,489	418,517	418,241	423,108
>26,000 pounds	1,629,869	2,242,437	2,441,367	2,509,338	2,520,301
Unknown	1,589,744	948,369	713,553	596,591	537,510
<b>Total</b>	<b>3,553,337</b>	<b>3,603,291</b>	<b>3,591,789</b>	<b>3,541,408</b>	<b>3,497,937</b>

Note: GCWR are based on Roadside Inspection Reports as reported in MCMIS. Data Source: FMCSA, Motor Carrier Management Information System (MCMIS), data snapshot as of January 24, 2014.

## 2-9 Most Frequent Driver Violations in Roadside Inspections, 2013

Violation Code	Category	Violation Description	Number of Violations	Number of OOS Violations
395.8	No Log/Log Not Current	Log Violation (General/Form and Manner)	156,920	137
395.8F1	No Log/Log Not Current	Driver's Record of Duty Status Not Current	98,544	133
391.11B2	All Other Driver Violations	Non-English Speaking Driver	87,793	3,864
392.2SLLS2	Traffic Enforcement	State/Local Laws - Speeding 6-10 Miles Per Hour Over the Speed Limit	64,635	5
392.16	Seat Belt	Failing to Use Seat Belt While Operating CMV	55,624	6
391.41AF	Medical Certificate	Operating a Property-Carrying Vehicle without Possessing a Valid Medical Certificate	52,287	945
395.3A2 PROP	11/14 Hours	Driving beyond 14 Hour Duty Period (Property-Carrying Vehicle)	51,911	22,437
392.2C	Traffic Enforcement	Failure to Obey Traffic Control Device	41,885	26
391.41A	Medical Certificate	Driver Not in Possession of Medical Certificate	41,076	2,497
395.8E	No Log/Log Not Current	False Report of Driver's Record of Duty Status	35,707	26,860
395.8A	No Log/Log Not Current	No Driver's Record of Duty Status	28,835	25,446
395.3A3 PROP	11/14 Hours	Driving beyond 11 Hour Driving Limit in a 14 Hour Period (Property-Carrying Vehicle)	28,207	12,526
395.8K2	No Log/Log Not Current	Driver Failing to Retain Previous 7 Days' Logs	26,675	22,541
392.2SLLS1	Traffic Enforcement	State/Local Laws - Speeding 1-5 Miles Per Hour Over the Speed Limit	26,391	2
392.2SLLS3	Traffic Enforcement	State/Local Laws - Speeding 11-14 Miles Per Hour Over the Speed Limit	24,336	1
391.45B	Medical Certificate	Expired Medical Examiner's Certificate	23,056	771
392.82A1	All Other Driver Violations	Using a Hand-Held Mobile Telephone While Operating a CMV	15,965	4
392.2SLLS4	Traffic Enforcement	State/Local Laws - Speeding 15 or More Miles Per Hour Over The Speed Limit	15,038	4
383.23A2	All Other Driver Violations	Operating a CMV without a CDL	14,829	13,957
392.2LV	Traffic Enforcement	Lane Restriction Violation	13,580	2

Notes: Total number of driver inspections in calendar year (CY) 2013: 3,387,479. Total number of driver violations in CY 2013: 1,047,496. Total number of driver out-of-service (OOS) violations in CY 2013: 192,072. Only the top 20 driver violations (based on frequency of occurrence) are listed in this table.

Data Source: FMCSA, Motor Carrier Management Information System (MCMIS), data snapshot as of January 24, 2014.

## 2-10 Most Frequent Vehicle Violations in Roadside Inspections, 2013

Violation Code	Category	Violation Description	Number of Violations	Number of OOS Violations
393.9	Lighting	Operating Vehicle Not Having the Required Operable Lamps	503,614	44,356
393.75C	Tires	Tire—Other: Tread Depth Less than 2/32 of Inch	209,600	17,302
393.11	Lighting	No/Defective Lighting Devices/Reflective Devices/Projected	205,214	5,891
393.47E	Brakes, All Others	Clamp/Roto-Chamber Type Brake(s) Out of Adjustment	204,911	277
396.3A1	All Other Vehicle Defects	Inspection/Repair and Maintenance Parts and Accessories	177,498	24,847
396.5B	All Other Vehicle Defects	Oil and/or Grease Leak	173,161	2,119
393.95A	Emergency Equipment	No/Discharged/Unsecured Fire Extinguisher	151,150	24
393.45B2	Brakes, All Others	Failing to Secure Brake Hose/Tubing Against Mechanical Damage	149,930	14,919
396.17C	Periodic Inspection	Operating a CMV Without Periodic Inspection	146,890	122
393.53B	Brakes, All Others	Automatic Brake Adjuster - CMV Manufactured on or After 10/20/1994—Air Brake	100,083	6
393.9TS	Lighting	Inoperative Turn Signal	99,947	43,018
393.78	Windshield	Windshield Wipers Inoperative/Defective	87,047	352
396.3A1B	Brakes, All Others	Brakes (General)	71,295	13,401
393.25F	Lighting	Stop Lamp Violations	70,814	23,445
393.48A	Brakes, All Others	Inoperative/Defective Brakes	68,714	18,303
393.95F	Emergency Equipment	No/Insufficient Warning Devices	65,523	49
393.60C	Windshield	Damaged or Discolored Windshield	61,415	92
393.9H	Lighting	Inoperative Head Lamps	57,161	711
393.75A2	Tires	Tire—Tread and/or Sidewall Separation	57,063	5,778
393.45D	Brakes, All Others	Brake Connections with Leaks/Constrictions	54,409	3,907

Notes: Total number of vehicle inspections in calendar year (CY) 2013: 2,394,977. Total number of vehicle violations in CY 2013: 4,118,869. Total number of vehicle out-of-service (OOS) violations in CY 2013: 660,334. Only the top 20 vehicle violations (based on frequency of occurrence) are listed in this table.

Data Source: FMCSA, Motor Carrier Management Information System (MCMIS), data snapshot as of January 24, 2014.

## 2-11 Traffic Enforcement Inspections, 2009-2013

Activity Summary	2009	2010	2011	2012	2013
Number of Traffic Enforcement Inspections	720,699	622,184	569,077	470,600	380,830
With Moving Violations	255,584	231,639	211,791	193,662	200,699
With Drug & Alcohol Violations	1,533	1,272	1,202	1,136	900
With Railroad Crossing Violations	372	374	409	392	284
With Non-specified State Law/ Miscellaneous Violations	501,868	415,248	376,222	290,724	189,612

Notes: One inspection may result in more than one violation; therefore, totals may not equal the sum of all components. The traffic enforcement program involves the enforcement of 24 moving and non-moving driver violations, which are included in the driver violation portion of the roadside inspection procedures. Roadside inspections that result in only drug- or alcohol-related violations are excluded as traffic enforcement type inspections. Due to the variation in descriptions of traffic enforcement violations among the States, it is often difficult to aggregate and report them on a national level.

Data Source: FMCSA, Motor Carrier Management Information System (MCMIS), data snapshot as of January 24, 2014.

## 2-12 Traffic Enforcement Violations, 2009-2013

Activity Summary	2009	2010	2011	2012	2013
Number of Traffic Enforcement Violations	900,328	757,731	683,605	554,628	428,520
Moving Violations	264,678	240,025	219,359	199,609	207,980
Drug & Alcohol Violations	1,869	1,541	1,421	1,369	1,112
Railroad Crossing Violations	376	376	409	395	286
Non-specified State Law/ Miscellaneous Violations	633,405	515,789	462,416	353,255	219,142

Notes: The traffic enforcement program involves the enforcement of 24 moving and non-moving driver violations, which are included in the driver violation portion of the roadside inspection procedures. Roadside inspections that result in only drug- or alcohol-related violations are excluded as traffic enforcement type inspections. Due to the variation in descriptions of traffic enforcement violations among the States, it is often difficult to aggregate and report them on a national level.

Data Source: FMCSA, Motor Carrier Management Information System (MCMIS), data snapshot as of January 24, 2014.

### 3. REVIEWS

This chapter provides summarized data for the past 5 years on all types of reviews conducted on motor carriers that transport property or passengers in interstate or intrastate commerce. Reviews are conducted to investigate potential safety violations, to investigate complaints, or in response to a carrier's request for a change in safety rating. It is intended that through education, heightened safety regulation awareness, and the enforcement effects of reviews, motor carriers will improve the safety of their commercial vehicle operations and, ultimately, reduce their involvement in crashes.

The reviews covered include, but are not limited to, Motor Carrier Safety Reviews, Cargo Tank Facility Reviews, Shipper Reviews, Compliance Reviews (CRs), and Compliance, Safety, Accountability (CSA) Reviews. CSA is an FMCSA safety program designed to improve large truck and bus safety and prevent crashes, injuries, and fatalities related to commercial motor vehicles (CMVs). It has introduced an enforcement and compliance model that allows FMCSA and its State Partners to contact more carriers earlier in order to address safety deficiencies before crashes occur. The CSA program provides a nationwide system for making the roads safer for motor carriers and the public alike.

For more information on reviews, please refer to:  
<http://ai.fmcsa.dot.gov/SafetyProgram/Review.aspx>.

### 3-1 Reviews by Type, 2009-2013

Review Type	2009	2010	2011	2012	2013
Motor Carrier Safety Compliance Reviews (CRs)	16,178	13,784	5,513	0	0
Compliance, Safety, Accountability (CSA) Onsite Comprehensive	544	994	2,816	6,739	5,827
CSA Onsite Focused / Focused CR	662	1,320	8,228	10,706	8,709
CSA Offsite	406	698	597	541	401
Cargo Tank Facility Reviews	109	143	94	89	86
Shipper Reviews	368	416	283	328	268
Non-Rated Reviews (excludes Security Contact Review & CSA)	1,992	2,393	1,502	1,705	2,632
<b>Total Reviews</b>	<b>20,258</b>	<b>19,748</b>	<b>19,033</b>	<b>20,107</b>	<b>17,922</b>

Data Source: FMCSA, Motor Carrier Management Information System (MCMIS), data snapshot as of January 24, 2014.

### 3-2 Passenger Carrier Reviews, 2009-2013

Carriers by Vehicle Type	2009	2010	2011	2012	2013
Any Passenger Vehicles*	2,119	1,613	2,049	1,596	2,636
Motorcoaches	1,247	1,055	1,224	937	1,938
School Buses	515	322	384	230	334
Vans	435	354	585	523	645
Mini Buses	471	385	587	430	763
Limousines	222	137	261	207	271

\*The "Any Passenger Vehicles" row might not equal the sum of subcategories for a given row due to carriers applying for multiple passenger authority at the time of the application.

Notes: Passenger carriers were those carriers who registered to transport passengers and owned or leased at least one passenger vehicle (motorcoach, school bus, van, mini-bus, or limousine) at the time of the review.

Data Source: FMCSA, Motor Carrier Management Information System (MCMIS), data snapshot as of January 24, 2014.



### 3-3 Reviews by Reason for Review, 2009-2013

Reason for Review	2009	2010	2011	2012	2013
Compliance, Safety, Accountability (CSA) 100% States*	1,452	3,111	4,316	3,976	3,371
Carrier Request	453	281	85	50	50
Complaint	1,559	1,478	921	747	551
Compliance Review	0	61	4,169	4,134	4,374
Conditional Carrier	1,693	1,118	4	0	0
Enforcement Follow-Up	426	228	156	63	68
Focused Compliance Review (CR)	0	24	6,319	8,975	7,193
Priority List	8,243	6,873	46	10	1
Safety Audit Conversion	382	113	101	72	62
Unsatisfactory Follow-Up	277	174	84	26	29
Other	5,773	6,287	2,832	2,054	2,223
<b>Total</b>	<b>20,258</b>	<b>19,748</b>	<b>19,033</b>	<b>20,107</b>	<b>17,922</b>

\*CSA 100% States include States that have implemented the complete suite of CSA Investigations that were conducted due to deficiencies identified by the CSA Safety Measurement System (SMS).

Data Source: FMCSA, Motor Carrier Management Information System (MCMIS), data snapshot as of January 24, 2014.

### 3-4 Reviews by Carrier Fleet Size, 2009-2013

Carrier Fleet Size	2009	2010	2011	2012	2013
Very Small (1-6 Power Units)	8,603	8,288	8,257	8,670	7,976
Small (7-20 Power Units)	5,764	5,594	5,514	5,735	5,050
Medium (21-100 Power Units)	4,114	3,974	3,654	3,911	3,382
Large (>100 Power Units)	1,324	1,353	1,205	1,331	1,125
Unknown	453	539	403	460	389
<b>Total</b>	<b>20,258</b>	<b>19,748</b>	<b>19,033</b>	<b>20,107</b>	<b>17,922</b>

Notes: Carriers listed as having zero power units are included in the "Unknown" category.

Data Source: FMCSA, Motor Carrier Management Information System (MCMIS), data snapshot as of January 24, 2014.

## 4. CRASHES

In 2012, there were 30,800 fatal crashes on the Nation's roadways, 3,702 (12.0 percent) of which involved at least one large truck or bus. In addition, there were an estimated 5,584,000 nonfatal crashes, 367,000 (6.6 percent) of which involved at least one large truck or bus.

### Data Sources:

**FARS:** Maintained by the National Highway Traffic Safety Administration (NHTSA), the Fatality Analysis Reporting System (FARS) is an annual census of fatal crashes involving motor vehicles traveling on public trafficways. For more information on FARS, refer to <http://www.nhtsa.gov/FARS>.

**GES:** Also maintained by NHTSA, the General Estimates System (GES) is a probability-based nationally representative sample of all police-reported fatal, injury, and property-damage-only (PDO) crashes, released annually. For more information on GES, refer to <http://www.nhtsa.gov/NASS>.

**MCMIS:** Maintained by FMCSA, the Motor Carrier Management Information System (MCMIS) Crash File contains data on commercial trucks and buses in fatal, injury, and towaway crashes (crashes in which at least one vehicle is disabled as a result of the crash and transported away from the crash scene). Crash severity thresholds and vehicle type definitions in MCMIS differ slightly from FARS and GES, and all tables are noted accordingly. All MCMIS crash data presented are considered preliminary for 18 months. For more information on MCMIS, refer to <http://mcmiscatalog.fmcsa.dot.gov>.

## Crash Severity Levels

This *Pocket Guide* includes data on police-reported crashes, which include fatal, injury, and property-damage-only (PDO) crashes.

1. **Fatal crashes.** The source for fatal crashes is the Fatality Analysis Reporting System (FARS).
2. **Injury crashes.** The source for injury crashes is the General Estimates System (GES).
3. **PDO crashes.** The source for PDO crashes is GES.

For more information on crash severity levels, refer to the Model Minimum Uniform Crash Criteria (MMUCC) at <http://www.mmucc.us>.

## Vehicles in Crashes

**Large Trucks:** FARS and GES define a large truck as a truck with a gross vehicle weight rating (GVWR) greater than 10,000 pounds. The Motor Carrier Management Information System (MCMIS) defines a large truck as a truck, used for commercial purposes, with a GVWR or gross combination weight rating (GCWR) greater than 10,000 pounds, or any vehicle carrying hazardous materials (HM) that requires placarding, regardless of weight.

**Buses:** A bus is defined as any motor vehicle designed primarily to transport nine or more persons, including the driver.

## 4-1 Total Crashes by Vehicle Type, 2009-2012

Year	Large Trucks	Buses	Large Trucks and Buses	Any Vehicles
2009	286,000	56,000	341,000	5,505,000
2010	266,000	54,000	318,000	5,419,000
2011	273,000	56,000	329,000	5,338,000
2012	317,000	54,000	371,000	5,615,000

Notes: Individual subtotals may not add to the totals due to the potential for double counting (e.g., crashes involving both a truck and a bus). A large truck is defined here as a truck with a gross vehicle weight rating (GVWR) greater than 10,000 pounds. A bus is defined as any motor vehicle designed primarily to transport nine or more persons, including the driver. These numbers include fatal crash data from FARS and injury crash and property-damage-only (PDO) crash data from the General Estimates System (GES).

Data Sources: National Highway Traffic Safety Administration (NHTSA), Fatality Analysis Reporting System (FARS) and GES.

## 4-2 Fatal Crashes by Vehicle Type, 2009-2012

Year	Large Trucks	Buses	Large Trucks and Buses	Any Vehicles
2009	2,983	221	3,193	30,862
2010	3,271	247	3,512	30,296
2011	3,365	243	3,593	29,867
2012	3,464	250	3,702	30,800

Notes: Individual subtotals may not add to the totals due to the potential for double counting (e.g., crashes involving both a truck and a bus). A large truck is defined here as a truck with a gross vehicle weight rating (GVWR) greater than 10,000 pounds. A bus is defined as any motor vehicle designed primarily to transport nine or more persons, including the driver.

Data Sources: National Highway Traffic Safety Administration (NHTSA), Fatality Analysis Reporting System (FARS).

### 4-3 Injury Crashes by Vehicle Type, 2009-2012

Year	Large Trucks	Buses	Large Trucks and Buses	Any Vehicles
2009	51,000	9,000	60,000	1,517,000
2010	56,000	12,000	67,000	1,542,000
2011	60,000	13,000	73,000	1,530,000
2012	73,000	12,000	85,000	1,634,000

Notes: Individual subtotals may not add to the totals due to the potential for double counting (e.g., crashes involving both a truck and a bus). A large truck is defined here as a truck with a gross vehicle weight rating (GVWR) greater than 10,000 pounds. A bus is defined as any motor vehicle designed primarily to transport nine or more persons, including the driver.

Data Sources: National Highway Traffic Safety Administration (NHTSA), General Estimates System (GES).

### 4-4 Property-Damage-Only (PDO) Crashes by Vehicle Type, 2009-2012

Year	Large Trucks	Buses	Large Trucks and Buses	Any Vehicles
2009	232,000	47,000	278,000	3,957,000
2010	207,000	42,000	247,000	3,847,000
2011	210,000	43,000	252,000	3,778,000
2012	241,000	42,000	282,000	3,950,000

Notes: Individual subtotals may not add to the totals due to the potential for double counting (e.g., crashes involving both a truck and a bus). A large truck is defined here as a truck with a gross vehicle weight rating (GVWR) greater than 10,000 pounds. A bus is defined as any motor vehicle designed primarily to transport nine or more persons, including the driver.

Data Sources: National Highway Traffic Safety Administration (NHTSA), General Estimates System (GES).

## 4-5 Large Truck and Bus Fatality Rates Per 100 Million Total Vehicle Miles Traveled (VMT) by State, 2011-2012

State	2011			2012		
	Fatalities	Million VMT	Fatality Rate	Fatalities	Million VMT	Fatality Rate
Alabama	105	64,914	0.16	109	64,959	0.17
Alaska	1	4,593	0.02	5	4,792	0.10
Arizona	74	59,574	0.12	89	60,129	0.15
Arkansas	89	32,953	0.27	92	33,522	0.27
California	296	320,784	0.09	277	326,272	0.08
Colorado	53	46,606	0.11	62	46,769	0.13
Connecticut	17	31,197	0.05	17	31,269	0.05
Delaware	10	9,028	0.11	11	9,186	0.12
D.C.	2	3,568	0.06	2	3,572	0.06
Florida	233	191,855	0.12	231	191,374	0.12
Georgia	176	108,454	0.16	158	107,488	0.15
Hawaii	7	10,066	0.07	9	10,050	0.09
Idaho	21	15,937	0.13	13	16,315	0.08
Illinois	132	103,234	0.13	134	104,578	0.13
Indiana	144	76,485	0.19	116	78,923	0.15
Iowa	64	31,274	0.20	60	31,596	0.19
Kansas	65	30,021	0.22	66	30,572	0.22
Kentucky	91	48,061	0.19	86	47,344	0.18
Louisiana	88	46,513	0.19	108	46,889	0.23
Maine	18	14,248	0.13	12	14,199	0.08
Maryland	46	56,221	0.08	73	56,476	0.13
Massachusetts	39	54,792	0.07	22	55,940	0.04
Michigan	71	94,754	0.07	81	94,548	0.09
Minnesota	55	56,685	0.10	67	56,988	0.12
Mississippi	76	38,851	0.20	53	38,667	0.14
Missouri	105	68,789	0.15	100	68,504	0.15
Montana	31	11,660	0.27	13	11,885	0.11
Nebraska	33	19,093	0.17	45	19,277	0.23
Nevada	37	24,189	0.15	20	24,148	0.08
New Hampshire	9	12,720	0.07	7	12,894	0.05
New Jersey	64	73,094	0.09	70	74,225	0.09
New Mexico	49	25,533	0.19	42	25,562	0.16
New York	142	127,726	0.11	127	128,221	0.10
North Carolina	128	103,772	0.12	129	104,950	0.12
North Dakota	40	9,131	0.44	48	10,081	0.48
Ohio	123	111,990	0.11	159	112,715	0.14
Oklahoma	116	47,464	0.24	125	47,872	0.26
Oregon	54	33,373	0.16	39	33,173	0.12
Pennsylvania	169	99,204	0.17	177	98,884	0.18
Rhode Island	1	7,901	0.01	4	7,807	0.05
South Carolina	90	48,730	0.18	87	49,036	0.18
South Dakota	12	9,002	0.13	20	9,113	0.22
Tennessee	114	70,751	0.16	119	71,167	0.17
Texas	449	237,440	0.19	589	237,836	0.25
Utah	26	26,222	0.10	20	26,528	0.08
Vermont	8	7,141	0.11	5	7,216	0.07
Virginia	90	80,974	0.11	89	80,959	0.11
Washington	40	56,955	0.07	48	56,762	0.08
West Virginia	36	18,963	0.19	49	19,226	0.25
Wisconsin	78	54,402	0.14	72	59,087	0.12
Wyoming	26	9,245	0.28	27	9,271	0.29
<b>National Totals</b>	<b>4,043</b>	<b>2,946,131</b>	<b>0.14</b>	<b>4,183</b>	<b>2,968,815</b>	<b>0.14</b>

Notes: D.C. = District of Columbia. Fatality rate is equal to "Fatalities" divided by "Million VMT" multiplied by 100. A large truck is defined here as a truck with a gross vehicle weight rating (GVWR) greater than 10,000 pounds. A bus is defined as any motor vehicle designed primarily to transport nine or more persons, including the driver. Data Source: VMT - Federal Highway Administration (FHWA), *Highway Statistics 2012*; Fatalities - National Highway Traffic Safety Administration (NHTSA), Fatality Analysis Reporting System (FARS).

## 4-6 Large Trucks Involved in Fatal Crashes by State, 2009-2012

State	2009	2010	2011	2012
Alabama	81	105	96	111
Alaska	3	5	0	4
Arizona	67	54	65	73
Arkansas	80	79	101	85
California	263	240	265	244
Colorado	40	46	46	51
Connecticut	15	23	14	14
Delaware	7	9	10	10
District of Columbia	1	3	2	1
Florida	179	179	201	194
Georgia	135	145	169	149
Hawaii	4	4	3	6
Idaho	18	15	18	17
Illinois	90	113	120	115
Indiana	108	111	130	115
Iowa	63	90	49	65
Kansas	51	71	58	59
Kentucky	109	90	88	88
Louisiana	74	93	81	102
Maine	21	13	17	10
Maryland	52	39	38	56
Massachusetts	19	19	33	14
Michigan	64	83	61	69
Minnesota	50	77	53	54
Mississippi	54	55	62	44
Missouri	83	76	95	89
Montana	21	13	24	11
Nebraska	42	49	29	42
Nevada	19	16	28	20
New Hampshire	7	6	8	6
New Jersey	65	59	59	61
New Mexico	33	43	44	39
New York	101	116	112	97
North Carolina	116	104	118	132
North Dakota	28	17	32	44
Ohio	108	123	113	146
Oklahoma	78	88	100	124
Oregon	29	49	48	28
Pennsylvania	131	159	163	175
Rhode Island	4	2	1	3
South Carolina	78	61	79	79
South Dakota	12	19	10	16
Tennessee	86	89	101	107
Texas	299	376	414	543
Utah	25	28	24	17
Vermont	6	11	6	6
Virginia	75	87	74	89
Washington	30	27	35	44
West Virginia	29	40	32	47
Wisconsin	46	53	77	60
Wyoming	12	22	27	27
<b>U.S. Total</b>	<b>3,211</b>	<b>3,494</b>	<b>3,633</b>	<b>3,802</b>

Note: A large truck is defined here as a truck with a gross vehicle weight rating (GVWR) greater than 10,000 pounds.

Data Source: National Highway Traffic Safety Administration (NHTSA), Fatality Analysis Reporting System (FARS).

## 4-7 Large Truck Fatal Crash Statistics, 2009-2012

Year	Large Truck				Rates per 100 Million VMT		Large Trucks Registered
	Fatal Crashes Involving Large Trucks	Occupant Fatalities in Large Truck Crashes	Total Fatalities in Large Truck Crashes	Million VMT by Large Trucks	Fatal Crashes Involving Large Trucks	Fatalities in Large Truck Crashes	
1975	3,722	961	4,483	81,330	4.58	5.51	5,362,369
1980	5,042	1,262	5,971	108,491	4.65	5.50	5,790,653
1985	4,841	977	5,743	123,504	3.92	4.64	5,996,337
1990	4,518	705	5,272	146,252	3.09	3.60	6,195,876
1995	4,194	648	4,918	178,156	2.35	2.76	6,719,421
2000	4,573	754	5,282	205,520	2.23	2.57	8,022,649
2005	4,551	804	5,240	222,523	2.05	2.35	8,481,999
2006	4,350	805	5,027	222,513	1.95	2.26	8,819,007
2007	4,204	805	4,822	304,178	1.38	1.59	10,752,019
2008	3,754	682	4,245	310,680	1.21	1.37	10,873,275
2009	2,983	499	3,380	288,306	1.03	1.17	10,973,214
2010	3,271	530	3,686	286,527	1.14	1.29	10,770,054
2011	3,365	640	3,781	267,594	1.26	1.41	10,270,693
2012	3,464	697	3,921	268,318	1.29	1.46	10,659,380

Notes: A large truck is defined here as a truck with a gross vehicle weight rating (GVWR) greater than 10,000 pounds.

Data Sources: Vehicle Miles Traveled and Registered Vehicles - FHWA, *Highway Statistics 2012*; Fatal Crashes, Vehicles Involved, and Fatalities - National Highway Traffic Safety Administration (NHTSA), Fatality Analysis Reporting System (FARS).

## 4-8 Large Truck Injury Crash Statistics, 2009-2012

Year	Injury Crashes Involving Large Trucks	Large Trucks Involved in Injury Crashes	Persons Injured in Large Truck Crashes	Million VMT by Large Trucks	Rates per 100 Million VMT		Large Trucks Registered
					Injury Crashes Involving Large Trucks	Persons Injured in Large Truck Crashes	
2009	51,000	53,000	74,000	288,306	17.8	25.6	10,973,214
2010	56,000	58,000	80,000	286,527	19.5	27.9	10,770,054
2011	60,000	63,000	88,000	267,594	22.5	32.9	10,270,693
2012	73,000	77,000	104,000	268,318	27.2	38.8	10,659,380

Notes: "Persons Injured" includes all nonfatally injured persons in injury and fatal crashes. A large truck is defined here as a truck with a gross vehicle weight rating (GVWR) greater than 10,000 pounds.

Data Sources: Vehicle Miles Traveled and Registered Vehicles: FHWA, *Highway Statistics 2012*. Injury Crashes, Vehicles Involved, and Persons Injured: National Highway Traffic Safety Administration (NHTSA), General Estimates System (GES).



## 4-9 Vehicle Occupants Killed in Large Truck Crashes by Vehicle Type, 2009-2012

<b>Occupant of:</b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>
Passenger Car	1,260	1,390	1,380	1,417
Light Truck	1,094	1,213	1,082	1,146
Large Truck	499	530	640	697
Motorcycle	176	162	221	250
Bus	2	4	11	10
Other/Unknown	28	28	19	30
<b>Total Vehicle Occupants</b>	<b>3,059</b>	<b>3,327</b>	<b>3,353</b>	<b>3,550</b>

Notes: A passenger car is defined as a motor vehicle used primarily for carrying passengers, including convertibles, sedans, and station wagons. A light truck is defined as a truck with a gross vehicle weight rating (GVWR) of 10,000 pounds or less, including pickups, vans, truck-based station wagons, and sport utility vehicles. A large truck is defined as a truck with a gross vehicle weight rating (GVWR) greater than 10,000 pounds. A bus is defined as any motor vehicle designed primarily to transport nine or more persons, including the driver.

Data Sources: Source: National Highway Traffic Safety Administration (NHTSA), Fatality Analysis Reporting System (FARS).

## 4-10 Nonmotorists Killed in Large Truck Crashes, 2009-2012

<b>Nonmotorist Type</b>	<b>2009</b>	<b>2010</b>	<b>2011</b>	<b>2012</b>
Pedestrians	259	280	335	298
Pedalcyclists	56	58	60	61
Other/Unknown Nonmotorist	6	21	33	12
Total Nonmotorist Fatalities	321	359	428	371
<b>Total Fatalities</b>	<b>3,380</b>	<b>3,686</b>	<b>3,781</b>	<b>3,921</b>
<b>Percent Nonmotorist Fatalities</b>	<b>9%</b>	<b>10%</b>	<b>11%</b>	<b>9%</b>

Note: A large truck is defined as a truck with a gross vehicle weight rating (GVWR) greater than 10,000 pounds. A nonmotorist is defined as any person who is not an occupant of a motor vehicle including the following: pedestrians, pedalcyclists, or others such as skateboard riders, people riding on animals, and persons riding in other nonmotorized conveyances.

Data Source: National Highway Traffic Safety Administration (NHTSA), Fatality Analysis Reporting System (FARS).

## 4-11 Nonmotorists Killed in Bus Crashes, 2009-2012

Nonmotorist Type	2009	2010	2011	2012
Pedestrians	65	72	69	76
Pedalcyclists	4	17	10	12
Other/Unknown Nonmotorist	1	0	1	0
Total Nonmotorist Fatalities	70	89	80	88
<b>Total Fatalities</b>	<b>254</b>	<b>278</b>	<b>284</b>	<b>280</b>
<b>Percent Nonmotorist Fatalities</b>	<b>28%</b>	<b>32%</b>	<b>28%</b>	<b>31%</b>

Notes: A bus is defined as any motor vehicle designed primarily to transport nine or more persons, including the driver. A nonmotorist is defined as any person who is not an occupant of a motor vehicle, including the following: pedestrians, pedalcyclists, or others such as skateboard riders, people riding on animals, and persons riding in other nonmotorized conveyances.

Data Sources: Fatal Crashes - National Highway Traffic Safety Administration (NHTSA), Fatality Analysis Reporting System (FARS); Injury and Property-Damage-Only (PDO) Crashes - NHTSA, General Estimates System (GES).

## 4-12 Large Truck and Work Zone Fatal Crash Statistics, 2009-2012

Crash Type:	2009		2010		2011		2012	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Large Truck Fatal Crashes	2,983	100.0%	3,271	100.0%	3,365	100.0%	3,464	100.0%
Work Zone	131	4.4%	117	3.6%	145	4.3%	129	3.7%
Not a Work Zone	2,852	95.6%	3,154	96.4%	3,220	95.7%	3,335	96.3%
All Fatal Crashes	30,862	100.0%	30,296	100.0%	29,867	100.0%	30,800	100.0%
Work Zone	589	1.9%	521	1.7%	533	1.8%	547	1.8%
Not a Work Zone	30,273	98.1%	29,775	98.3%	29,334	98.2%	30,253	98.2%
<b>Percent of Work-Zone Fatal Crashes that Involved at Least One Large Truck</b>	<b>22.2%</b>		<b>22.5%</b>		<b>27.2%</b>		<b>23.6%</b>	
<b>Percent of All Fatal Crashes that Involved at Least One Large Truck</b>	<b>9.7%</b>		<b>10.8%</b>		<b>11.3%</b>		<b>11.2%</b>	

Notes: "Not a Work Zone" counts includes crashes where location was unknown. A large truck is defined here as a truck with a gross vehicle weight rating (GVWR) greater than 10,000 pounds. A work zone is an area of a trafficway where construction, maintenance, or utility work activities are identified by warning signs/signals/indicators.


Data Sources: Fatal Crashes - National Highway Traffic Safety Administration (NHTSA), Fatality Analysis Reporting System (FARS)

### 4-13 Truck Weight Rating for Large Trucks in Fatal Crashes, 2010-2012

Truck Weight Rating (Pounds)	2010		2011		2012	
	Number	Percent	Number	Percent	Number	Percent
Class 2: 6,001 - 10,000	3	0.1%	4	0.1%	6	0.2%
Class 3: 10,001 - 14,000	172	4.9%	275	7.6%	283	7.4%
Class 4: 14,001 - 16,000	74	2.1%	100	2.8%	73	1.9%
Class 5: 16,001 - 19,500	75	2.1%	82	2.3%	90	2.4%
Class 6: 19,501 - 26,000	179	5.1%	193	5.3%	212	5.6%
Class 7: 26,001 - 33,000	233	6.7%	218	6.0%	212	5.6%
Class 8: >33,000	2,662	76.2%	2,678	73.7%	2,831	74.5%
Unknown	96	2.7%	83	2.3%	95	2.5%
<b>Total</b>	<b>3,494</b>	<b>100%</b>	<b>3,633</b>	<b>100%</b>	<b>3,802</b>	<b>100%</b>

Note: A large truck is defined here as a truck with a gross vehicle weight rating (GVWR) greater than 10,000 pounds.  
 Data Source: National Highway Traffic Safety Administration (NHTSA), Fatality Analysis Reporting System (FARS).

### 4-14 Percentage of Large Truck Drivers in Fatal Crashes Not Wearing Any Type of Safety Belt, 2005-2012



Note: A large truck is defined here as a truck with a gross vehicle weight rating (GVWR) greater than 10,000 pounds.  
 Data Source: National Highway Traffic Safety Administration (NHTSA), Fatality Analysis Reporting System (FARS).

## 4-15 Hazardous Materials (HM) Cargo Release in Crashes Involving Large Trucks with HM Placards, 2009-2013

Cargo Release	Number of Large Trucks				
	2009	2010	2011	2012	2013*
Cargo Release: No	1,690	1,813	2,011	1,911	1,582
Cargo Release: Yes	270	281	311	371	261
Corrosives	23	21	20	25	29
Explosives	7	3	11	12	5
Flammable Liquid	122	125	142	192	113
Flammable Solids	1	0	3	5	1
Gases	35	34	41	36	23
Miscellaneous Dangerous Goods	35	43	25	26	18
Oxidizing Substances	4	3	3	5	2
Poison & Infectious Substances	1	3	2	2	4
Radioactive Material	0	0	0	0	0
Unknown	42	49	64	68	66
Cargo Release: Unknown	502	484	570	466	340
<b>Total</b>	<b>2,462</b>	<b>2,578</b>	<b>2,892</b>	<b>2,748</b>	<b>2,183</b>

\*Crash records through September 30, 2013, are included in this table. States are expected to report crash data to FMCSA within 90 days of the crash. Data are considered preliminary for 18 months to allow for changes.

Notes: Large trucks are defined here as vehicles designed, used, or maintained primarily for carrying property, with a gross vehicle weight rating (GVWR) or gross combination weight rating (GCWR) of more than 10,000 pounds or any vehicle carrying HM that requires placarding, regardless of weight.

Data Source: FMCSA, Motor Carrier Management Information System (MCMIS), data snapshot as of January 24, 2014, including crash records through September 30, 2013.

## 4-16 Driver's License Class Statistics for Large Trucks and Buses in Crashes, 2009-2013

License Class	Number of Vehicles Involved				
	2009	2010	2011	2012	2013*
Class A	80,834	88,775	89,756	89,607	67,649
Class B	18,028	18,745	18,895	19,375	14,278
Class C	8,193	8,155	8,403	8,480	6,561
Class D	10,297	11,266	11,436	12,442	9,176
Class M	340	437	358	501	834
Unknown	7,446	9,424	9,464	6,773	4,672
<b>Total</b>	<b>125,138</b>	<b>136,802</b>	<b>138,312</b>	<b>137,178</b>	<b>103,170</b>

\*Crash records through September 30, 2013, are included in this table. States are expected to report crash data to FMCSA within 90 days of the crash. Data are considered preliminary for 18 months to allow for changes.

Notes: A large truck is defined here as a vehicle, used for commercial purposes, with a gross vehicle weight rating (GVWR) or gross combination weight rating (GCWR) greater than 10,000 pounds, or any vehicle carrying hazardous materials (HM) that requires placarding, regardless of weight. A bus is defined as a vehicle with seats for at least nine people, including the driver. Descriptions for driver's license classes are as follows: Class A pertains to any combination of vehicles which has a GCWR or gross combination weight of 26,001 pounds or more, whichever is greater, inclusive of a towed unit(s) with a GVWR or gross vehicle weight of more than 10,000 pounds, whichever is greater. Class B pertains to any single vehicle which has a GVWR or gross vehicle weight of 26,001 pounds or more, or any such vehicle towing a vehicle with a GVWR or gross vehicle weight that does not exceed 10,000 pounds. Class C pertains to any single vehicle, or combination of vehicles, that does not meet the definition of Class A or Class B, but is either designed to transport 16 or more passengers, including the driver, or is transporting material that has been designated as hazardous and is required to be placarded or is transporting any quantity of a material listed as a select agent or toxin. Class D pertains to any vehicle, or any combination of vehicles, with a GVWR of 26,000 pounds or less that is not used 1) for the purpose of transporting HM which are required by law to be placarded, 2) to transport more than 15 passengers including the driver, and 3) is not a school bus used to transport children to and from school for compensation. Class M pertains to motorcycles and motor-driven cycles.

Data Source: FMCSA, Motor Carrier Management Information System (MCMIS), data snapshot as of January 24, 2014, including crash records through September 30, 2013.

## 4-17 Large Trucks in Crashes by Operation Classification, 2009-2013

Classification	2009	2010	2011	2012	2013*
For-Hire	56,789	63,996	64,893	64,608	48,533
Private	18,727	20,166	20,894	21,270	16,214
Both For-Hire and Private	8,281	9,012	9,143	9,604	7,319
Neither For-Hire Nor Private/No USDOT Number	27,737	29,428	29,261	27,180	20,574
<b>Total</b>	<b>111,534</b>	<b>122,602</b>	<b>124,191</b>	<b>122,662</b>	<b>92,640</b>

\*Crash records through September 30, 2013, are included in this table. States are expected to report crash data to FMCSA within 90 days of the crash. Data are considered preliminary for 18 months to allow for changes.

Notes: A large truck is defined here as a vehicle, used for commercial purposes, with a gross vehicle weight rating (GVWR) or gross combination weight rating (GCWR) greater than 10,000 pounds, or any vehicle carrying hazardous materials (HM) that requires placarding, regardless of weight.

Data Source: Crash data for all years: FMCSA, Motor Carrier Management Information System (MCMIS), data snapshot as of January 24, 2014, including crash records through September 30, 2013. For-hire and private information: FMCSA, MCMIS, data snapshots as of June 22, 2012, December 14, 2012, and January 24, 2014.

## 4-18 Large Trucks in Crashes by Carrier Operation, 2009-2013

Carrier Operation	2009	2010	2011	2012	2013*
Interstate	69,846	79,541	82,161	83,369	62,104
Intrastate Hazardous Materials (HM)	979	1,074	1,177	1,133	846
Intrastate Non-HM**	6,988	8,157	9,538	9,978	7,579
Unknown Carrier Operation**	33,721	33,830	31,315	28,182	22,111
<b>Total</b>	<b>111,534</b>	<b>122,602</b>	<b>124,191</b>	<b>122,662</b>	<b>92,640</b>

\*Crash records through September 30, 2013, are included in this table. States are expected to report crash data to FMCSA within 90 days of the crash. Data are considered preliminary for 18 months to allow for changes.

\*\*Some States do not require intrastate non-HM carriers to obtain USDOT numbers.

Notes: A large truck is defined here as a vehicle, used for commercial purposes, with a gross vehicle weight rating (GVWR) or gross combination weight rating (GCWR) greater than 10,000 pounds, or any vehicle carrying HM that requires placarding, regardless of weight.

Data Source: Crash data for all years: FMCSA, Motor Carrier Management Information System (MCMIS), data snapshot as of January 24, 2014, including crash records through September 30, 2013. For-hire and private information: FMCSA, MCMIS, data snapshots as of June 22, 2012, December 14, 2012, and January 24, 2014.

## 4-19 Bus Fatal Crash Statistics, 2009-2012

Year	Fatal Crashes Involving Buses	Bus Occupant Fatalities in Bus Crashes	Total Fatalities in Bus Crashes	Million VMT by Buses	Rates per 100 Million VMT		Buses Registered
					Fatal Crashes Involving Buses	Fatalities in Bus Crashes	
1975	323	53	348	6,055	5.33	5.75	462,156
1980	329	46	390	6,059	5.43	6.44	528,789
1985	337	57	398	4,478	7.53	8.89	593,485
1990	286	32	340	5,726	4.99	5.94	626,987
1995	271	33	311	6,420	4.22	4.84	685,503
2000	323	22	357	7,590	4.26	4.70	746,125
2005	278	58	340	6,980	3.98	4.87	807,053
2006	303	27	337	6,783	4.47	4.97	821,959
2007	280	36	325	14,516	1.93	2.24	834,436
2008	251	67	311	14,823	1.69	2.10	843,308
2009	221	26	254	14,387	1.54	1.77	841,993
2010	247	44	278	13,770	1.79	2.02	846,051
2011	243	55	284	13,807	1.76	2.06	666,064
2012	250	39	280	14,755	1.69	1.90	764,509

Notes: A bus is defined as any motor vehicle designed primarily to transport nine or more persons, including the driver.

Data Sources: Vehicle Miles Traveled and Registered Vehicles - FHWA, *Highway Statistics 2012*; Fatal Crashes, Vehicles Involved, and Fatalities - National Highway Traffic Safety Administration (NHTSA), Fatality Analysis Reporting System (FARS).

## 4-20 Bus Injury Crash Statistics, 2009-2012

Year	Injury Crashes Involving Buses	Buses Involved in Injury Crashes	Persons Injured in Bus Crashes	Million VMT by Buses	Rates per 100 Million VMT		Buses Registered
					Injury Crashes Involving Buses	Persons Injured in Bus Crashes	
2009	9,000	10,000	20,000	14,387	64.9	140.2	841,993
2010	12,000	12,000	27,000	13,770	83.6	196.7	846,051
2011	13,000	13,000	24,000	13,807	96.8	176.7	666,064
2012	12,000	12,000	23,000	14,755	80.7	156.5	764,509

Notes: "Persons Injured" includes all nonfatally injured persons in injury and fatal crashes. A bus is defined here as any motor vehicle designed primarily to transport nine or more persons, including the driver.

Data Sources: Vehicle Miles Traveled and Registered Vehicles: FHWA, *Highway Statistics 2012*. Injury Crashes, Vehicles Involved, and Persons Injured: National Highway Traffic Safety Administration (NHTSA), General Estimates System (GES).

## 4-21 Fatal Crashes Involving Buses, by Type of Bus, 2009-2012

Year	School Bus	Cross-Country Intercity Bus		Transit Bus	Van-Based Bus*	Other Bus Type	Bus Type Unknown	Total
		(Motorcoach)						
1975	129	29		128	—	18	19	323
1980	117	38		149	—	14	11	329
1985	126	29		116	—	33	33	337
1990	111	26		113	—	19	17	286
1995	109	23		101	—	23	15	271
2000	119	40		127	—	20	17	323
2005	110	37		83	—	34	14	278
2006	117	32		105	—	22	27	303
2007	109	35		113	—	15	8	280
2008	116	20		92	—	12	11	251
2009	89	38		77	—	9	8	221
2010	113	35		84	—	11	4	247
2011	97	40		68	25	10	3	243
2012	100	34		77	30	7	2	250

\* "Van-based bus" was listed as a bus type for the first time in 2011.

Note: A bus is defined as any motor vehicle designed primarily to transport nine or more persons, including the driver.

Data Source: National Highway Traffic Safety Administration (NHTSA), Fatality Analysis Reporting System (FARS).

## 4-22 Estimated Costs of Large Truck and Bus Crashes, 2009-2012 (2012 Dollars)

Year	Fatal Crashes	Injury Crashes	Property-Damage-Only (PDO) Crashes	All Large Truck and Bus Crashes
2009	\$35 Billion	\$27 Billion	\$20 Billion	\$82 Billion
2010	\$38 Billion	\$30 Billion	\$18 Billion	\$86 Billion
2011	\$39 Billion	\$33 Billion	\$18 Billion	\$90 Billion
2012	\$40 Billion	\$38 Billion	\$21 Billion	\$99 Billion


Notes: A large truck is defined here as a truck with a gross vehicle weight rating (GVWR) greater than 10,000 pounds. A bus is defined as any motor vehicle designed primarily to transport nine or more persons, including the driver. The total costs may not add up exactly due to rounding. Changes to past years are the result of updating for inflation and changes in guidance from the Office of the Secretary of Transportation on how to value fatalities and injuries.

Data Source: T. Miller, E. Zaloshnja, and R. Spicer, *Revised Cost of Large Truck and Bus Involved Crashes* (2002), adjusted to 2012 dollars and 2013 value of a statistical life (VSL), and updated to reflect new guidance on valuing injuries from the Office of the Secretary of Transportation.



## 4-23 Fatality Analysis Reporting System (FARS) and Motor Carrier Management Information System (MCMIS) Matching for Large Trucks and Buses in Fatal Crashes, 2010

Number	Category	Percentage
3,554	Large trucks and buses matched in FARS and MCMIS	84.3%
132	Large trucks and buses in FARS and not in MCMIS (including vehicles less than 10,000 pounds)	3.1%
59	Large trucks and buses in FARS matched to a non-fatal crash in MCMIS	1.4%
298	Large trucks and buses in MCMIS and not in FARS	7.1%
173	Large trucks and buses in MCMIS matched to vehicles in FARS that were not large trucks or buses	4.1%
<b>4,216</b>	<b>Total large trucks and buses in fatal crashes in FARS, MCMIS, or both</b>	<b>100.0%</b>



Notes: A large truck is defined in FARS as a truck with a gross vehicle weight rating (GVWR) greater than 10,000 pounds. A large truck is defined in MCMIS as a vehicle, used for commercial purposes, with a gross vehicle weight rating (GVWR) or gross combination weight rating (GCWR) greater than 10,000 pounds, or any vehicle carrying hazardous materials (HM) that requires placarding, regardless of weight. A bus is defined as any motor vehicle designed primarily to transport nine or more persons, including the driver.

Data Sources: National Highway Traffic Safety Administration (NHTSA), FARS; FMCSA, MCMIS; the Volpe National Transportation Systems Center.

## 5. DATA QUALITY

### State Safety Data Quality (SSDQ) Methodology


To conduct accurate analyses on collected statistics, it is crucial that data submitted to FMCSA be of the highest quality possible. To help achieve this goal, FMCSA has implemented the State Safety Data Quality (SSDQ) Methodology.

The SSDQ Methodology was developed to evaluate the completeness, timeliness, accuracy, and consistency of State-reported data. The SSDQ evaluation uses a 12-month timeframe that ends 3 months prior to the Motor Carrier Management Information System (MCMIS) snapshot for each measure, unless otherwise stated in the rating description. The methodology consists of nine performance measures (five crash and four inspection measures) and one overriding performance indicator (see 5-1).

The SSDQ evaluation is updated monthly to reflect improvements in crash and roadside inspection reporting. States receive an overall rating of “Good,” “Fair,” or “Poor” for each SSDQ measure and rating. FMCSA developed the color-coded SSDQ map (see 5-2) as a visual tool for States to use in improving crash and inspection data reported to FMCSA. The overall data quality rating for each State is based on the following criteria:


- Good (green) for States with at least one good crash measure, one good inspection measure, and no poor measures.
- Fair (yellow) for States with no more than one poor measure.
- Poor (red) for States with two or more poor measures.
- Red-flagged States are automatically rated poor overall.

## 5-1 State Safety Data Quality (SSDQ) Performance Measures




Data Source: FMCSA, Analysis & Information (A&I) Online, <http://ai.fmcsa.dot.gov/DataQuality>.

## 5-2 State Safety Data Quality (SSDQ) Map, December 2013



Data Source: FMCSA, Analysis & Information (A&I) Online, State Safety Data Quality as of December, 2013. For most recent State ratings, refer to: <http://ai.fmcsa.dot.gov/mapping/ssdq>.

### 5-3 Annual Requests for Data Review (RDRs) in DataQs, 2009-2013



Data Source: FMCSA, DataQs, February 6, 2014 (based on submissions received in calendar year [CY] 2013).

DataQs is the online system for drivers, motor carriers, Federal and State agencies, and others to file concerns about Federal and State data maintained in the Motor Carrier Management Information System (MCMIS) and released to the public by FMCSA. The DataQs system provides affected commercial motor carriers, commercial drivers, and others an opportunity to seek and obtain correction of information maintained and disseminated by FMCSA.

For more information on DataQs, please refer to:  
<https://dataqs.fmcsa.dot.gov>

## 6. GRANT PROGRAMS

FMCSA safety grant funding opportunities are available primarily to State and local government agencies in one of the 50 States, the District of Columbia, Puerto Rico, the Northern Mariana Islands, American Samoa, Guam, and the U.S. Virgin Islands. Applicants for FMCSA funding opportunities should be working on commercial motor vehicle (CMV) safety activities with efforts directly linked to FMCSA's mission. An overview of 2013 FMCSA grant awards and short program descriptions are presented below. More information on these grant programs can be found at <http://www.fmcsa.dot.gov/mission/grants>.

### 6-1 FMCSA Grant Awards, 2013

Grant Program	Total Awards
Border Enforcement	\$31,936,000
CDL Program Implementation	\$23,956,430
CMVOST	\$973,461
CVISN	\$15,785,861
MCSAP Basic & Incentive	\$164,981,875
MCSAP High Priority	\$9,320,338
MCSAP New Entrant	\$31,329,076
PRISM	\$4,848,239
SaDIP	\$2,994,000
<b>Total Grant Awards</b>	<b>\$282,157,819</b>

#### Border Enforcement Grant (BEG)

The BEG program is a Federal discretionary grant program that provides financial assistance to States and entities that share a land border with another country for carrying out border CMV safety programs and related enforcement activities and projects. The Federal share of the BEG may be 100 percent of the expenditures approved in the State or entity's Border Enforcement Plan provided the maintenance of expenditures amount is met.

#### Commercial Motor Vehicle Operator Safety Training (CMVOST) Grant

The CMVOST Grant Program is a discretionary program that provides financial assistance to public or private organizations that train operators of CMVs as defined by 31301 of Title 49 (i.e., accredited post-secondary educational institutions such as colleges, universities, vocational-technical

schools, associations, and truck driver training schools). The goals of the CMVOST grant program are to expand the number of CDL holders possessing enhanced operator safety training to help reduce the severity and number of crashes on U.S. roads involving CMVs and to assist current or former members of the U.S. Armed Forces (including National Guard members and Reservists) and their spouses in the transition to the CMV operation industry by offering training.

### **Commercial Driver's License Program Implementation (CDLPI) Grant**

The CDLPI grant provides financial assistance to States to achieve compliance with the requirements of 49 CFR Parts 383 and 384. The goal of the national Commercial Driver's License (CDL) program is to reduce the number and severity of CMV crashes in the United States by ensuring that only qualified drivers are eligible to receive and retain a CDL. The Federal share of CDLPI grants is 100 percent of the expenditures approved in the State or entity's application.

### **Commercial Vehicle Information Systems and Networks (CVISN) Grant**

The Commercial Vehicle Information Systems and Networks (CVISN) grant program provides discretionary funding for States and the District of Columbia to deploy, operate, and maintain elements of their CVISN programs, including commercial vehicle, commercial driver, and carrier-specific information systems and networks. The agency in each State and the District of Columbia that is primarily responsible for the development, implementation, and maintenance of CVISN-related systems is eligible to apply for grant funding. To view the most recently published CVISN annual report, visit [http://ntl.bts.gov/lib/51000/51800/51834/13-010-CVISN\\_Annual\\_Report\\_2012-Full\\_Report.pdf](http://ntl.bts.gov/lib/51000/51800/51834/13-010-CVISN_Annual_Report_2012-Full_Report.pdf).

### **Motor Carrier Safety Assistance Program (MCSAP) Basic and Incentive Grants**

Under the MCSAP Basic and Incentive grant programs, a State lead MCSAP agency is eligible to apply for Basic and Incentive grant funding by submitting a commercial vehicle safety plan. FMCSA will reimburse each State's lead MCSAP agency 80 percent of eligible costs incurred in a fiscal year. Each lead agency will provide a 20 percent match of funds to qualify for the program. No match is required for the U.S. territories, with the exception of Puerto Rico. Basic grant funds are distributed proportionally based on four equally rated factors. A State lead MCSAP agency may qualify for Incentive grant funds if it can demonstrate CMV safety program improvement in five specific categories. Prior to the start of each fiscal year, FMCSA calculates the amount of Basic and Incentive funding each State is expected to receive.

## **MCSAP High Priority Grant**

MCSAP High Priority grant funding is available for projects that are national in scope, increase public awareness and education, demonstrate new technologies, and reduce the number and rate of CMV accidents. Eligible recipients are State agencies, local governments, and organizations representing government agencies that use and train qualified officers and employees in coordination with State motor vehicle safety agencies. FMCSA may reserve High Priority funding exclusively for innovative traffic enforcement projects, with particular emphasis on work zone enforcement and rural road safety.

## **New Entrant Safety Audit Grant**

The goal of the New Entrant Safety Audit grant program is to reduce CMV-involved crashes, fatalities, and injuries through consistent, uniform, and effective CMV safety programs. New Entrant discretionary grant funds will be awarded to States and local government for New Entrant safety audits on interstate motor carriers. States may use these funds for salaries and related expenses of New Entrant auditors, including training and equipment, and to perform other eligible activities that are directly related to conducting safety audits. The Federal share for the New Entrant grants is established at 100 percent of authorized funds.

## **Performance and Registration Information Systems Management (PRISM) Grant**

The PRISM grant program is a cooperative Federal-State safety program developed to reduce commercial vehicle accidents. The performance of unsafe carriers is improved through a comprehensive system of identifications, education, data gathering, safety monitoring, and treatment. The PRISM program incorporates Registration and Enforcement processes to identify motor carriers and hold them responsible for the safety of their operations. To be eligible, State agencies located in one of the 50 States or in one of the U.S. territories must work on highway traffic safety activities and demonstrate a capacity to work with highway traffic safety stakeholders.

## **Safety Data Improvement Program (SaDIP) Grant**

The goal of SaDIP grant funding is to provide financial and technical assistance to States to facilitate the collection of accurate, complete, and timely data on all large commercial truck and bus crashes that involve a fatality, injury, or a vehicle towed from the crash scene. Reports from the Government Accountability Office and the USDOT Inspector General have recommended that improvements be made in FMCSA crash and enforcement data. Congress has responded by providing funding annually for FMCSA to work with the States to improve reporting of large commercial truck and bus crashes.



## 7. AGENCY RESOURCES

### **FMCSA Web site**

<http://www.fmcsa.dot.gov>

### **Analysis & Information (A&I) Online**

<http://ai.fmcsa.dot.gov>

### **Compliance, Safety, Accountability (CSA)**

<https://csa.fmcsa.dot.gov>

### **DataQs**

<http://dataqs.fmcsa.dot.gov>

### **FMCSA Portal**

<https://portal.fmcsa.dot.gov>

### **Motor Carrier Management Information System (MCMIS)**

<http://mcmiscatalog.fmcsa.dot.gov>

### **Fatality Analysis Reporting System (FARS)**

<http://www.nhtsa.gov/FARS>

### **Federal Highway Administration (FHWA) Highway Statistics Series**

<https://www.fhwa.dot.gov/policyinformation/statistics>

### **General Estimates System (GES)**

<http://www.nhtsa.gov/NASS>

### **Licensing & Insurance (L&I)**

<http://li-public.fmcsa.dot.gov>

### **State Safety Data Improvement Program (SaDIP)**

<http://www.fmcsa.dot.gov/grants/safety-data-improvement-grant/safety-data-improvement-program-grant-sadip>

### **Commercial Vehicle Information Systems and Networks (CVISN)**

<http://www.fmcsa.dot.gov/grants/cvisn-grant/commercial-vehicle-information-systems-and-networks-cvisn-grant>

## GLOSSARY AND LIST OF ACRONYMS

A&I	Analysis & Information
ABA	American Bus Association
BEG	Border Enforcement Grant
CDL	Commercial Driver's License
CDLPI	Commercial Driver's License Program Improvement
CMV	Commercial Motor Vehicle (includes both large trucks and buses)
CMVOST	Commercial Motor Vehicle Operator Safety Training
CR	Compliance Review
CSA	Compliance, Safety, Accountability (CSA) is a major FMCSA safety measurement and reporting initiative. Designed to replace the SafeStat program, CSA was previously known as "Comprehensive Safety Analysis," or more commonly "CSA 2010."
CVISN	Commercial Vehicle Information Systems and Networks
CY	Calendar Year
DataQs	DataQs is an FMCSA system that allows users to request and track reviews of Federal and State data issued by FMCSA. The system automatically forwards a user's Request for Data Review to the appropriate office for resolution and collects updates and responses for current requests.
Domicile	Refers to the headquarters location of a carrier.
FAF	Freight Analysis Framework
FARS	Fatality Analysis Reporting System
FHWA	Federal Highway Administration
FMCSA	Federal Motor Carrier Safety Administration
FMCSRs	Federal Motor Carrier Safety Regulations
Form MCS-150	Motor Carrier Identification Report (Application for USDOT Number)
GES	General Estimates System
GCWR	Gross Combination Weight Rating

GVWR	Gross Vehicle Weight Rating
HM	Hazardous Materials
HMRs	Hazardous Materials Regulations
HOS	Hours of Service
L&I	Licensing & Insurance
MCMIS	The Motor Carrier Management Information System (MCMIS) is an FMCSA system that contains crash, census, and inspection files created to monitor and develop safety standards for commercial motor vehicles operating in interstate commerce.
MCSAP	Motor Carrier Safety Assistance Program
MMUCC	Model Minimum Uniform Crash Criteria
NHTSA	National Highway Traffic Safety Administration
OOS	Out of Service
OP-2 Authority	Carriers with OP-2 authority are Mexico-domiciled for-hire motor carriers and private motor carriers who transport property only in municipalities in the United States on the United States-Mexico international border or within the commercial zones of such municipalities.
PDO	Property Damage Only
PRISM	Performance and Registration Information Systems Management
RDR	Request for Data Review
SaDIP	State Safety Data Improvement Program
SBUCMVD	Seat Belt Usage by Commercial Motor Vehicle Drivers
SCR	Security Contact Review
SSDQ	State Safety Data Quality
UCR	Unified Carrier Registration
USDOT	United States Department of Transportation
VMT	Vehicle Miles Traveled
VSL	Value of a Statistical Life






Photo Credits

Cover (top to bottom)

iStockphoto

Win Henderson

