

Macrofungus Species of British Columbia

2017



Macrofungus Species of British Columbia

Paul Kroeger and Shannon Berch



The use of trade, firm, or corporation names in this publication is for the information and convenience of the reader. Such use does not constitute an official endorsement or approval by the Government of British Columbia of any product or service to the exclusion of any others that may also be suitable. Contents of this report are presented for discussion purposes only. Funding assistance does not imply endorsement of any statements or information contained herein by the Government of British Columbia. Uniform Resource Locators (URLs), addresses, and contact information contained in this document are current at the time of printing unless otherwise noted.

ISBN 978-0-7726-7115-8 – Print version
ISBN 978-0-7726-7116-5 – Digital version

Citation

Kroeger, P. and S.M. Berch. 2017. Macrofungus species of British Columbia. Prov. B.C., Victoria, B.C. Tech. Rep. 108.
www.for.gov.bc.ca/hfd/pubs/Docs/Tr/TR108.htm

Prepared by

Paul Kroeger
395 East 40th Ave.
Vancouver B.C.
kroeger.paul@gmail.com

Shannon Berch
British Columbia Ministry of Environment
Ecosystems Branch
Victoria, B.C.

Copies of this report may be obtained, depending on supply, from:
Crown Publications, Queen's Printer
2nd Floor, 563 Superior Street
Victoria, BC V8W 9V7
1-800-663-6105
www.crownpub.bc.ca

For information on other publications in this series, visit www.for.gov.bc.ca/scripts/hfd/pubs/hfdcatalog/index.asp.

© 2017 Province of British Columbia

When using information from this report, please cite fully and correctly.

ABSTRACT

In 1997, Redhead wrote *Macrofungi of British Columbia: Requirements for Inventory*, in which some 1250 of British Columbia's macrofungi species were listed based on literature reports. Over the past few years, efforts have been made to compile a current list of these species for the province. In this report, we list 3009 species of macrofungi, 90% of which are represented by specimens in either of British Columbia's fungal herbaria—the Forest Pathology Herbarium at the Pacific Forestry Centre, or the University of British Columbia Herbarium Fungal Collection. Because exploration of the province for macrofungi is ongoing and research is continuing to clarify the identity of species thought to occur here, this list is not yet complete. Periodic updating of the list is therefore warranted.

CONTENTS

Abstract	iii
1 Background.....	1
1.1 British Columbia Macrofungi within North America: Filling Data Gaps	1
1.2 History of Macrofungus Recording in British Columbia.....	2
1.3 Genesis and Evolution of this List of British Columbia Macrofungi	2
2 Compilation Methods.....	3
3 Current Version of the British Columbia Macrofungus List	5
3.1 Some Limitations and Problems	6
4 Next Steps: Future List Updates.....	7
References	8

TABLES

1 Example of newly documented <i>Cortinarius</i> species	6
2 The macrofungi of British Columbia	11

1 BACKGROUND

British Columbia is known to support a remarkable diversity of species in many well-studied groups of organisms; in numbers of species, British Columbia is Canada's most diverse province (Harding and McCullum [editors] 1994). Although the province represents only 10% of the country's total land area, it contains more than half the Canadian species of vascular plants and vertebrate animals (Pojar 1993). Compared to the vertebrate fauna and vascular flora, our knowledge of the province's fungi is presently very incomplete. Even the mere presence of some larger and more conspicuous mushrooms is not documented, let alone their distribution within the province.

Various attempts at estimating overall fungal diversity have been made at both the regional and global levels. From studies in areas where the fungi are relatively well known, a canonical formula has emerged that proposes that fungal species diversity may exceed vascular plant diversity by a ratio of about 6 to 1 (Hawksworth 2001). British Columbia's vascular flora is composed of approximately 3000 species (Douglas et al. 2002); using Hawksworth's estimate, this means that more than 18 000 species of fungi may occur in the province. Much debate surrounds this approach to estimates of fungal diversity. For instance, Blackwell (2011) proposed that the ratio is closer to 10.6 to 1, whereas Tedersoo et al. (2014) figured that current estimates of 0.8–5.1 million fungal species globally is too high.

Whatever the true number of fungal species in the province, this work addresses only a subset of the mycota—the macrofungi. For this project, we adopt Redhead's 1997 definition of macrofungi:

Macrofungi are those fungi that form large fructifications visible without the aid of a microscope. This artificial but convenient grouping is here defined to include fungal families or genera where the majority of included species produce fruit bodies greater than 1 cm in diameter (Redhead 1997:1).

We modify this definition by including fruit bodies more than 1 cm in greatest dimension; we also include some microfungi that cause conspicuous leaf spots or hypertrophied plant shoots.

1.1 British Columbia Macrofungi within North America: Filling Data Gaps

Our purpose in constructing the list of British Columbia macrofungus species provided in this technical report is to put into the public realm our present knowledge of macrofungal species diversity as a stimulus or challenge to build a more comprehensive and informative inventory of these important organisms. To keep the list current, periodic updates will be required.

British Columbia's mycota (i.e., all fungi in the region) is of key importance if we wish to understand the overall distribution of fungi at the national and continental scales. To contribute to the greater understanding of macrofungus biodiversity and distribution in North America, next steps include documenting and then mapping the distribution of species within British Columbia. Using online data from vouchers deposited in the fungal collections at the Pacific Forestry Centre (i.e., the Department of Agriculture Victoria Forest Pathology Herbarium, or “DAVFP”; Natural Resources Canada n.d.) and the University of British Columbia's Beaty Biodiversity Museum

or “UBC” (University of British Columbia n.d.), e-Flora BC (Klinkenberg [editor] 2017) can provide distribution maps of some provincial macrofungi, although the maps are limited by how well species are documented within their actual range.

1.2 History of Macrofungus Recording in British Columbia

The first significant record of macrofungi of British Columbia consists of several hundred specimens of fungi collected and preserved by John Macoun between 1912 and 1916. John Macoun (1831–1920) was Assistant Director and Naturalist to the Geological Survey of Canada, and was the leader and botanist on an 1879 expedition to determine the route of the Canadian Pacific Railroad through the mountains to the Pacific coast. Most of Macoun’s early collections are from the Sidney area of southern Vancouver Island where he retired after leaving Ottawa as the Geological Survey’s Dominion Botanist. He suffered a debilitating stroke in 1911 or 1912 and evidently had limited mobility, which explains the localized source of most of his later collections (Macoun 1922). Macoun’s provincial macrofungus collections are in UBC in Vancouver and the Canadian National Mycological Herbarium (DAOM) in Ottawa.

The study of mycology in Canada has traditionally been driven by the need to understand the roles of fungi in plant diseases and decay processes having economic, health, and food security implications in agriculture and forestry. The research station and experimental farm system was created by an act of Parliament in 1886. Published Canadian plant disease surveys began in 1920 and have included various macrofungus species but primarily have dealt with microfungi responsible for crop plant disease. Accumulated records were compiled and published in 1967 (Connors 1967). This record of Canada’s plant disease fungi was supplemented by Ginns’ compendium of further reports of plant disease gathered since Connors’ publication, covering the years 1960–1980 (Ginns 1989).

Canadian forest insect and disease surveys were instituted in 1951 to augment the insect surveys, which were established in 1936, and have documented many macrofungi as well as numerous microfungi of interest in forest health in British Columbia. The Pacific Forestry Centre in Victoria houses the Department of Agriculture Victoria Forest Pathology Herbarium. Lists of fungus species housed in this herbarium were compiled by Ziller but not published (e.g., Ziller 1957). In 1969, Lowe (1969) published the accumulated reports and records of forest fungi. Thirty years later, an updated index of provincial plant pathogens was published that included many more macrofungi, as the range of recording was expanded to encompass forest fungi in general (Fernando et al. 1999).

The first published listing of mushrooms, or gilled basidiomycetes, for the province was apparently an article by Jean Davidson, representing 3 years of collecting around Vancouver. Davidson considered 130 species to be represented in her collections and 81 species were included in the publication as identified to the author’s satisfaction (Davidson 1930).

1.3 Genesis and Evolution of this List of British Columbia Macrofungi

Several previous attempts were made to create comprehensive lists of the macrofungi (or “mushrooms” in a broad sense) known to occur in British Columbia. These have contributed to the current list.

Redhead (1997) documented 1250 species of provincial macrofungi, compiled entirely from literature reports. Redhead included the previously mentioned sources as well as some references in popular literature and has (since 1997) maintained a database of literature reports for Canadian macrofungi.

Since Redhead's publication, many more fungi have been documented as the result of various studies and research projects conducted by the B.C. Ministry of Environment, the B.C. Ministry of Forests, Lands and Natural Resource Operations, and provincial universities (e.g., Kranabetter and Kroeger 2001; Kranabetter et al. 2005, 2009; Berch and Bonito 2016). Surveys have been conducted in various regional, provincial, and national parks and other areas of interest to create inventories of fungal diversity within those areas (e.g., Clayoquot Sound, Vancouver Island [Roberts et al. 2004] and Haida Gwaii [Kroeger et al. 2012]).

One particularly important recent source of reports, supported by voucher collections of provincial macrofungi, has been the work of Oluna and Adolf Ceska on the macrofungi of Observatory Hill (also known as Little Saanich Mountain) on the outskirts of Victoria, B.C. Since November 2004, the Ceskas have repeatedly visited this site and documented over 1100 species of macrofungi from only 71.4 ha (Ceska 2013). A search of the University of British Columbia's online database of fungal collections for the collector(s) "Ceska" returns a staggering 9561 records, with over 5300 voucher collections attributed to the Ceskas' Observatory Hill work.

Both the South Vancouver Island and Vancouver Mycological Societies have compiled lists of mushrooms from their forays, meetings, and shows. The South Vancouver Island Mycological Society checklist is available online at: www.svims.ca/checkl.htm. "MatchMaker Mushrooms of the Pacific Northwest" is a computer program developed by Ian Gibson that incorporates data for occurrences of macrofungi in British Columbia (see www.svims.ca/linkks.htm).

Shannon Berch used information from these diverse sources to compile a list of 2136 macrofungus species believed to occur in British Columbia, and this original list is the base from which our current list was built.

2 COMPILATION METHODS

In 2014, Paul Kroeger was tasked with creating a simple spreadsheet checklist to record all macrofungi believed to occur within British Columbia. Information categories included order and family; genus and species; sub-specific designations, such as variety or forma; publishing authorities; as well as the source of occurrence reports, synonyms, and notes. Presence of voucher specimens in either the Department of Agriculture Victoria Forest Pathology Herbarium ("DAVFP") at the Pacific Forestry Centre in Victoria, or the Beaty Biodiversity Museum Herbarium in Vancouver ("UBC") was also recorded. Taxonomy and authorities conformed to *Index Fungorum* (Royal Botanic Gardens Kew n.d.).

To develop the 2014 version of the macrofungus spreadsheet, available data were subjected to three stages of scrutiny. Excel versions of databases from both the DAVFP and UBC collections were used in conjunction with the *Index Fungorum* online data resource.

First, the existing list was entirely edited, in alphabetic order, to conform to the taxonomic, nomenclatural, and orthographic standard accepted by *Index Fungorum*. Synonymous names were noted and eliminated. Authorities of publication for each taxon were added following the *Index Fungorum*

standards and author abbreviations. Data for the current *Index Fungorum* supra-specific order and family levels classification were added.

A second systematic pass through the list searched for the current names and their synonyms in both UBC and DAVFP herbarium databases. Existence of voucher specimens in the databases of UBC and DAVFP was noted.

The third stage of work added credible records of macrofungus taxa represented in the provincial institutional herbaria (DAVFP and UBC) but not yet included on our list. This difficult task was conducted by creating a database of fungal names applied to specimens from British Columbia in both herbaria. These were then vetted through *Index Fungorum*, after determining that the taxon in question would qualify as a macrofungus; thousands of records of microfungi were excluded.

Extremely old collections (pre-1950s) proved often to have dubious names, and many of these were excluded as obsolete or hopelessly obscure. Many synonymies were detected, noted, and excluded. Names remaining after this editing process were then added to the main list. This resulted in 430 new records of known macrofungi.

It proved useful to periodically visually scan through working lists with the names sorted by specific epithet. This detected species that had been placed in multiple genera and also revealed errors of spelling and transcription that would have escaped notice otherwise.

The UBC herbarium had large numbers of taxa, not previously listed, within the large mushroom genera or families (i.e., *Clitocybe* s.l., *Cortinarius*, *Entolomataceae*, *Galerina*, *Hygrophoraceae*, *Inocybe*, *Lactarius*, *Mycena* s.l., *Psathyrella*, *Russula*, and *Tricholoma* s.l.). Some of these large and difficult to identify mushroom groups have received considerable attention in recent University of British Columbia studies and projects, especially *Cortinarius*, *Inocybe*, and *Russula*, and most entries are based on credible identifications.

The larger groups just mentioned were assessed as separate files; all entries for UBC and DAVFP names were compiled and vetted through *Index Fungorum*, then individual herbarium entries for taxa were reviewed to assess the credibility of the record. Credible names were then added to the main list. Recent publications relevant to these taxa in North America were reviewed for citation of British Columbia collections and records.

The first version of the macrofungi species list was completed in March 2014 but not published; it contained records of macrofungi collected or reported up to the year 2013. In that inaugural list, 78% of the species were supported by vouchers found in the DAVFP and (or) UBC herbaria, and 22% were not. Oluna and Adolf Ceska have posted information about many recent macrofungus collections on the online resource *Mushroom Observer* (*Mushroom Observer, Inc. n.d.*) and each of these reports is supported by preserved voucher specimens that have been processed for accession into the UBC Herbarium. With the accession of the Ceska collections, about 2250 species of British Columbia macrofungi, collected before 2014, were recorded with voucher specimens in provincial herbaria.

3 CURRENT VERSION OF THE BRITISH COLUMBIA MACROFUNGUS LIST

Between the completion of the 2014 list and March 2016, over 6000 new macrofungi specimens had been accessioned into the UBC Herbarium, adding hundreds of new species records to the known mycota of the province. Oluna and Adolf Ceska have deposited over 5000 specimens from their ongoing studies of Observatory Hill, as well as collections from other sites around the province, especially southern Vancouver Island. Paul Kroeger has also deposited just over 800 specimens since the compilation of the 2014 version of the list.

Through a concerted effort to ensure that voucher specimens of interesting provincial fungi are preserved from their activities, the two established amateur mycological societies in British Columbia have also made great contributions to our knowledge of the province's macrofungi.

These new accessions have added 412 new taxa to the list, bringing the total to 3009. Of these, 321, or just over 10%, are not represented by specimens in either of the provincial fungal herbaria. This is a marked improvement over the 2014 version of our list, in which 573 of the 2607 taxa, or 22%, were not represented in the institutional herbaria.

The original pre-2014 list had 2136 entries, many of which have now been eliminated as synonyms or erroneous records. The over 3000 macrofungus taxa now documented for the province represent a significant increase in knowledge of the fungal diversity of the province.

This increase in knowledge is nowhere more apparent than in the genus *Cortinarius*. In 1997, Redhead discussed this genus to illustrate our poor knowledge of macrofungi at that time.

*There is no accurate listing of mushrooms or agaricales and boletes for Canada. The most comprehensive treatment in Canada is the one for Quebec by Pomerleau (1980). In Pomerleau's publication, 70 species of *Cortinarius* are documented. *Cortinarius* is the largest genus of agarics, with well over 1000 species anticipated in North America . . . In the 1970s, Dr. J. Ammirati (University of Washington), . . . collected more than 100 species in a 3-week period in one forest zone. A similar number could be expected in the northeastern boreal corner of B.C. alone. Yet for the entire province of B.C., only 21 species have been documented (Redhead 1997:2–4).*

We have increased our knowledge of species diversity in this genus 10-fold in just the past two decades, with 238 *Cortinarius* species now known in British Columbia. Emma Harrower and Mary Berbee at the University of British Columbia along with many co-workers conducted intensive molecular studies on this genus (Harrower et al. 2011) and, as a result, several new species have been described with more new species descriptions to follow. Table 2 shows a list of 15 recently published *Cortinarius* species, new to science, that this work has documented.

TABLE 1 Example of newly documented *Cortinarius* species

Genus	Species	Authorities
<i>Cortinarius</i>	<i>aavae</i>	Liimatainen & Niskanen
<i>Cortinarius</i>	<i>anomalovelatus</i>	Ammirati, Berbee, Harrower, Liimatainen & Niskanen
<i>Cortinarius</i>	<i>barlowensis</i>	Ammirati, Berbee, Harrower, Liimatainen & Niskanen
<i>Cortinarius</i>	<i>brunneotinctus</i>	Niskanen, Liimatainen, Ammirati
<i>Cortinarius</i>	<i>ceskae</i>	Ammirati, Niskanen & Liimat.
<i>Cortinarius</i>	<i>kroegeri</i>	Niskanen, Liimat., Harrower, Berbee, Garnica & Ammirati
<i>Cortinarius</i>	<i>nauseosouraceus</i>	Niskanen, Liimat. & Ammirati
<i>Cortinarius</i>	<i>neocalisteus</i>	Kranab., Ammirati, Liimat. & Niskanen
<i>Cortinarius</i>	<i>neosanguineus</i>	Ammirati, Liimat. & Niskanen
<i>Cortinarius</i>	<i>ochropallens</i>	Liimat., Niskanen & Ammirati
<i>Cortinarius</i>	<i>oulankaënsis</i>	Kytöv., Niskanen, Liimat. & H.Lindstr.
<i>Cortinarius</i>	<i>parkeri</i>	Ammirati, Seidl & Ceska
<i>Cortinarius</i>	<i>seidliae</i>	Ammirati, Niskanen & Liimat.
<i>Cortinarius</i>	<i>smithii</i>	Ammirati, Niskanen & Liimat.
<i>Cortinarius</i>	<i>subfloccopus</i>	Kytövori, Niskanen & Liimatainen

Similar molecular studies are now under way or are planned for other very large and difficult to identify genera of agarics, such as *Galerina*, *Inocybe*, *Mycena*, and *Russula*.

3.1 Some Limitations and Problems

Many fungi, especially it seems the “crust fungi,” polypores, and small ascomycetes, have extremely tortuous and convoluted nomenclatural histories. Several synonyms probably remain to be found within the herbarium databases. Mycologists familiar with difficult to identify or complex groups may be needed to review the records.

The determinations in herbaria have mostly had to be accepted for this project as records of occurrence. Some specimens may have been misidentified; examination of the exsiccata microscopically and (or) molecularly is needed to confirm these identifications. In some cases, familiarity with a group allowed one of us (Paul Kroeger) to recognize archaic names now understood to refer to another, more modern, name.

The *Index Fungorum* treatment is not consistent and is subject to continuous change. In some groups, segregate genera have not been adopted by *Index Fungorum*. For example, in the Entolomataceae family, all the members of genera *Leptonia* and *Nolanea*—genera well represented in the UBC Herbarium—are lumped as *Entoloma*. Since many mycologists in North America seem to accept the segregate genera as found in Largent (1994), it may be desirable to use these segregate genera in the future rather than follow the *Index Fungorum* lumping into *Entoloma*.

Many European names for local macrofungi are now being replaced by newly recognized and published taxa endemic to North America. These replacements do not always appear in *Index Fungorum* searches and will require continued monitoring and adjustment. By retaining some European names as they appear in herbarium databases, we allow for these to be replaced as new names for familiar North American taxa become available. In some cases, the fungi could be introduced species in human-modified environments.

As the techniques become easier and the cost per sample decreases, DNA sequencing is now applied to the study of many more macrofungi. Sequencing of herbarium specimens shows that many of the traditionally used

species names refer to several closely related but distinct taxa. This situation has occurred repeatedly in the genus *Cortinarius*, where somewhat cryptic species are now recognized within several familiar, old species concepts (e.g. Harrower et al. 2011).

The Canadian National Mycological Herbarium (DAOM) holdings are not yet available in electronic form, and many additional taxa in this database do not occur in either the UBC or DAVFP databases. Many of our 321 records that lack specimens in these provincial herbaria are likely represented in the DAOM.

Occasionally, records may indicate that a specimen is from British Columbia when it may not be. For example, a record of *Amanita virosa* in the UBC Herbarium was listed from Lake George, B.C. (which is an expansion of Beaver Creek near Williams Lake). Because *Amanita virosa* is otherwise not known from British Columbia, this record was further investigated. In the UBC database, a record was found of a different fungus collected on the same date by the same collector at Lake George, Minnesota, USA. It turned out that the original collection label for *Amanita virosa* does not specify province or state or even country for its location. The database listing has been corrected and this species is no longer listed as occurring in the province.

Some provincial records may represent locally cultivated but exotic mushrooms; these were not included when recognized as cultured in an artificial environment. In contrast, European truffle species have now been produced in truffle orchards from inoculated host trees that are field-grown; these are included because they have been naturalized.

Occasionally, records may present a conundrum. For example, one of us (Paul Kroeger) was asked to identify mushrooms (*Gymnopilus aeruginosus*) fruiting from wood in a storage compartment of a mobile home. This recreational vehicle was purchased in California and driven to Vancouver a short time before. Was it a British Columbian or a Californian fungus? Fortunately, the species was already known provincially and, therefore, this was not a new record.

Various errors have been encountered, such as spelling or transcription errors and obvious transpositions. Several hundred such problems have been separately listed and submitted to the UBC Herbarium for correction on their database.

4 NEXT STEPS: FUTURE LIST UPDATES

This list of macrofungus species (Table 2) requires updating as new records become available. A curator and editor with mycological expertise will be needed to maintain the resource and ensure that it remains current.

Any reports of macrofungi from British Columbia must have voucher specimens to act as verification of that species' existence. Presently, 321 records are not verified by vouchers in the two provincial institutional herbaria, although most of these are likely represented by collections at the Canadian National Mycological Herbarium in Ottawa. Once these voucher records are confirmed, any remaining names among the 321 currently unverified reports should be eliminated, unless these are found in other herbaria or are documented with new collections.

REFERENCES

- Berch, S.M. and G. Bonito. 2016. Truffle diversity (*Tuber*, Tuberaceae) in British Columbia. *Mycorrhiza* 26(6):587–594.
- Blackwell, M. 2011. The fungi: 1, 2, 3 . . . 5.1 million species? *Am. J. Bot.* 98(3):426–438.
- Ceska, O. 2013. A survey of macrofungi on Observatory Hill: spring 2012 and winter 2012/2013. Unpubl. rep. www.goert.ca/documents/Macrofungi-Observatory-Hill-2012-2013.pdf (Accessed Mar. 2, 2017).
- Connors, I.L. 1967. An annotated index of plant diseases in Canada and fungi recorded on plants in Alaska, Canada and Greenland. *Can. Dep. Agric., Res. Br., Ottawa, Ont. Publ.* 1251.
- Davidson, J.E. 1930. Notes on the Agaricaceae of Vancouver (B.C.) district—I. *Mycologia* 22:80–93.
- Douglas, G.W., D.V. Meidinger, and J. Pojar (editors). 2002. Illustrated flora of British Columbia. Vol. 8: general summary, maps and keys. B.C. Min. Sustain. Res. Manag. and B.C. Min. For., Victoria, B.C.
- Fernando, A., F. Ring, D. Lowe, and B. Callan. 1999. Index of plant pathogens, plant-associated microorganisms, and forest fungi of British Columbia. *Can. For. Serv., Pac. For. Cent., Victoria, B.C. Info. Rep. BC-X-385.*
- Ginns, J. 1989. Compendium of plant disease and decay fungi in Canada 1960–1980. *Can. Dep. Agric., Res. Br., Ottawa, Ont. Publ. 1813.*
- Harding, L.E. and E. McCullum (editors). 1994. Biodiversity in British Columbia: our changing environment. *Environ. Can., Can. Wildl. Serv., Pac. Yukon Reg., Vancouver, B.C.*
- Harrower, E., J.F. Ammirati, A.A. Cappuccino, O. Ceska, J.M. Kranabetter, P. Kroeger, S. Lim, T. Taylor, and M.L. Berbee. 2011. *Cortinarius* species diversity in British Columbia and molecular phylogenetic comparison with European specimen sequences. *Botany* 89(11):799–810.
- Hawksworth, D.L. 2001. The magnitude of fungal diversity: the 1.5 million species estimate revisited. *Mycol. Res.* 105(12):1422–1432.
- Klinkenberg, B. (editor). 2017. E-Flora BC: electronic atlas of the flora of British Columbia [electronic resource]. Univ. British Columbia, Dep. Geog., Lab for Advanced Spatial Analysis, Vancouver, B.C. <http://ibis.geog.ubc.ca/biodiversity/eflora/> (Accessed Mar. 2, 2017).
- Kranabetter, J.M. and P. Kroeger. 2001. Ectomycorrhizal mushroom response to partial cutting in a western hemlock/western redcedar forest. *Can. J. For. Res.* 31:978–987.

- Kranabetter, J.M., J. Friesen, S. Gamiet, and P. Kroeger. 2005. Ectomycorrhizal mushroom distribution by stand age in western hemlock-lodgepole pine forests of northwestern British Columbia. *Can. J. For. Res.* 35(7):1527–1539.
- Kranabetter, J.M., J. Friesen, S. Gamiet, and P. Kroeger. 2009. Epigeous fruiting bodies of ectomycorrhizal fungi as indicators of soil fertility and associated nitrogen status of boreal forests. *Mycorrhiza* 19(8):535–548.
- Kroeger, P., B. Kendrick, O. Ceska, and C. Roberts. 2012. *The outer spores: mushrooms of Haida Gwaii*. Mycologue Publications and Haida Gwaii Museum, Sidney and Skidegate, B.C.
- Largent, D.L. 1994. *Entolomatoid fungi of the western United States and Alaska*. Mad River Press, Eureka Calif.
- Lowe, D.P. 1969. Checklist and host index of bacteria, fungi, and mistletoes of British Columbia. Dep. Fish. For., For. Res. Lab., Victoria, B.C. BC-X-032.
- Macoun, J. 1922. Autobiography of John Macoun, M.A.: Canadian explorer and naturalist. The Ottawa Field-naturalists' Club, Ottawa, Ont.
- Mushroom Observer, Inc. n.d. Mushroom Observer [online database]. <http://mushroomobserver.org> (Accessed Mar. 1, 2016).
- Natural Resources Canada. n.d. Pacific Forestry Centre's Forest Pathology Herbarium: DAVFP collections database [online database]. Victoria, B.C. <http://cfs.nrcan.gc.ca/herbarium> (Accessed March 1, 2016).
- Pajar, J. 1993. Terrestrial diversity of British Columbia. In: *Our living legacy: Proc. Symp. Biological Diversity*. M.A. Fenger, E.H. Miller, J.A. Johnson, and E.J.R. Williams (editors). Royal British Columbia Museum, Victoria, B.C., pp. 177–190.
- Pomerleau, R. 1980. Flore des champignons au Québec et régions limitrophes. Les éditions la presse, Montreal, Que.
- Redhead, S.A. 1997. Macrofungi of British Columbia: requirements for inventory. B.C. Min. For., Res. Br., Victoria, B.C. Work. Pap. 28. www.for.gov.bc.ca/hfd/pubs/docs/Wp/WP28.pdf (Accessed Mar. 2, 2017).
- Roberts, C., O. Ceska, P. Kroeger, and B. Kendrick. 2004. Macrofungi of six habitats over five years in Clayoquot Sound, British Columbia. *Can. J. Bot.* 82(10):1518–1538.
- Royal Botanic Gardens Kew. n.d. *Index Fungorum* [online database]. www.indexfungorum.org (Accessed Mar. 1, 2016).
- Tedersoo, L., M. Bahram, S. Pöhlme, U. Köljalg, N. Yorou, R. Wijesundera, L. Villarreal Ruiz, et al. 2014. Global diversity and geography of soil fungi. *Science* 346(6213):1078–1088.

University of British Columbia. n.d. Herbarium fungal collection [online database]. Beaty Biodiversity Museum, Vancouver B.C.
www.biodiversity.ubc.ca/museum/herbarium/fungi/index.html
(Accessed Mar. 1, 2016).

Ziller, W.G. 1957. Fungi of British Columbia deposited in the herbarium of the Forest Biology Laboratory, Gov. Can., Dept. North. Affairs and Nat. Resources, For. Br., Victoria B.C.

TABLE 2 *The macrofungi of British Columbia*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Agaricaceae			<i>Abstoma</i>	<i>reticulatum</i>			G. Cunn.
Agaricales	Agaricaceae		UBC	<i>Agaricus</i>	<i>abruptibulbus</i>			Peck
Agaricales	Agaricaceae		UBC	<i>Agaricus</i>	<i>albolutescens</i>			Zeller
Agaricales	Agaricaceae	DAVFP	UBC	<i>Agaricus</i>	<i>arvensis</i>			Schaeff.
Agaricales	Agaricaceae	DAVFP	UBC	<i>Agaricus</i>	<i>augustus</i>			Fr.
Agaricales	Agaricaceae			<i>Agaricus</i>	<i>bernardii</i>			Quél.
Agaricales	Agaricaceae	DAVFP	UBC	<i>Agaricus</i>	<i>bisporus</i>			(J.E. Lange) Imbach
Agaricales	Agaricaceae		UBC	<i>Agaricus</i>	<i>bitorquis</i>			(Quél.) Sacc.
Agaricales	Agaricaceae			<i>Agaricus</i>	<i>californicus</i>			Peck
Agaricales	Agaricaceae	DAVFP	UBC	<i>Agaricus</i>	<i>campestris</i>			Fr.
Agaricales	Agaricaceae		UBC	<i>Agaricus</i>	<i>comptulus</i>			Fr.
Agaricales	Agaricaceae			<i>Agaricus</i>	<i>crocodilinus</i>			Murrill
Agaricales	Agaricaceae	DAVFP	UBC	<i>Agaricus</i>	<i>diminutivus</i>			Peck
Agaricales	Agaricaceae		UBC	<i>Agaricus</i>	<i>dulcidulus</i>			Schulzer
Agaricales	Agaricaceae		UBC	<i>Agaricus</i>	<i>fuscofibrillosus</i>			(F.H. Moller) Pilat
Agaricales	Agaricaceae	DAVFP	UBC	<i>Agaricus</i>	<i>hondensis</i>			Murrill
Agaricales	Agaricaceae		UBC	<i>Agaricus</i>	<i>micromegethus</i>			Peck
Agaricales	Agaricaceae		UBC	<i>Agaricus</i>	<i>moelleri</i>			Wasser
Agaricales	Agaricaceae			<i>Agaricus</i>	<i>osecanus</i>			Pilat
Agaricales	Agaricaceae		UBC	<i>Agaricus</i>	<i>perobscurus</i>			Kerrigan
Agaricales	Agaricaceae			<i>Agaricus</i>	<i>queletii</i>			Fr.
Agaricales	Agaricaceae	DAVFP	UBC	<i>Agaricus</i>	<i>semotus</i>			Fr.
Agaricales	Agaricaceae			<i>Agaricus</i>	<i>smithii</i>			Kerrigan
Agaricales	Agaricaceae	DAVFP		<i>Agaricus</i>	<i>subrufescens</i>			Peck
Agaricales	Agaricaceae		UBC	<i>Agaricus</i>	<i>subrutilescens</i>			(Kauffman) Hotson & D.E. Stuntz
Agaricales	Agaricaceae	DAVFP	UBC	<i>Agaricus</i>	<i>sylvaticus</i>			Schaeff.
Agaricales	Agaricaceae	DAVFP	UBC	<i>Agaricus</i>	<i>sylvicola</i>			(Vittad.) Peck
Agaricales	Agaricaceae	DAVFP		<i>Agaricus</i>	<i>xanthoderma</i>			Genev.
Agaricales	Agaricaceae	DAVFP	UBC	<i>Battarea</i>	<i>phalloides</i>			(Dicks.) Pers.
Agaricales	Agaricaceae		UBC	<i>Bovista</i>	<i>colorata</i>			(Peck) Kreisel
Agaricales	Agaricaceae			<i>Bovista</i>	<i>dakotensis</i>			(Brenckle) Kreisel
Agaricales	Agaricaceae	DAVFP	UBC	<i>Bovista</i>	<i>pila</i>			Berk. & M.A. Curtis
Agaricales	Agaricaceae		UBC	<i>Bovista</i>	<i>plumbea</i>			Pers.
Agaricales	Agaricaceae		UBC	<i>Bovista</i>	<i>pusilla</i>			(Batsch) Pers.
Agaricales	Agaricaceae			<i>Bovista</i>	<i>tomentosa</i>			(Vittad.) De Toni
Agaricales	Agaricaceae	DAVFP		<i>Calbovista</i>	<i>subsculpta</i>			Morse ex M.T. Seidl
Agaricales	Agaricaceae		UBC	<i>Calvatia</i>	<i>bovista</i>			(L.) Pers.
Agaricales	Agaricaceae		UBC	<i>Calvatia</i>	<i>cyathiformis</i>		fragilis	(Bosc) Morgan [f. (Quél.) A.H. Sm.]
Agaricales	Agaricaceae	DAVFP		<i>Calvatia</i>	<i>gigantea</i>			(Batsch) Lloyd
Agaricales	Agaricaceae	DAVFP		<i>Calvatia</i>	<i>lepidophorum</i>			(Ellis & Everh.) Coker & Couch

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Agaricaceae		UBC	<i>Chlorophyllum</i>	<i>agaricoides</i>			(Czern.) Vellinga
Agaricales	Agaricaceae		UBC	<i>Chlorophyllum</i>	<i>brunneum</i>			(Farl. & Burt) Vellinga
Agaricales	Agaricaceae		UBC	<i>Chlorophyllum</i>	<i>olivieri</i>			(Barla) Vellinga
Agaricales	Agaricaceae	DAVFP	UBC	<i>Chlorophyllum</i>	<i>rachodes</i>			(Vittad.) Vellinga
Agaricales	Agaricaceae	DAVFP	UBC	<i>Coprinus</i>	<i>comatus</i>			(O.F. Müll.) Pers.
Agaricales	Agaricaceae		UBC	<i>Coprinus</i>	<i>giganteosporus</i>			M. Zang & Y. Fei
Agaricales	Agaricaceae		UBC	<i>Coprinus</i>	<i>patouillardii</i>			Quél.
Agaricales	Agaricaceae		UBC	<i>Coprinus</i>	<i>silvaticus</i>			Peck
Agaricales	Agaricaceae	DAVFP	UBC	<i>Crucibulum</i>	<i>laeve</i>			(Huds.) Kambly
Agaricales	Agaricaceae		UBC	<i>Cyathus</i>	<i>olla</i>			(Batsch) Pers.
Agaricales	Agaricaceae		UBC	<i>Cyathus</i>	<i>stercoreus</i>			(Schwein.) De Toni
Agaricales	Agaricaceae		UBC	<i>Cyathus</i>	<i>striatus</i>			(Huds.) Willd.
Agaricales	Agaricaceae	DAVFP	UBC	<i>Cystoderma</i>	<i>amianthinum</i>			(Scop.) Fayod
Agaricales	Agaricaceae	DAVFP	UBC	<i>Cystoderma</i>	<i>fallax</i>			A.H. Sm. & Singer
Agaricales	Agaricaceae	DAVFP	UBC	<i>Cystodermella</i>	<i>cinnabrina</i>			(Alb. & Schwein.) Harmaja
Agaricales	Agaricaceae	DAVFP	UBC	<i>Cystodermella</i>	<i>granulosa</i>			(Batsch) Harmaja
Agaricales	Agaricaceae		UBC	<i>Cystolepiota</i>	<i>bucklandii</i>			(Berk. & Broome) Singer & Clémençon
Agaricales	Agaricaceae		UBC	<i>Cystolepiota</i>	<i>microspora</i>			(Murrill) Singer & Clémençon
Agaricales	Agaricaceae		UBC	<i>Cystolepiota</i>	<i>moelleri</i>			Knudsen
Agaricales	Agaricaceae		UBC	<i>Cystolepiota</i>	<i>seminuda</i>			(Lasch) Bon
Agaricales	Agaricaceae		UBC	<i>Cystolepiota</i>	<i>sistrata</i>			(Fr.) Singer ex Bon & Bellù
Agaricales	Agaricaceae		UBC	<i>Disciseda</i>	<i>candida</i>			(Schwein.) Lloyd
Agaricales	Agaricaceae		UBC	<i>Echinoderma</i>	<i>asperum</i>			(Pers.) Bon
Agaricales	Agaricaceae		UBC	<i>Echinoderma</i>	<i>carinii</i>			(Bres.) Bon
Agaricales	Agaricaceae		UBC	<i>Echinoderma</i>	<i>echinaceum</i>			(J.E. Lange) Bon
Agaricales	Agaricaceae		UBC	<i>Echinoderma</i>	<i>pseudoasperulum</i>			(Knudsen) Bon
Agaricales	Agaricaceae	DAVFP	UBC	<i>Floccularia</i>	<i>albolanaripes</i>			(G.F. Atk.) Redhead
Agaricales	Agaricaceae		UBC	<i>Floccularia</i>	<i>luteovirens</i>			(Alb. & Schwein.) Pouzar
Agaricales	Agaricaceae	DAVFP	UBC	<i>Lepiota</i>	<i>atrodisca</i>			Zeller
Agaricales	Agaricaceae		UBC	<i>Lepiota</i>	<i>boudieri</i>			Bres.
Agaricales	Agaricaceae		UBC	<i>Lepiota</i>	<i>brunneoincarnata</i>			Chodat & C. Martín
Agaricales	Agaricaceae		UBC	<i>Lepiota</i>	<i>castanea</i>			Quél.
Agaricales	Agaricaceae	DAVFP	UBC	<i>Lepiota</i>	<i>clypeolaria</i>			(Bull.) P. Kumm.
Agaricales	Agaricaceae		UBC	<i>Lepiota</i>	<i>clypeolarioides</i>			Rea
Agaricales	Agaricaceae	DAVFP	UBC	<i>Lepiota</i>	<i>cristata</i>			(Bolton) P. Kumm.
Agaricales	Agaricaceae		UBC	<i>Lepiota</i>	<i>earlei</i>			Peck
Agaricales	Agaricaceae		UBC	<i>Lepiota</i>	<i>erminea</i>			(Fr.) P. Kumm.
Agaricales	Agaricaceae		UBC	<i>Lepiota</i>	<i>felina</i>			(Pers.) P. Karst.
Agaricales	Agaricaceae		UBC	<i>Lepiota</i>	<i>flammeotincta</i>			Kauffman
Agaricales	Agaricaceae		UBC	<i>Lepiota</i>	<i>fuscosquamea</i>			(Peck) Sacc.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Agaricaceae		UBC	<i>Lepiota</i>	<i>griseovirens</i>			Maire
Agaricales	Agaricaceae			<i>Lepiota</i>	<i>helvola</i>			Bres.
Agaricales	Agaricaceae		UBC	<i>Lepiota</i>	<i>hymenoderma</i>			D.A. Reid
Agaricales	Agaricaceae		UBC	<i>Lepiota</i>	<i>magnispora</i>			Murrill
Agaricales	Agaricaceae		UBC	<i>Lepiota</i>	<i>pallida</i>			Locq. ex Bon & Candusso
Agaricales	Agaricaceae		UBC	<i>Lepiota</i>	<i>pseudofelina</i>			J.E. Lange
Agaricales	Agaricaceae			<i>Lepiota</i>	<i>pulcherrima</i>			P.W. Graff
Agaricales	Agaricaceae		UBC	<i>Lepiota</i>	<i>roseifolia</i>			Murrill
Agaricales	Agaricaceae		UBC	<i>Lepiota</i>	<i>roseolivida</i>			Murrill
Agaricales	Agaricaceae		UBC	<i>Lepiota</i>	<i>subincarnata</i>			J.E. Lange
Agaricales	Agaricaceae		UBC	<i>Lepiota</i>	<i>tomentella</i>			J.E. Lange
Agaricales	Agaricaceae		UBC	<i>Leucoagaricus</i>	<i>americanus</i>			(Peck) Vellinga
Agaricales	Agaricaceae	DAVFP	UBC	<i>Leucoagaricus</i>	<i>leucothites</i>			(Vittad.) Wasser
Agaricales	Agaricaceae		UBC	<i>Leucoagaricus</i>	<i>rubrotinctus</i>			(Peck) Singer
Agaricales	Agaricaceae		UBC	<i>Leucocoprinus</i>	<i>birnbaumii</i>			(Corda) Singer
Agaricales	Agaricaceae	DAVFP		<i>Leucocoprinus</i>	<i>brevibsonii</i>			(Godey) Locq.
Agaricales	Agaricaceae		UBC	<i>Leucocoprinus</i>	<i>cepistipes</i>			(Sowerby) Pat.
Agaricales	Agaricaceae	DAVFP		<i>Lycoperdon</i>	<i>curtisi</i>			Berk.
Agaricales	Agaricaceae			<i>Lycoperdon</i>	<i>dermoxantha</i>			Vittad.
Agaricales	Agaricaceae			<i>Lycoperdon</i>	<i>excipuliforme</i>			(Scop.) Pers.
Agaricales	Agaricaceae	DAVFP	UBC	<i>Lycoperdon</i>	<i>foetidum</i>			Bonord.
Agaricales	Agaricaceae		UBC	<i>Lycoperdon</i>	<i>gemmatum</i>			Pers.
Agaricales	Agaricaceae		UBC	<i>Lycoperdon</i>	<i>marginatum</i>			Vittad.
Agaricales	Agaricaceae		UBC	<i>Lycoperdon</i>	<i>molle</i>			Pers.
Agaricales	Agaricaceae	DAVFP	UBC	<i>Lycoperdon</i>	<i>perlatum</i>			Pers.
Agaricales	Agaricaceae	DAVFP	UBC	<i>Lycoperdon</i>	<i>pyriforme</i>			Schaff.
Agaricales	Agaricaceae	DAVFP		<i>Lycoperdon</i>	<i>subincarnatum</i>			Peck
Agaricales	Agaricaceae		UBC	<i>Lycoperdon</i>	<i>umbrinum</i>			Pers.
Agaricales	Agaricaceae			<i>Melanophyllum</i>	<i>haematospermum</i>			(Bull.) Kreisel
Agaricales	Agaricaceae		UBC	<i>Montagnea</i>	<i>arenaria</i>			(DC.) Zeller
Agaricales	Agaricaceae	DAVFP	UBC	<i>Mycenastrum</i>	<i>corium</i>			(Guers.) Desv.
Agaricales	Agaricaceae			<i>Mycocalia</i>	<i>denudata</i>			(Fr. & Nordholm) J.T. Palmer
Agaricales	Agaricaceae	DAVFP		<i>Mycocalia</i>	<i>duriæana</i>			(Tul. & C. Tul.) J.T. Palmer
Agaricales	Agaricaceae	DAVFP	UBC	<i>Nidula</i>	<i>candida</i>			Peck
Agaricales	Agaricaceae	DAVFP		<i>Nidula</i>	<i>microcarpa</i>			Peck
Agaricales	Agaricaceae	DAVFP	UBC	<i>Nidula</i>	<i>niveotomentosa</i>			(Henn.) Lloyd
Agaricales	Agaricaceae			<i>Nidularia</i>	<i>farcta</i>			(Roth) Fr.
Agaricales	Agaricaceae		UBC	<i>Nidularia</i>	<i>pulvinata</i>			(Schwein.) Fr.
Agaricales	Agaricaceae	DAVFP	UBC	<i>Phaeolepiota</i>	<i>aurea</i>			(Matt.) Maire
Agaricales	Agaricaceae			<i>Podaxis</i>	<i>pistillaris</i>			(L.) Fr.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Agaricaceae		UBC	<i>Tulostoma</i>	<i>brumale</i>			Pers.
Agaricales	Agaricaceae	DAVFP	UBC	<i>Tulostoma</i>	<i>fimbriatum</i>			Fr.
Agaricales	Agaricaceae		UBC	<i>Tulostoma</i>	<i>simulans</i>			Lloyd
Agaricales	Agaricaceae		UBC	<i>Tulostoma</i>	<i>tuberculatum</i>			V.S. White
Agaricales	Agaricaceae		UBC	<i>Tulostoma</i>	<i>verrucosum</i>			Morgan
Agaricales	Agaricaceae	DAVFP		<i>Vascellum</i>	<i>lloydianum</i>			A.H. Sm.
Agaricales	Agaricaceae		UBC	<i>Vascellum</i>	<i>pratense</i>			(Pers.) Kreisel
Agaricales	Amanitaceae		UBC	<i>Amanita</i>	<i>alba</i>			Lam.
Agaricales	Amanitaceae	DAVFP	UBC	<i>Amanita</i>	<i>apraca</i>			J. Lindgr. & Tulloss
Agaricales	Amanitaceae	DAVFP	UBC	<i>Amanita</i>	<i>augusta</i>			Bojantchev & R.M. Davis
Agaricales	Amanitaceae		UBC	<i>Amanita</i>	<i>ceciliae</i>			(Berk. & Broome) Bas
Agaricales	Amanitaceae	DAVFP	UBC	<i>Amanita</i>	<i>constricta</i>			Thiers & Ammirati
Agaricales	Amanitaceae		UBC	<i>Amanita</i>	<i>excelsa</i>			(Fr.) Bertill.
Agaricales	Amanitaceae	DAVFP	UBC	<i>Amanita</i>	<i>farinosa</i>			Schwein.
Agaricales	Amanitaceae		UBC	<i>Amanita</i>	<i>fulva</i>			Fr.
Agaricales	Amanitaceae	DAVFP	UBC	<i>Amanita</i>	<i>gemmata</i>			(Fr.) Bertill.
Agaricales	Amanitaceae		UBC	<i>Amanita</i>	<i>muscaria</i>	<i>alba</i>		Peck
Agaricales	Amanitaceae	DAVFP	UBC	<i>Amanita</i>	<i>muscaria</i>	<i>flavivolvata</i>		(Singer) D.T. Jenkins
Agaricales	Amanitaceae	DAVFP	UBC	<i>Amanita</i>	<i>muscaria</i>	<i>formosa</i>		Pers.
Agaricales	Amanitaceae		UBC	<i>Amanita</i>	<i>muscaria</i>	<i>muscaria</i>		(L.) Lam.
Agaricales	Amanitaceae	DAVFP	UBC	<i>Amanita</i>	<i>novinupta</i>			Tulloss & J. Lindgr.
Agaricales	Amanitaceae	DAVFP	UBC	<i>Amanita</i>	<i>pachycolea</i>			D.E. Stuntz
Agaricales	Amanitaceae	DAVFP	UBC	<i>Amanita</i>	<i>pantherina</i>			(DC.) Krombh.
Agaricales	Amanitaceae	DAVFP	UBC	<i>Amanita</i>	<i>phalloides</i>			(Vaill. ex Fr.) Link
Agaricales	Amanitaceae	DAVFP	UBC	<i>Amanita</i>	<i>porphyria</i>			Alb. & Schwein.
Agaricales	Amanitaceae	DAVFP	UBC	<i>Amanita</i>	<i>rubescens</i>			Pers.
Agaricales	Amanitaceae	DAVFP	UBC	<i>Amanita</i>	<i>silvicola</i>			Kauffman
Agaricales	Amanitaceae	DAVFP	UBC	<i>Amanita</i>	<i>smithiana</i>			Bas
Agaricales	Amanitaceae	DAVFP	UBC	<i>Amanita</i>	<i>vaginata</i>			(Bull.) Lam.
Agaricales	Amanitaceae		UBC	<i>Amanita</i>	<i>velosa</i>			(Peck) Lloyd
Agaricales	Amanitaceae	DAVFP	UBC	<i>Limacella</i>	<i>delicata</i>			(Fr.) H.V. Sm.
Agaricales	Amanitaceae	DAVFP	UBC	<i>Limacella</i>	<i>glischra</i>			(Morgan) Murrill
Agaricales	Amanitaceae		UBC	<i>Limacella</i>	<i>illinata</i>			(Fr.) Maire
Agaricales	Amanitaceae		UBC	<i>Limacella</i>	<i>ochraceolutea</i>			P.D. Orton
Agaricales	Bolbitiaceae		UBC	<i>Bolbitius</i>	<i>lacteus</i>			J.E. Lange
Agaricales	Bolbitiaceae		UBC	<i>Bolbitius</i>	<i>reticulatus</i>			(Pers.) Ricken
Agaricales	Bolbitiaceae		UBC	<i>Bolbitius</i>	<i>titubans</i>	<i>olivaceus</i>		(Gillet) Arnolds
Agaricales	Bolbitiaceae		UBC	<i>Bolbitius</i>	<i>titubans</i>	<i>titubans</i>		(Bull.) Fr.
Agaricales	Bolbitiaceae		UBC	<i>Bolbitius</i>	<i>variicolor</i>			G.F. Atk.
Agaricales	Bolbitiaceae		UBC	<i>Bolbitius</i>	<i>vitellinus</i>			(Pers.) Fr.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Bolbitiaceae			<i>Conocybe</i>	<i>aberrans</i>			(Kühner) Kühner
Agaricales	Bolbitiaceae			<i>Conocybe</i>	<i>apala</i>			(Fr.) Arnolds
Agaricales	Bolbitiaceae		UBC	<i>Conocybe</i>	<i>brunneola</i>			Kühner ex Kühner & Watling
Agaricales	Bolbitiaceae		UBC	<i>Conocybe</i>	<i>cyanopus</i>			(G.F. Atk.) Kühner
Agaricales	Bolbitiaceae		UBC	<i>Conocybe</i>	<i>dumetorum</i>			(Velen.) Svrček
Agaricales	Bolbitiaceae		UBC	<i>Conocybe</i>	<i>filaris</i>			(Fr.) Kühner
Agaricales	Bolbitiaceae	DAVFP		<i>Conocybe</i>	<i>intrusa</i>			(Peck) Singer
Agaricales	Bolbitiaceae		UBC	<i>Conocybe</i>	<i>pilosella</i>			(Pers.) Kühner
Agaricales	Bolbitiaceae		UBC	<i>Conocybe</i>	<i>pubescens</i>			(Gillet) Kühner
Agaricales	Bolbitiaceae			<i>Conocybe</i>	<i>pulchella</i>			(Velen.) Hauskn. & Svrček
Agaricales	Bolbitiaceae		UBC	<i>Conocybe</i>	<i>rickeniana</i>			P.D. Orton
Agaricales	Bolbitiaceae		UBC	<i>Conocybe</i>	<i>rickenii</i>			(Jul. Schäff.) Kühner
Agaricales	Bolbitiaceae		UBC	<i>Conocybe</i>	<i>rugosa</i>			(Peck) Watling
Agaricales	Bolbitiaceae		UBC	<i>Conocybe</i>	<i>semiglobata</i>			Kühner & Watling
Agaricales	Bolbitiaceae		UBC	<i>Conocybe</i>	<i>siennophylla</i>			(Berk. & Broome) Singer
Agaricales	Bolbitiaceae		UBC	<i>Conocybe</i>	<i>spiculoides</i>			Kühner & Watling
Agaricales	Bolbitiaceae		UBC	<i>Conocybe</i>	<i>tenera</i>			(Schaeff.) Fayod
Agaricales	Bolbitiaceae		UBC	<i>Conocybe</i>	<i>velata</i>			(Velen.) Watling
Agaricales	Bolbitiaceae			<i>Descomyces</i>	<i>albellus</i>			(Massee & Rodway) Bouger & Castellano
Agaricales	Clavariaceae	DAVFP	UBC	<i>Clavaria</i>	<i>fragilis</i>			Holmsk.
Agaricales	Clavariaceae		UBC	<i>Clavaria</i>	<i>neonigrita</i>			R.H. Petersen
Agaricales	Clavariaceae		UBC	<i>Clavaria</i>	<i>rubicundula</i>			Leathers
Agaricales	Clavariaceae		UBC	<i>Clavaria</i>	<i>tenuipes</i>			Berk. & Broome
Agaricales	Clavariaceae		UBC	<i>Clavaria</i>	<i>vermicularis</i>			Sw.
Agaricales	Clavariaceae			<i>Clavaria</i>	<i>versatilis</i>			(Quél.) Sacc. & Trotter
Agaricales	Clavariaceae	DAVFP		<i>Clavulinopsis</i>	<i>aurantiocinnabrina</i>			(Schwein.) Corner
Agaricales	Clavariaceae		UBC	<i>Clavulinopsis</i>	<i>corniculata</i>			(Schaeff.) Corner
Agaricales	Clavariaceae	DAVFP	UBC	<i>Clavulinopsis</i>	<i>fusiformis</i>			(Sowerby) Corner
Agaricales	Clavariaceae			<i>Clavulinopsis</i>	<i>helvola</i>			(Pers.) Corner
Agaricales	Clavariaceae	DAVFP	UBC	<i>Clavulinopsis</i>	<i>laeticolor</i>			(Berk. & M.A. Curtis) R.H. Petersen
Agaricales	Clavariaceae		UBC	<i>Clavulinopsis</i>	<i>umbrinella</i>			(Sacc.) Corner
Agaricales	Clavariaceae		UBC	<i>Mucronella</i>	<i>bresadolae</i>			(Quél.) Corner
Agaricales	Clavariaceae		UBC	<i>Mucronella</i>	<i>calva</i>			(Alb. & Schwein.) Fr.
Agaricales	Clavariaceae		UBC	<i>Mucronella</i>	<i>fusiformis</i>			(Kauffman) K.A. Harrison
Agaricales	Clavariaceae	DAVFP	UBC	<i>Mucronella</i>	<i>pendula</i>			(Massee) R.H. Petersen
Agaricales	Clavariaceae							
Agaricales	Clavariaceae		UBC	<i>Mucronella</i>	<i>pulchra</i>			Corner
Agaricales	Clavariaceae		UBC	<i>Ramariopsis</i>	<i>kunzei</i>			(Fr.) Corner
Agaricales	Clavariaceae	DAVFP		<i>Ramariopsis</i>	<i>subtilis</i>			(Pers.) R.H. Petersen
Agaricales	Cortinariaceae		UBC	<i>Corticarius</i>	<i>aavae</i>			Liimatainen & Niskanen

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>absarokensis</i>			M.M. Moser & McKnight
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>acutovelatus</i>			Rob. Henry
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>acutus</i>			(Pers.) Fr.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>alboviolaceus</i>			(Pers.) Fr.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>allutus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>alnetorum</i>			(Velen.) M.M. Moser
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>amigochrous</i>			Kühner
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>amoenolens</i>			Rob. Henry ex P.D. Orton
Agaricales	Cortinariaceae			<i>Cortinarius</i>	<i>amurceus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>angelesianus</i>			A.H. Sm.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>anomalovelatus</i>			Ammirati, Berbee, Harrower, Liimatainen & Niskanen
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>anomalus</i>			(Fr.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>anthracinus</i>			(Fr.) Sacc.
Agaricales	Cortinariaceae			<i>Cortinarius</i>	<i>argutus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>armeniacus</i>			(Schaeff.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>armillatus</i>			(A. & S.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>arvinaceus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>atrovirens</i>			Kalchbr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>aurantiobasis</i>			Ammirati & Smith
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>aureofulvus</i>			M.M. Moser
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>badiolatus</i>			(Mos.) Mos.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>badius</i>			Peck
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>balaustinus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>balteatus</i>			(Fr.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>barlowensis</i>			Ammirati, Berbee, Harrower, Liimatainen & Niskanen
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>bibulus</i>			Quél.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>biformis</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>bivelus</i>			(Fr.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>boulderensis</i>			A.H. Sm.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>bovinus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>brunneotinctus</i>			Niskanen, Liimatainen, Ammirati
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>brunneus</i>			(Pers.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>cacaocolor</i>			A.H. Sm.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>caerulescens</i>			(Schaeff.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>caesiocanescens</i>			M.M. Moser
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>californicus</i>			A.H. Sm.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>callisteus</i>			(Fr.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>callochrous</i>			(Pers.) Gray

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>camphoratus</i>			(Fr.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>canabarpa</i>			M.M. Moser
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>caninus</i>			(Fr.) Fr.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>caperatus</i>			(Pers.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>casimiri</i>			(Velen.) Huijsman
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>causticus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>cedriolens</i>			M.M. Moser
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>ceraceus</i>			M.M. Moser
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>ceskae</i>			Ammirati, Niskanen & Liimat.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>chrysolitus</i>			Kauffman
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>cinnabarinus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>cinnamomeus</i>			(L.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>cinnemomeoluteus</i>			P.D. Orton
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>clandestinus</i>			Kauffman
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>clarobrunneus</i>			(H. Lindr. & Melot) Niskanen, Kyrov. & Liimat.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>collinitus</i>			(Pers.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>colus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>comptulus</i>			M.M. Moser
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>corrosus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>cotoneus</i>			Fries
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>crassus</i>			Fr.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>croceifolius</i>			Peck
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>croceoeruleus</i>			(Pers.) Fr.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>croceus</i>			(Schaeff.) Gray
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>crystallinus</i>			Fries
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>cupreorufus</i>			Brandrud
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>cyanites</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>dalecarlicus</i>			Brandrud
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>decipiens</i>			(Pers.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>delibutus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>dibaphus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>dilutus</i>			(Pers.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>diosmus</i>			Kuhner
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>duracinus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>eburneus</i>			(Velen.) Rob. Henry ex Bon
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>eldoradoensis</i>			Bojantchev
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>elegantior</i>			(Fr.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>elotus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>emollitus</i>			Fr.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>epipoleus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>eufulminius</i>			Rob. Henry
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>evernius</i>			(Fr.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>fasciatus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>fervidus</i>			P.D. Orton
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>flexipes</i>	<i>flexipes</i>		(Pers.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>flexipes</i>	<i>inolens</i>		H. Lindstr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>flos-paludis</i>			Melot
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>fulmineus</i>			Fr.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>fulvescens</i>			Fr.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>fulvo-ochrascens</i>			Rob. Henry
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>furvolaesus</i>			H. Lindstr.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>gentilis</i>			(Fr.) Fr.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>glaucopus</i>			(Schaeff.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>guttatus</i>			Rob. Henry
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>helobius</i>			Romagn.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>helvelloides</i>			(Bull.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>helvolus</i>			(Bull.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>hemitrichus</i>			(Pers.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>herpeticus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>hillieri</i>			Rob. Henry
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>hinnuleus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>humboldtensis</i>			Ammirati & A.H. Sm.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>huronensis</i>			Ammirati & A.H. Sm.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>idahoensis</i>			Ammirati & A.H. Sm.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>ignipes</i>			M.M. Moser
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>iliopodius</i>			(Bull.) Fr.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>illibatus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>illuminus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>impennoides</i>			Bidaud, Moëinne-Locc. & Reumaux
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>incisus</i>			(Pers.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>infractus</i>			(Pers.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>ionosmus</i>			Moser, Nespiak & Schwobel
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>junguhnii</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>kroegeri</i>			Niskanen, Liimat., Harrower, Berbee, Garnica & Ammirati
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>laetissimus</i>			Rob. Henry
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>laetus</i>			M.M. Moser
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>laniger</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>laurus</i>			Fr.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>latus</i>			(Pers.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>leucophanes</i>			Karst.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>leucopus</i>			(Bull.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>limonius</i>			(Fr.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>lucorum</i>			(Fr.) J.E. Lange
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>malachius</i>			(Fr.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>malicorius</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>miniatopus</i>			J.E. Lange
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>miwok</i>			Bojantchev
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>montanus</i>			Kauffman
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>mucifluus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>mucosus</i>			(Bull.) J. Kickx f.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>multiformis</i>			(Fr.) Fr.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>mutabilis</i>			A.H. Sm.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>nanceiensis</i>			Maire
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>napus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>nauseosouraceus</i>			Niskanen, Liimat. & Ammirati
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>neosanguineus</i>			Ammirati, Liimat. & Niskanen
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>niveoglobosus</i>			H. Lindstr.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>obtusus</i>			(Fr.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>ochroleucus</i>			(Schaeff.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>ochropallens</i>			Liimat., Niskanen & Ammirati
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>ochrophyllus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>oleariooides</i>			Rob. Henry
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>olivaceopictus</i>			Ammirati & A.H. Sm.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>olympianus</i>			A.H. Sm.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>oregonensis</i>			A.H. Sm.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>orellanus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>oulankaënsis</i>			Kytöv., Niskanen, Liimat. & H.Lindstr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>paleaceus</i>			(Weinm.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>papulosus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>paragaudis</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>parevernius</i>			Rob. Henry
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>parkeri</i>			Ammirati, Seidl & Ceska
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>parvannulatus</i>			Kühner
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>pauperculus</i>			J. Favre
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>percomis</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>pholideus</i>			(Fr.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>pilatii</i>			Svrček
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>pinguis</i>			(Zeller) Peintner & M.M. Moser

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>pini</i>			Brandrud
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>pinophilus</i>			Soop
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>pluviorum</i>			(Jal. Schaff.) M.M. Moser
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>pluvius</i>			(Fr.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>porphyropus</i>			(Alb. & Schwein.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>praestigiosus</i>			(Fr.) M.M. Moser
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>prasinus</i>			(Schaeff.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>pseudocandelaris</i>			(M.M. Moser) M.M. Moser
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>pseudoduracinus</i>			Rob. Henry
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>pseudonapus</i>			(Henry ex Moser) Moser
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>pseudosalor</i>			J.E. Lange
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>pulchripes</i>			J. Favre
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>purpurascens</i>			Fr.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>purpureus</i>			(Bull.) Bidaud, Moënné-Locc. & Reumaux
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>pygmaeus</i>			(Velen.) M.M. Moser
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>quarciticus</i>			H. Lindstr.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>renidens</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>rigens</i>			(Pers.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>rigidus</i>			(Scop.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>rubellus</i>			Cooke
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>rubicundulus</i>			(Rea) A. Pearson
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>rufo-olivaceus</i>			(Pers.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>saginus</i>			Fr.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>salor</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>sanguineus</i>			(Wulff) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>saniosus</i>			(Fr.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>saturninus</i>			(Fr.) Fr.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>scandens</i>			Fr.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>scaurus</i>			(Fr.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>seidliae</i>			Ammirati, Niskanen & Liimat.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>semisanguineus</i>			(Fr.) Gillet
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>sertipes</i>			Kühner
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>smithii</i>			Ammirati, Niskanen & Liimat.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>sodagnitus</i>			Rob. Henry
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>solis-occasus</i>			Melot
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>sordidemaculatus</i>			Rob. Henry
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>spadicellus</i>			(M.M. Moser) Brandrud
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>spectabilis</i>			Moser
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>spilomeus</i>			(Fr.) Fr.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>squarrosum</i>			Clem.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>stemmatus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>stillatitius</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>subannulatus</i>			Jul. Schäff. & M.M. Moser
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>subfloccopus</i>			Kytövori, Niskanen & Liimatainen
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>subfoetidus</i>			A.H. Sm.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>subfulgens</i>			P.D. Orton
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>subscaurus</i>			(M.M. Moser) M.M. Moser
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>subtortus</i>			(Pers.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>suillus</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>superbus</i>			A.H. Sm.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>testaceofolius</i>			Lindstr. & Soop
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>torvus</i>			(Fr.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>traganus</i>	<i>ochraceus</i>		M.M. Moser, Ammirati & M.T. Seidl
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>traganus</i>	<i>traganus</i>		(Fr.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>triformis</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>trivialis</i>			J.E. Lange
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>tubarius</i>			Ammirati & A.H. Sm.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>tubulipes</i>			J. Favre
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>tumidipes</i>			M.M. Moser
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>tuolumnensis</i>			Bojantchev
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>turibulosus</i>			(Jul. Schäff. & E. Horak) Bon & G. Garnier
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>turmalis</i>			Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>uraceus</i>			(Jul. Schäff. & E. Horak) Bon & G. Garnier
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>urbicus</i>			(Fr.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>valgus</i>			Fr.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>vanduzerensis</i>			A.H. Sm. & Trappe
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>variegatus</i>			Bres.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>variicolor</i>			(Pers.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>variosimilis</i>			M.M. Moser and Ammirati
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>velenovskyi</i>			Rob. Henry
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>venetus</i>	<i>montanus</i>		M.M. Moser
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>venetus</i>	<i>venetus</i>		(Fr.) Fr.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>venustus</i>			P. Karst.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>vernalis</i>			Peck
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>vernus</i>			H. Lindstr. & Melot
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>vibratilis</i>			(Fr.) Fr.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Cortinarius</i>	<i>violaceus</i>			(L.) Gray

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>viridipes</i>			M.M. Moser
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>xanthodryophilus</i>			Bojantchev & R.M. Davis
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>zakii</i>			Ammirati & A.H. Sm.
Agaricales	Cortinariaceae		UBC	<i>Cortinarius</i>	<i>zinziberatus</i>			(Scop.) Fr.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Galerina</i>	<i>atkinsoniana</i>			A.H. Sm.
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>austrocalyptata</i>			A.H. Sm. & Singer
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Galerina</i>	<i>badipes</i>			(Pers.) Kühner
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>camarinoides</i>			A.H. Sm.
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>camerina</i>			(Fr.) Kühner
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>castaneipes</i>			A.H. Sm. & Singer
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>cerina</i>			A.H. Sm. & Singer
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>cinnamomea</i>			A.H. Sm. & Singer
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>clavata</i>			(Velen.) Kühner
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>cortinarioides</i>			A.H. Sm.
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>cuspidata</i>			A.H. Sm.
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>dicranorum</i>			A.H. Sm. & Singer
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>dimorphocystis</i>	<i>dimorphocystis</i>		A.H. Sm. & Singer
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>evelata</i>	<i>evelata</i>		(Singer) A.H. Sm. & Singer
Agaricales	Cortinariaceae			<i>Galerina</i>	<i>evelata</i>	<i>fulvipes</i>		A.H. Sm. & Singer
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>fallax</i>			A.H. Sm. & Singer
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>fibrillosa</i>			A.H. Sm.
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>filiformis</i>			A.H. Sm. & Singer
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>fontinalis</i>			A.H. Sm.
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>heterocystis</i>			(G.F. Atk.) A.H. Sm. & Singer
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>jaapii</i>	<i>jaapii</i>		A.H. Sm. & Singer
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>jaapii</i>	<i>mammillata</i>		A.H. Sm. & Singer
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>laticeps</i>			A.H. Sm.
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>lubrica</i>			A.H. Sm.
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>mammillata</i>			(Murrill) A.H. Sm. & Singer
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Galerina</i>	<i>marginata</i>			(Batsch) Kühner
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>minima</i>			(Peck) A.H. Sm. & Singer
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Galerina</i>	<i>nana</i>			(Petri) Kühner
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>nigripes</i>			A.H. Sm. & Singer
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>obscurata</i>			A.H. Sm.
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>oregonensis</i>			A.H. Sm.
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>pallidispora</i>			A.H. Sm.
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>paludosa</i>			(Fr.) Kühner
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>permixta</i>			(P.D. Orton) Pegler
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>perplexa</i>			A.H. Sm.
Agaricales	Cortinariaceae		UBC	<i>Galerina</i>	<i>platyphylla</i>			(Kauffman) A.H. Sm. & Singer

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Cortinariaceae		UBC	Galerina	<i>pruinatipes</i>	<i>fulvipes</i>		A.H. Sm.
Agaricales	Cortinariaceae		UBC	Galerina	<i>pruinatipes</i>	<i>pruinatipes</i>		A.H. Sm.
Agaricales	Cortinariaceae		UBC	Galerina	<i>pumila</i>			(Pers.) M. Lange
Agaricales	Cortinariaceae		UBC	Galerina	<i>rostrata</i>			A.H. Sm. & Singer
Agaricales	Cortinariaceae		UBC	Galerina	<i>rugisperma</i>			A.H. Sm.
Agaricales	Cortinariaceae		UBC	Galerina	<i>semilanceata</i>			(Peck) A.H. Sm. & Singer
Agaricales	Cortinariaceae		UBC	Galerina	<i>sideroides</i>			(Bull.) Kühner
Agaricales	Cortinariaceae		UBC	Galerina	<i>stylifera</i>			(G.F. Atk.) A.H. Sm. & Singer
Agaricales	Cortinariaceae		UBC	Galerina	<i>subbadipes</i>			Huijsman
Agaricales	Cortinariaceae		UBC	Galerina	<i>subcerina</i>			A.H. Sm. & Singer
Agaricales	Cortinariaceae		UBC	Galerina	<i>subfiliformis</i>			A.H. Sm.
Agaricales	Cortinariaceae		UBC	Galerina	<i>tibiicystis</i>			(G.F. Atk.) Kühner
Agaricales	Cortinariaceae		UBC	Galerina	<i>velutipes</i>			Singer
Agaricales	Cortinariaceae	DAVFP	UBC	Galerina	<i>venenata</i>			A.H. Sm.
Agaricales	Cortinariaceae		UBC	Galerina	<i>vexans</i>			A.H. Sm. & Singer
Agaricales	Cortinariaceae		UBC	Galerina	<i>vittiformis</i>	<i>albescens</i>		A.H. Sm. & Singer
Agaricales	Cortinariaceae	DAVFP	UBC	Galerina	<i>vittiformis</i>	<i>vittiformis</i>		(Fr.) Singer
Agaricales	Cortinariaceae		UBC	Galerina	<i>vittiformis</i>		<i>bispora</i>	A.H. Sm. & Singer
Agaricales	Cortinariaceae		UBC	Galerina	<i>vittiformis</i>		<i>tetraspora</i>	Arnolds
Agaricales	Cortinariaceae			Hebeloma	<i>albidulum</i>			Peck
Agaricales	Cortinariaceae		UBC	Hebeloma	<i>birrus</i>			(Fr.) Sacc.
Agaricales	Cortinariaceae		UBC	Hebeloma	<i>bruchetii</i>			Bon
Agaricales	Cortinariaceae		UBC	Hebeloma	<i>candidipes</i>			Bruchet
Agaricales	Cortinariaceae		UBC	Hebeloma	<i>cavipes</i>			Huijsman
Agaricales	Cortinariaceae		UBC	Hebeloma	<i>colvini</i>			(Peck) Sacc.
Agaricales	Cortinariaceae	DAVFP	UBC	Hebeloma	<i>crustuliniforme</i>			(Bull.) Quél.
Agaricales	Cortinariaceae		UBC	Hebeloma	<i>fragilipes</i>			Romagn.
Agaricales	Cortinariaceae		UBC	Hebeloma	<i>helodes</i>			J. Favre
Agaricales	Cortinariaceae		UBC	Hebeloma	<i>hiemale</i>			Bres.
Agaricales	Cortinariaceae		UBC	Hebeloma	<i>incarnatum</i>			A.H. Sm.
Agaricales	Cortinariaceae		UBC	Hebeloma	<i>leucosarx</i>			P.D. Orton
Agaricales	Cortinariaceae		UBC	Hebeloma	<i>lutense</i>			Romagn.
Agaricales	Cortinariaceae	DAVFP	UBC	Hebeloma	<i>mesophaeum</i>			(Pers.) Quél.
Agaricales	Cortinariaceae		UBC	Hebeloma	<i>populinum</i>			Romagn.
Agaricales	Cortinariaceae		UBC	Hebeloma	<i>praeolidum</i>			A.H. Sm., Evenson, & Mitchel
Agaricales	Cortinariaceae		UBC	Hebeloma	<i>pusillum</i>			J.E. Lange
Agaricales	Cortinariaceae		UBC	Hebeloma	<i>radicosum</i>			(Bull.) Ricken
Agaricales	Cortinariaceae	DAVFP	UBC	Hebeloma	<i>sacchariolens</i>			Quél.
Agaricales	Cortinariaceae	DAVFP		Hebeloma	<i>simile</i>			Kauffman
Agaricales	Cortinariaceae	DAVFP	UBC	Hebeloma	<i>sinapizans</i>			(Paulet) Gillet

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Cortinariaceae		UBC	<i>Hebeloma</i>	<i>sordescens</i>			Vesterh.
Agaricales	Cortinariaceae	DAVFP		<i>Hebeloma</i>	<i>sordidulum</i>			Sacc.
Agaricales	Cortinariaceae		UBC	<i>Hebeloma</i>	<i>sordidum</i>			Maire
Agaricales	Cortinariaceae		UBC	<i>Hebeloma</i>	<i>submelinoides</i>			(Kühner) Kühner
Agaricales	Cortinariaceae		UBC	<i>Hebeloma</i>	<i>testaceum</i>			Quél.
Agaricales	Cortinariaceae			<i>Hebeloma</i>	<i>velatum</i>			(Peck) Peck
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Phaeocollybia</i>	<i>ammiratii</i>			Norvell
Agaricales	Cortinariaceae			<i>Phaeocollybia</i>	<i>attenuata</i>			(A.H. Sm.) Singer
Agaricales	Cortinariaceae			<i>Phaeocollybia</i>	<i>carmanahensis</i>			Redhead & Norvell
Agaricales	Cortinariaceae		UBC	<i>Phaeocollybia</i>	<i>christinae</i>			(Fr.) R. Heim
Agaricales	Cortinariaceae		UBC	<i>Phaeocollybia</i>	<i>fallax</i>			A.H. Sm.
Agaricales	Cortinariaceae	DAVFP	UBC	<i>Phaeocollybia</i>	<i>kauffmanii</i>			(A.H. Sm.) Singer
Agaricales	Cortinariaceae			<i>Phaeocollybia</i>	<i>oregonensis</i>			A.H. Sm. & Trappe
Agaricales	Cortinariaceae	DAVFP		<i>Phaeocollybia</i>	<i>phaeogaleroides</i>			Norvell
Agaricales	Cortinariaceae		UBC	<i>Phaeocollybia</i>	<i>piceae</i>			A.H. Sm. & Trappe
Agaricales	Cortinariaceae			<i>Phaeocollybia</i>	<i>pseudofestiva</i>			A.H. Sm.
Agaricales	Cortinariaceae		UBC	<i>Phaeocollybia</i>	<i>redheadii</i>			Norvell
Agaricales	Cortinariaceae			<i>Phaeocollybia</i>	<i>similis</i>			(Bres.) Singer
Agaricales	Cortinariaceae			<i>Protoglossum</i>	<i>niveus</i>			(Vittad.) T.W. May
Agaricales	Cyphellaceae		UBC	<i>Cheimonophyllum</i>	<i>candidissimum</i>			(Berk. & M.A. Curtis) Singer
Agaricales	Cyphellaceae	DAVFP	UBC	<i>Chondrostereum</i>	<i>purpureum</i>			(Pers.) Pouzar
Agaricales	Cyphellaceae	DAVFP		<i>Granulobasidium</i>	<i>vellereum</i>			(Ellis & Cragin) Jülich
Agaricales	Cyphellaceae	DAVFP		<i>Thujacorticium</i>	<i>mirabile</i>			Ginns
Agaricales	Entolomataceae		UBC	<i>Alboleptonia</i>	<i>ochracea</i>			Largent & R.G. Benedict
Agaricales	Entolomataceae	DAVFP	UBC	<i>Alboleptonia</i>	<i>sericella</i>			(Fr.) Largent & R.G. Benedict
Agaricales	Entolomataceae		UBC	<i>Alboleptonia</i>	<i>subsericella</i>			(Murr.) Largent & Benedict
Agaricales	Entolomataceae		UBC	<i>Clitocella</i>	<i>fallax</i>			(Quél.) Kluting, T.J. Baroni & Bergemann
Agaricales	Entolomataceae		UBC	<i>Clitocella</i>	<i>mundula</i>			(Lasch) Kluting, T.J. Baroni & Bergemann
Agaricales	Entolomataceae		UBC	<i>Clitopilus</i>	<i>aureicystidiatus</i>			(Lennox ex T.J. Baroni) Noordel. & Co-David
Agaricales	Entolomataceae			<i>Clitopilus</i>	<i>hobsonii</i>			(Berk.) P.D. Orton
Agaricales	Entolomataceae		UBC	<i>Clitopilus</i>	<i>nuciolens</i>			(Murrill) Noordel. & Co-David
Agaricales	Entolomataceae	DAVFP	UBC	<i>Clitopilus</i>	<i>prunulus</i>			(Scop.) P. Kumm.
Agaricales	Entolomataceae		UBC	<i>Eccilia</i>	<i>yatesii</i>			Murrill
Agaricales	Entolomataceae			<i>Entocybe</i>	<i>lignicola</i>			(Largent) Largent, T.J. Baroni & V. Hofst.
Agaricales	Entolomataceae		UBC	<i>Entocybe</i>	<i>nitida</i>			(Quél.) T.J. Baroni, Largent & V. Hofst.
Agaricales	Entolomataceae		UBC	<i>Entocybe</i>	<i>priscua</i>			(T.J. Baroni) T.J. Baroni, V. Hofst. & Largent

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Entolomataceae	DAVFP	UBC	<i>Entocybe</i>	<i>trachyospora</i>			(Largent) Largent, T.J. Baroni & V. Hofst.
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>abbreviatipes</i>			(Largent) Noordel. & Co-David
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>abortivum</i>			(Berk. & M.A. Curtis) Donk
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>ameides</i>			(Berk. & Broome) Sacc.
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>approximatum</i>			(Largent) Noordel. & Co-David
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>araneosum</i>			(Quél.) M.M. Moser
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>asprellum</i>			(Fr.) Fayod
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>badissimum</i>			(Largent) Noordel. & Co-David
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>bicoloripes</i>			(Largent & Thiers) Noordel. & Co-David
Agaricales	Entolomataceae	DAVFP	UBC	<i>Entoloma</i>	<i>bloxamii</i>			(Berk. & Broome) Sacc.
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>byssisedum</i>			(Pers.) Donk
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>caesiocinctum</i>			(Kühner) Noordel.
Agaricales	Entolomataceae	DAVFP	UBC	<i>Entoloma</i>	<i>cetratum</i>			(Fr.) M.M. Moser
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>clandestinum</i>			(Fr.) Noordel.
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>conferendum</i>	<i>conferendum</i>		(Britzelm.) Noordel.
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>conferendum</i>	<i>incrustatum</i>		(Largent & Thiers) Noordel. & Hauskn.
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>diversum</i>			(Largent) Noordel. & Co-David
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>exalbidum</i>			(Largent) Noordel. & Co-David
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>foliocontusum</i>			(Largent) Noordel. & Co-David
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>formosum</i>			(Fr.) Noordel.
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>fructifragrans</i>			(Largent & Thiers) Noordel. & Co-David
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>fuligineomarginatum</i>			Hesler
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>furfuraceidiscum</i>			(Largent) Noordel. & Co-David
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>fusciceps</i>			(Kauffman) Noordel. & Co-David
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>fusco-ortonii</i>			(Largent) Noordel. & Co-David
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>hebes</i>			(Romagn.) Trimbach
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>hirtipes</i>			(Schumach.) M.M. Moser
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>hirtum</i>			(Velen.) Noordel.
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>holoconiotum</i>			(Largent & Thiers) Noordel. & Co-David
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>jubatum</i>			(Fr.) P. Karst.
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>largentii</i>			(Fr.) P. Karst.
Agaricales	Entolomataceae	DAVFP	UBC	<i>Entoloma</i>	<i>lividoalbum</i>			(Kühner & Romagn.) Kubička
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>lucidum</i>			(P.D. Orton) M.M. Moser
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>mammosum</i>			(L.) Hesler
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>minutopilum</i>			(Largent) Noordel. & Co-David
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>niphoides</i>			Romagn. ex Noordel.
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>obscuratum</i>			(Largent) Noordel. & Co-David

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>ortonii</i>			Arnolds & Noordel.
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>parvum</i>			(Peck) Hesler
Agaricales	Entolomataceae			<i>Entoloma</i>	<i>plebeiooides</i>			(Schulzer) Noordel.
Agaricales	Entolomataceae			<i>Entoloma</i>	<i>propinquum</i>			Noordel. & Co-David
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>prunuloides</i>			(Fr.) Quél.
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>pseudostatum</i>			Largent
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>pseudopapillatum</i>			(Pegler) Courtec. & Fiard
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>pusillipapillatum</i>			(Largent) Noordel. & Co-David
Agaricales	Entolomataceae	DAVFP	UBC	<i>Entoloma</i>	<i>rhodopolium</i>			(Fr.) P. Kumm.
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>rhombisporum</i>			(Kühner & Boursier) E. Horak
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>rusticoides</i>			(Gillet) Noordel.
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>separatum</i>			(Largent) Noordel. & Co-David
Agaricales	Entolomataceae	DAVFP	UBC	<i>Entoloma</i>	<i>sericeum</i>			Quél.
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>serrulatum</i>			(Fr.) Hesler
Agaricales	Entolomataceae	DAVFP	UBC	<i>Entoloma</i>	<i>sinuatum</i>			(Bull.) P. Kumm.
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>sodale</i>			Kühner & Romagn. ex Noordel.
Agaricales	Entolomataceae			<i>Entoloma</i>	<i>speculum</i>			(Fr.) Quél.
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>squamatum</i>			Hesler
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>strictipes</i>			(Peck) Hesler
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>strictius</i>			(Peck) Sacc.
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>subcapitatum</i>			(Largent) Noordel. & Co-David
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>subpolitum</i>			Largent
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>subrubineum</i>			(Largent & B.L. Thomps.) Noordel. & Co-David
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>subsaundersii</i>			Largent
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>subsericellum</i>			Murrill
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>subsoltitiale</i>			(Largent) Noordel. & Co-David
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>subviduense</i>			(Largent) Noordel. & Co-David
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>tjallingiorum</i>			Noordel.
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>turci</i>			(Bres.) M.M. Moser
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>undatum</i>			(Gillet) M.M. Moser
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>vernun</i>			S. Lundell
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>versatile</i>			(Gillet) M.M. Moser
Agaricales	Entolomataceae		UBC	<i>Entoloma</i>	<i>viridiflavipes</i>			(Largent) Noordel. & Co-David
Agaricales	Entolomataceae		UBC	<i>Leptonia</i>	<i>earlei</i>			Murrill
Agaricales	Entolomataceae		UBC	<i>Leptonia</i>	<i>occidentalis</i>			Murrill
Agaricales	Entolomataceae		UBC	<i>Nolanea</i>	<i>latifolia</i>			Kauffman
Agaricales	Entolomataceae		UBC	<i>Nolanea</i>	<i>substrictia</i>			Largent
Agaricales	Entolomataceae		UBC	<i>Paraecclisia</i>	<i>minutissima</i>			Largent
Agaricales	Entolomataceae			<i>Rhodocybe</i>	<i>harperi</i>			(Murrill) Harmaja

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Entolomataceae		UBC	<i>Rhodocybe</i>	<i>hirneola</i>			(Fr.) P.D. Orton
Agaricales	Entolomataceae		UBC	<i>Rhodocybe</i>	<i>nitellina</i>			(Fr.) Singer
Agaricales	Entolomataceae		UBC	<i>Rhodocybe</i>	<i>popinalis</i>			(Fr.) Singer
Agaricales	Entolomataceae		UBC	<i>Rhodocybe</i>	<i>roseiavallanea</i>			(Murrill) Singer
Agaricales	Entolomataceae		UBC	<i>Rhodophana</i>	<i>melleopallens</i>			(P.D. Orton) Kluting, T.J. Baroni & Bergemann
Agaricales	Gastraceae		UBC	<i>Gastrum</i>	<i>fuscogleba</i>			(Zeller) Jeppson & E. Larss.
Agaricales	Hydnangiaceae		UBC	<i>Hydnangium</i>	<i>carneum</i>			Wallr.
Agaricales	Hydnangiaceae	DAVFP	UBC	<i>Laccaria</i>	<i>amethysteo-occidentalis</i>			G.M. Muell.
Agaricales	Hydnangiaceae	DAVFP	UBC	<i>Laccaria</i>	<i>bicolor</i>			(Maire) P.D. Orton
Agaricales	Hydnangiaceae	DAVFP	UBC	<i>Laccaria</i>	<i>laccata</i>			(Scop.) Cooke
Agaricales	Hydnangiaceae		UBC	<i>Laccaria</i>	<i>montana</i>			Singer
Agaricales	Hydnangiaceae	DAVFP		<i>Laccaria</i>	<i>ochropurpurea</i>			(Berk.) Peck
Agaricales	Hydnangiaceae		UBC	<i>Laccaria</i>	<i>ohiensis</i>			(Mont.) Singer
Agaricales	Hydnangiaceae		UBC	<i>Laccaria</i>	<i>proxima</i>			(Boud.) Pat.
Agaricales	Hydnangiaceae		UBC	<i>Laccaria</i>	<i>tetraspora</i>			Singer
Agaricales	Hydnangiaceae		UBC	<i>Laccaria</i>	<i>tortilis</i>			(Bolton) Cooke
Agaricales	Hygrophoraceae		UBC	<i>Ampulloclitocybe</i>	<i>avellaneoalba</i>			(Murrill) Harmaja
Agaricales	Hygrophoraceae		UBC	<i>Ampulloclitocybe</i>	<i>clavipes</i>			(Pers.) Redhead, Lutzoni, Moncalvo & Vilgalys
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Aphroditeola</i>	<i>olida</i>			(Quél.) Redhead & Manfr. Binder
Agaricales	Hygrophoraceae		UBC	<i>Cantharocybe</i>	<i>gruberi</i>			(A.H. Sm.) H.E. Bigelow & A.H. Sm.
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Chromosera</i>	<i>cyanophylla</i>			(Fr.) Redhead, Ammirati & Norvell
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Chrysomphalina</i>	<i>aurantiaca</i>			(Peck) Redhead
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Chrysomphalina</i>	<i>chrysophylla</i>			(Fr.) Cléménçon
Agaricales	Hygrophoraceae		UBC	<i>Cuphophyllus</i>	<i>bicolor</i>			(Dennis) Lodge & S.A. Cantrell
Agaricales	Hygrophoraceae		UBC	<i>Cuphophyllus</i>	<i>borealis</i>			(Peck) Bon ex Courtec.
Agaricales	Hygrophoraceae		UBC	<i>Cuphophyllus</i>	<i>fornicatus</i>			(Fr.) Lodge, Padamsee & Vizzini
Agaricales	Hygrophoraceae		UBC	<i>Cuphophyllus</i>	<i>lacmus</i>			(Schumach.) Bon
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Cuphophyllus</i>	<i>pratensis</i>			(Fr.) Bon
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Cuphophyllus</i>	<i>virgineus</i>			(Wulfen) Kovalenko
Agaricales	Hygrophoraceae		UBC	<i>Gliophorus</i>	<i>laetus</i>			(Pers.) Herink
Agaricales	Hygrophoraceae		UBC	<i>Gliophorus</i>	<i>perplexus</i>			(A.H. Sm. & Hesler) Kovalenko
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Gliophorus</i>	<i>psittacinus</i>			(Schaeff.) Herink
Agaricales	Hygrophoraceae		UBC	<i>Gloioxanthomyces</i>	<i>nitidus</i>			(Berk. & M.A. Curtis) Lodge, Vizzini, Ercole & Boertm.
Agaricales	Hygrophoraceae		UBC	<i>Humidicutis</i>	<i>marginata</i>			(Peck) Singer
Agaricales	Hygrophoraceae		UBC	<i>Hygrocybe</i>	<i>acutoconica</i>			(Clem.) Singer
Agaricales	Hygrophoraceae		UBC	<i>Hygrocybe</i>	<i>albifolia</i>			(Hesler & A.H. Sm.) R. Valenz., Guzmán & J. Castillo

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Hygrocybe</i>	<i>cantharellus</i>			(Schwein.) Murrill
Agaricales	Hygrophoraceae	DAVFP		<i>Hygrocybe</i>	<i>ceracea</i>			(Sowerby) P. Kumm.
Agaricales	Hygrophoraceae		UBC	<i>Hygrocybe</i>	<i>chlorophana</i>			(Fr.) Wünsche
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Hygrocybe</i>	<i>coccinea</i>			(Schaeff.) P. Kumm.
Agaricales	Hygrophoraceae		UBC	<i>Hygrocybe</i>	<i>coccineocrenata</i>			(P.D. Orton) M.M. Moser
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Hygrocybe</i>	<i>conica</i>			(Schaeff.) P. Kumm.
Agaricales	Hygrophoraceae		UBC	<i>Hygrocybe</i>	<i>flavescens</i>			(Kauffman) Singer
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Hygrocybe</i>	<i>laeta</i>			(Pers.) P. Kumm.
Agaricales	Hygrophoraceae		UBC	<i>Hygrocybe</i>	<i>melleofusca</i>			Lodge & Pegler
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Hygrocybe</i>	<i>miniata</i>			(Fr.) P. Kumm.
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Hygrocybe</i>	<i>minutula</i>			(Peck) Murrill
Agaricales	Hygrophoraceae		UBC	<i>Hygrocybe</i>	<i>mucronella</i>			(Fr.) P. Karst.
Agaricales	Hygrophoraceae		UBC	<i>Hygrocybe</i>	<i>parvula</i>			(Peck) Murrill
Agaricales	Hygrophoraceae		UBC	<i>Hygrocybe</i>	<i>punicea</i>			(Fr.) P. Kumm.
Agaricales	Hygrophoraceae		UBC	<i>Hygrocybe</i>	<i>pusilla</i>			(Peck) Murrill
Agaricales	Hygrophoraceae		UBC	<i>Hygrocybe</i>	<i>quieta</i>			(Kühner) Singer
Agaricales	Hygrophoraceae		UBC	<i>Hygrocybe</i>	<i>rainierensis</i>			(Hesler & A.H. Sm.) Malloch
Agaricales	Hygrophoraceae		UBC	<i>Hygrocybe</i>	<i>russocoriacea</i>			(Berk. & Jos. K. Mill.) P.D. Orton & Watling
Agaricales	Hygrophoraceae		UBC	<i>Hygrocybe</i>	<i>singeri</i>			(A.H. Sm. & Hesler) Singer
Agaricales	Hygrophoraceae		UBC	<i>Hygrocybe</i>	<i>subminiata</i>			Murrill
Agaricales	Hygrophoraceae		UBC	<i>Hygrocybe</i>	<i>turunda</i>			(Fr.) P. Karst.
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Hygrophorus</i>	<i>agathosmus</i>			(Fr.) Fr.
Agaricales	Hygrophoraceae		UBC	<i>Hygrophorus</i>	<i>amarus</i>			A.H. Sm. & Hesler
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Hygrophorus</i>	<i>bakerensis</i>			A.H. Sm. & Hesler
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Hygrophorus</i>	<i>calophyllus</i>			P. Karst.
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Hygrophorus</i>	<i>camarophyllus</i>			(Alb. & Schwein.) Dumée, Grandjean & Maire
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Hygrophorus</i>	<i>chrysodon</i>			(Batsch) Fr.
Agaricales	Hygrophoraceae		UBC	<i>Hygrophorus</i>	<i>cremicolor</i>			Murrill
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Hygrophorus</i>	<i>eburneus</i>			(Bull.) Fr.
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Hygrophorus</i>	<i>erubescens</i>			(Fr.) Fr.
Agaricales	Hygrophoraceae		UBC	<i>Hygrophorus</i>	<i>goetzei</i>			Hesler & A.H. Sm.
Agaricales	Hygrophoraceae		UBC	<i>Hygrophorus</i>	<i>graveolens</i>			A.H. Sm. & Hesler
Agaricales	Hygrophoraceae		DAVFP	<i>Hygrophorus</i>	<i>hypothetus</i>			(Fr.) Fr.
Agaricales	Hygrophoraceae		UBC	<i>Hygrophorus</i>	<i>inocybiformis</i>			A.H. Sm.
Agaricales	Hygrophoraceae		UBC	<i>Hygrophorus</i>	<i>leucophaeus</i>			(Scop.) Fr.
Agaricales	Hygrophoraceae		UBC	<i>Hygrophorus</i>	<i>marzuolus</i>			(Fr.) Bres.
Agaricales	Hygrophoraceae		UBC	<i>Hygrophorus</i>	<i>megasporus</i>			A.H. Sm. & Hesler
Agaricales	Hygrophoraceae		UBC	<i>Hygrophorus</i>	<i>montanus</i>			Murrill

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Hygrophoraceae		UBC	<i>Hygrophorus</i>	<i>monticola</i>			A.H. Sm. & Hesler
Agaricales	Hygrophoraceae		UBC	<i>Hygrophorus</i>	<i>nordmanensis</i>			Hesler & A.H. Sm.
Agaricales	Hygrophoraceae		UBC	<i>Hygrophorus</i>	<i>occidentalis</i>			A.H. Sm. & Hesler
Agaricales	Hygrophoraceae		UBC	<i>Hygrophorus</i>	<i>odoratus</i>			A.H. Sm. & Hesler
Agaricales	Hygrophoraceae		UBC	<i>Hygrophorus</i>	<i>olivaceoalbus</i>			(Fr.) Fr.
Agaricales	Hygrophoraceae		UBC	<i>Hygrophorus</i>	<i>pacificus</i>			A.H. Sm. & Hesler
Agaricales	Hygrophoraceae		UBC	<i>Hygrophorus</i>	<i>penarius</i>			Fr.
Agaricales	Hygrophoraceae		UBC	<i>Hygrophorus</i>	<i>persoonii</i>			Arnolds
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Hygrophorus</i>	<i>piceae</i>			Kühner
Agaricales	Hygrophoraceae		UBC	<i>Hygrophorus</i>	<i>ponderatus</i>			Britzelm.
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Hygrophorus</i>	<i>pudorinus</i>			(Fr.) Fr.
Agaricales	Hygrophoraceae		UBC	<i>Hygrophorus</i>	<i>purpurascens</i>			(Alb. & Schwein.) Fr.
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Hygrophorus</i>	<i>pustulatus</i>			(Pers.) Fr.
Agaricales	Hygrophoraceae		UBC	<i>Hygrophorus</i>	<i>roseobrunneus</i>			Murrill
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Hygrophorus</i>	<i>russula</i>			(Schaeff.) Kauffman
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Hygrophorus</i>	<i>saxatilis</i>			A.H. Sm. & Hesler
Agaricales	Hygrophoraceae		UBC	<i>Hygrophorus</i>	<i>sordidus</i>			Peck
Agaricales	Hygrophoraceae		UBC	<i>Hygrophorus</i>	<i>speciosus</i>			Peck
Agaricales	Hygrophoraceae		UBC	<i>Hygrophorus</i>	<i>subalpinus</i>			A.H. Sm.
Agaricales	Hygrophoraceae	DAVFP		<i>Hygrophorus</i>	<i>subceraceus</i>			Murrill
Agaricales	Hygrophoraceae		UBC	<i>Hygrophorus</i>	<i>variicolor</i>			Murrill
Agaricales	Hygrophoraceae		UBC	<i>Hygrophorus</i>	<i>vernalis</i>			A.H. Sm.
Agaricales	Hygrophoraceae		UBC	<i>Lichenomphalia</i>	<i>alpina</i>			(Britzelm.) Redhead, Lutzoni, Moncalvo & Vilgalys
Agaricales	Hygrophoraceae	DAVFP	UBC	<i>Lichenomphalia</i>	<i>umbellifera</i>			(L.) Redhead, Lutzoni, Moncalvo & Vilgalys
Agaricales	<i>Incertae sedis</i>		UBC	<i>Atractosporocybe</i>	<i>inornata</i>			(Sowerby) P. Alvarado, G. Moreno & Vizzini
Agaricales	<i>Incertae sedis</i>	DAVFP	UBC	<i>Camarophyllopsis</i>	<i>foetens</i>			(W. Phillips) Arnolds
Agaricales	<i>Incertae sedis</i>		UBC	<i>Camarophyllopsis</i>	<i>phaeoxantha</i>			(Romagn.) Arnolds
Agaricales	<i>Incertae sedis</i>		UBC	<i>Loreleia</i>	<i>postii</i>			(Fr.) Redhead, Moncalvo, Vilgalys &
Agaricales	<i>Incertae sedis</i>	DAVFP	UBC	<i>Panaeolina</i>	<i>foenisepii</i>			(Pers.) Maire
Agaricales	<i>Incertae sedis</i>		UBC	<i>Panaeolus</i>	<i>acuminatus</i>			(Schaeff.) Quél.
Agaricales	<i>Incertae sedis</i>	DAVFP	UBC	<i>Panaeolus</i>	<i>alcis</i>			M.M. Moser
Agaricales	<i>Incertae sedis</i>		UBC	<i>Panaeolus</i>	<i>cinctulus</i>			(Bolton) Sacc.
Agaricales	<i>Incertae sedis</i>		UBC	<i>Panaeolus</i>	<i>fimicola</i>			(Pers.) Gillet
Agaricales	<i>Incertae sedis</i>		UBC	<i>Panaeolus</i>	<i>olivaceus</i>			F.H. Møller
Agaricales	<i>Incertae sedis</i>		UBC	<i>Panaeolus</i>	<i>papilionaceus</i>			(Bull.) Quél.
Agaricales	<i>Incertae sedis</i>		UBC	<i>Panaeolus</i>	<i>retirugus</i>			Overh.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	<i>Incertae sedis</i>		UBC	<i>Panaeolus</i>	<i>semiovatus</i>			(Sowerby) S. Lundell & Nannf.
Agaricales	<i>Incertae sedis</i>	DAVFP		<i>Panaeolus</i>	<i>solidipes</i>			(Peck) Sacc.
Agaricales	<i>Incertae sedis</i>		UBC	<i>Panaeolus</i>	<i>subbalteatus</i>			(Berk. & Broome) Sacc.
Agaricales	<i>Incertae sedis</i>	DAVFP	UBC	<i>Plicatura</i>	<i>nivea</i>			(Sommerf.) P. Karst.
Agaricales	<i>Incertae sedis</i>	DAVFP	UBC	<i>Plicaturopsis</i>	<i>crispa</i>			(Pers.) D.A. Reid
Agaricales	Inocybaceae		UBC	<i>Crepidotus</i>	<i>applanatus</i>			(Pers.) P. Kumm.
Agaricales	Inocybaceae		UBC	<i>Crepidotus</i>	<i>calolepis</i>			(Fr.) P. Karst.
Agaricales	Inocybaceae		UBC	<i>Crepidotus</i>	<i>epibryus</i>			(Fr.) Quéel.
Agaricales	Inocybaceae	DAVFP		<i>Crepidotus</i>	<i>fulvotomentosus</i>			(Peck) Peck
Agaricales	Inocybaceae		UBC	<i>Crepidotus</i>	<i>fusisporus</i>			Hesler & A.H. Sm.
Agaricales	Inocybaceae	DAVFP		<i>Crepidotus</i>	<i>haemens</i>			(Peck) Sacc.
Agaricales	Inocybaceae	DAVFP		<i>Crepidotus</i>	<i>latifolius</i>			Peck
Agaricales	Inocybaceae		UBC	<i>Crepidotus</i>	<i>lundellii</i>			Pilát
Agaricales	Inocybaceae		UBC	<i>Crepidotus</i>	<i>malachius</i>			Sacc.
Agaricales	Inocybaceae	DAVFP	UBC	<i>Crepidotus</i>	<i>mollis</i>			(Schaeff.) Staude
Agaricales	Inocybaceae		UBC	<i>Crepidotus</i>	<i>occidentalis</i>			Hesler & A.H. Sm.
Agaricales	Inocybaceae	DAVFP		<i>Crepidotus</i>	<i>sphaerosporus</i>			(Pat.) J.E. Lange
Agaricales	Inocybaceae			<i>Crepidotus</i>	<i>submollis</i>			Murrill
Agaricales	Inocybaceae		UBC	<i>Crepidotus</i>	<i>subverrucisporus</i>			Pilát
Agaricales	Inocybaceae		UBC	<i>Crepidotus</i>	<i>variabilis</i>			(Pers.) P. Kumm.
Agaricales	Inocybaceae		UBC	<i>Crepidotus</i>	<i>versutus</i>			Peck
Agaricales	Inocybaceae		UBC	<i>Flammulaster</i>	<i>carpophilus</i>			(Fr.) Earle ex Vellinga
Agaricales	Inocybaceae		UBC	<i>Flammulaster</i>	<i>erinaceellus</i>			(Peck) Watling
Agaricales	Inocybaceae	DAVFP	UBC	<i>Flammulaster</i>	<i>granulosus</i>			(J.E. Lange) Watling
Agaricales	Inocybaceae		UBC	<i>Flammulaster</i>	<i>muricatus</i>			(Fr.) Watling
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>abietis</i>			Kühner
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>abjecta</i>			P. Karst.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>acuta</i>			Boud.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>agglutinata</i>			Peck
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>albodisca</i>			Peck
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>amblyspora</i>			Kühner
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>appendiculata</i>			Kühner
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>armeniaca</i>			Huijsman
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>arthrocytis</i>			Kühner
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>assimilata</i>			Britzelm.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>auricoma</i>			(Batsch) Sacc.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>bakeri</i>			Peck
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>boltonii</i>			Heim
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>bongardii</i>	<i>bongardii</i>		(Weinm.) Quéel.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>bongardii</i>	<i>pisciodora</i>		(Donadini & Riousset) Kuyper

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>brunneoatra</i>			(R. Heim) P.D. Orton
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>caesarata</i>			(Fr.) P. Karst.
Agaricales	Inocybaceae	DAVFP	UBC	<i>Inocybe</i>	<i>calamistrata</i>	<i>calamistrata</i>		(Fr.) Gillet
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>calamistrata</i>	<i>mucidiolens</i>		Grund & D.E. Stuntz
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>calida</i>			Velen.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>castanea</i>			Peck
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>cervicolor</i>			(Pers.) Quél.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>chelanensis</i>			D.E. Stuntz
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>chondroderma</i>			Stuntz ex Matheny et al.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>cicatricata</i>			Ellis & Everh.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>cincinnata</i>	<i>cincinnata</i>		(Fr.) Quél.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>cincinnata</i>	<i>major</i>		(S. Petersen) Kuyper
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>cinnamomea</i>			A.H. Sm.
Agaricales	Inocybaceae	DAVFP		<i>Inocybe</i>	<i>cookei</i>			Bres.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>corydalina</i>			Quél.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>curvipes</i>			P. Karst.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>decipientoides</i>			Peck
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>dulcamara</i>			(Alb. & Schwein.) P. Kumm.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>egenula</i>			Favre
Agaricales	Inocybaceae	DAVFP		<i>Inocybe</i>	<i>euthelos</i>			(Berk. & Broome) Sacc.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>fastigiata</i>			(Schaeff.) Quél.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>flocculosa</i>	<i>flocculosa</i>		(Berk.) Sacc.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>friesii</i>			Heim
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>fuscidula</i>			Velen.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>fuscodisca</i>			(Peck) Massee
Agaricales	Inocybaceae	DAVFP	UBC	<i>Inocybe</i>	<i>geophylla</i>	<i>geophylla</i>		(Bull.) P. Kumm.
Agaricales	Inocybaceae	DAVFP	UBC	<i>Inocybe</i>	<i>geophylla</i>	<i>lilacina</i>		(Peck) Gillet
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>glabrescens</i>			Velen.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>glabrodisca</i>			P.D. Orton
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>godeyi</i>			Gillet
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>grammata</i>			Quél. & Le Bret.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>graveolens</i>			(E. Horak) Garrido
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>griseolilacina</i>			J.E. Lange
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>gymnocarpa</i>			Kühner
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>hirtella</i>			Bres.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>hotsoniana</i>			D.E. Stuntz
Agaricales	Inocybaceae	DAVFP	UBC	<i>Inocybe</i>	<i>inodora</i>			Velen.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>insinuata</i>			Kauffman
Agaricales	Inocybaceae	DAVFP	UBC	<i>Inocybe</i>	<i>jacobi</i>			Kühner
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>kauffmanii</i>			A.H. Sm.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>lacera</i>	<i>helobia</i>		Kuyper
Agaricales	Inocybaceae	DAVFP	UBC	<i>Inocybe</i>	<i>lacera</i>	<i>lacera</i>		(Fr.) P. Kumm.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>lacera</i>	<i>rhacodes</i>		(J. Favre) Kuyper
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>lanatodisca</i>			Kauffman
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>lanuginella</i>			(Schroet. Ap. Cohn) Konr. & Maubl.
Agaricales	Inocybaceae	DAVFP	UBC	<i>Inocybe</i>	<i>lanuginosa</i>			(Bull.) P. Kumm.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>leiocephala</i>			D.E. Stuntz
Agaricales	Inocybaceae			<i>Inocybe</i>	<i>leptophylla</i>			G.F. Atk.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>leucoblema</i>			Kühner
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>lilacina</i>			(Boud.) Kauffman
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>malenconii</i>	<i>megalospora</i>		Stangl & Bresinsky
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>mixtilis</i>			(Britzelm.) Sacc.
Agaricales	Inocybaceae	DAVFP	UBC	<i>Inocybe</i>	<i>napipes</i>			J.E. Lange
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>nitidiuscula</i>			(Britzelm.) Lapl.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>oblectabilis</i>			(Britzelm.) Sacc.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>obscurobadia</i>			(J. Favre) Grund & D.E. Stuntz
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>ochroalba</i>			Bruyl.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>olympiana</i>			A.H. Sm.
Agaricales	Inocybaceae	DAVFP	UBC	<i>Inocybe</i>	<i>ovatocystis</i>			Boursier & Kühner
Agaricales	Inocybaceae			<i>Inocybe</i>	<i>palaeotropica</i>			E. Turnbull & Watling
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>paludinella</i>			(Peck) Sacc.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>perbrevis</i>			(Weinm.) Gillet
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>petiginosa</i>			(Fr.) Gillet
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>phaeodisca</i>			Kühner
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>phaeoleuca</i>			Kühner
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>posterula</i>			(Britzelm.) Sacc.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>praetervisa</i>			Quél
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>pruinosa</i>			R. Heim
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>pseudoasterospora</i>			Kühner & Boursier
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>pseudodestricta</i>			Stangl & J. Veselsky
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>pudica</i>			Kühner
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>pusio</i>			P. Karst.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>radiata</i>			Peck
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>rennyi</i>			(Berk. & Broome) Sacc.
Agaricales	Inocybaceae	DAVFP	UBC	<i>Inocybe</i>	<i>rimosa</i>			(Bull.) P. Kumm.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>rubellae</i>			(Kueh. & Boers.)
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>salicis</i>			Kühner
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>sambucina</i>			(Fr.) Quél.
Agaricales	Inocybaceae	DAVFP		<i>Inocybe</i>	<i>serotina</i>			Peck
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>sindonia</i>			(Fr.) P. Karst.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>soluta</i>			Vel.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>sororia</i>			Kauffman
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>splendens</i>	<i>splendens</i>		R. Heim
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>stellatospora</i>			(Peck) Massee
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>striata</i>			Bres.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>suaveolens</i>			D.E. Stuntz
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>subcarpta</i>			Kühner & Boursier
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>subdestricta</i>			Kauffman
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>terrigena</i>			(Fr.) Kühner
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>umbratica</i>			Quél.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>umbrina</i>			Bresadola
Agaricales	Inocybaceae			<i>Inocybe</i>	<i>variabilima</i>			Speg.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>whitei</i>			(Berk. & Broome) Sacc.
Agaricales	Inocybaceae		UBC	<i>Inocybe</i>	<i>xanthomelas</i>			Boursier & Kühner
Agaricales	Inocybaceae		UBC	<i>Pellidiscus</i>	<i>pallidus</i>			(Berk. & Broome) Donk
Agaricales	Inocybaceae	DAVFP	UBC	<i>Phaeomarasmius</i>	<i>erinaceus</i>			(Fr.) Scherff. ex Romagn.
Agaricales	Inocybaceae		UBC	<i>Phaeomarasmius</i>	<i>rimulincola</i>			(Lasch ex Rabenb.) Scherff.
Agaricales	Inocybaceae		UBC	<i>Pleuroflammula</i>	<i>ragazziana</i>			(Bres.) E. Horak
Agaricales	Inocybaceae		UBC	<i>Simocybe</i>	<i>centunculus</i>			(Fr.) P. Karst.
Agaricales	Inocybaceae		UBC	<i>Simocybe</i>	<i>haustellaris</i>			(Fr.) Watling
Agaricales	Inocybaceae		UBC	<i>Simocybe</i>	<i>sumptuosa</i>			(P.D. Orton) Singer
Agaricales	Lyophyllaceae		UBC	<i>Asterophora</i>	<i>lycoperdoides</i>			(Bull.) Ditmar
Agaricales	Lyophyllaceae			<i>Asterophora</i>	<i>parasitica</i>			(Bull.) Singer
Agaricales	Lyophyllaceae		UBC	<i>Hypsizygus</i>	<i>marmoreus</i>			(Peck) H.E. Bigelow
Agaricales	Lyophyllaceae	DAVFP	UBC	<i>Hypsizygus</i>	<i>tessulatus</i>			(Bull.) Singer
Agaricales	Lyophyllaceae	DAVFP		<i>Hypsizygus</i>	<i>ulmarius</i>			(Bull.) Redhead
Agaricales	Lyophyllaceae	DAVFP	UBC	<i>Lyophyllum</i>	<i>decastes</i>			(Fr.) Singer
Agaricales	Lyophyllaceae		UBC	<i>Lyophyllum</i>	<i>leptosarx</i>			Clemenccon & A.H. Sm.
Agaricales	Lyophyllaceae			<i>Lyophyllum</i>	<i>loricatum</i>			(Fr.) Kühner
Agaricales	Lyophyllaceae		UBC	<i>Lyophyllum</i>	<i>multiforme</i>			(Peck) H.E. Bigelow
Agaricales	Lyophyllaceae		UBC	<i>Lyophyllum</i>	<i>oldae</i>			(Svrček) Clémençon
Agaricales	Lyophyllaceae	DAVFP	UBC	<i>Lyophyllum</i>	<i>semitale</i>			(Fr.) Kühner
Agaricales	Lyophyllaceae			<i>Lyophyllum</i>	<i>tylicolor</i>			(Fr.) M.M. Moser
Agaricales	Lyophyllaceae		UBC	<i>Myochromella</i>	<i>boudieri</i>			(Kühner & Romagn.) V. Hofst., Clémençon, Moncalvo & Redhead
Agaricales	Lyophyllaceae	DAVFP	UBC	<i>Ossicaulis</i>	<i>lignatilis</i>			(Pers.) Redhead & Ginns
Agaricales	Lyophyllaceae		UBC	<i>Rugosomyces</i>	<i>carneus</i>			(Bull.) Bon
Agaricales	Lyophyllaceae		UBC	<i>Rugosomyces</i>	<i>chrysenteron</i>			(Bull.) Bon
Agaricales	Lyophyllaceae			<i>Rugosomyces</i>	<i>nauoria</i>			(Murrill) Boffelli
Agaricales	Lyophyllaceae			<i>Rugosomyces</i>	<i>onychinus</i>			(Fr.) Raithelh.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Lyophyllaceae		UBC	<i>Tephrocybe</i>	<i>ambusta</i>			(Fr.) Donk
Agaricales	Lyophyllaceae		UBC	<i>Tephrocybe</i>	<i>anthracophila</i>			(Lasch) P.D. Orton
Agaricales	Lyophyllaceae		UBC	<i>Tephrocybe</i>	<i>atrata</i>			(Fr.) Donk
Agaricales	Lyophyllaceae		UBC	<i>Tephrocybe</i>	<i>fusispora</i>			(Hora) M.M. Moser
Agaricales	Lyophyllaceae		UBC	<i>Tephrocybe</i>	<i>impexa</i>			(P. Karst.) M.M. Moser
Agaricales	Lyophyllaceae		UBC	<i>Tephrocybe</i>	<i>palustris</i>			(Peck) Donk
Agaricales	Lyophyllaceae		UBC	<i>Tephrocybe</i>	<i>platypus</i>			(Kühner) M.M. Moser
Agaricales	Lyophyllaceae		UBC	<i>Tephrocybe</i>	<i>rancida</i>			(Fr.) Donk
Agaricales	Lyophyllaceae		UBC	<i>Tephrocybe</i>	<i>tylicolor</i>			(Fr.) M.M. Moser
Agaricales	Marasmiaceae		UBC	<i>Atheniella</i>	<i>adonis</i>			(Bull.) Redhead, Moncalvo, Vilgalys, Desjardin & B.A. Perry
Agaricales	Marasmiaceae		UBC	<i>Atheniella</i>	<i>aurantiidisca</i>			(Murrill) Redhead, Moncalvo, Vilgalys,
Agaricales	Marasmiaceae		UBC	<i>Atheniella</i>	<i>flavoalba</i>			Desjardin & B.A. Perry
Agaricales	Marasmiaceae	DAVFP	UBC	<i>Baeospora</i>	<i>myosura</i>			(Fr.) Singer
Agaricales	Marasmiaceae		UBC	<i>Baeospora</i>	<i>myriadophylla</i>			(Peck) Singer
Agaricales	Marasmiaceae	DAVFP		<i>Calathella</i>	<i>eruciformis</i>			(P. Michel ex Batsch) D.A. Reid
Agaricales	Marasmiaceae		UBC	<i>Calyptrella</i>	<i>capula</i>			(Holmsk.) Quéł.
Agaricales	Marasmiaceae		UBC	<i>Campanella</i>	<i>inquilina</i>			Romagn.
Agaricales	Marasmiaceae	DAVFP		<i>Clitocybula</i>	<i>abundans</i>			(Peck) Singer
Agaricales	Marasmiaceae		UBC	<i>Clitocybula</i>	<i>atrialba</i>			(Murrill) Singer
Agaricales	Marasmiaceae		UBC	<i>Clitocybula</i>	<i>familia</i>			(Peck) Singer
Agaricales	Marasmiaceae			<i>Clitocybula</i>	<i>lacerata</i>			(Scop.) Métrod
Agaricales	Marasmiaceae		UBC	<i>Crinipellis</i>	<i>piceae</i>			Singer
Agaricales	Marasmiaceae	DAVFP		<i>Crinipellis</i>	<i>scabella</i>			(Alb. & Schwein.) Murrill
Agaricales	Marasmiaceae	DAVFP	UBC	<i>Henningssomyces</i>	<i>candidus</i>			(Pers.) Kuntze
Agaricales	Marasmiaceae		UBC	<i>Henningssomyces</i>	<i>puber</i>			(Romell ex W.B. Cooke) D.A. Reid
Agaricales	Marasmiaceae		UBC	<i>Hydropus</i>	<i>atramentosus</i>			(Kalchbr.) Kotl. & Pouzar
Agaricales	Marasmiaceae	DAVFP	UBC	<i>Hydropus</i>	<i>marginellus</i>			(Pers.) Singer
Agaricales	Marasmiaceae	DAVFP	UBC	<i>Macrocystidia</i>	<i>cucumis</i>			(Pers.) Joss.
Agaricales	Marasmiaceae		UBC	<i>Marasmius</i>	<i>chordalis</i>			Fr.
Agaricales	Marasmiaceae		UBC	<i>Marasmius</i>	<i>epiphyllus</i>			(Pers.) Fr.
Agaricales	Marasmiaceae		UBC	<i>Marasmius</i>	<i>limosus</i>			Quéł.
Agaricales	Marasmiaceae	DAVFP	UBC	<i>Marasmius</i>	<i>oreades</i>			(Bolton) Fr.
Agaricales	Marasmiaceae		UBC	<i>Marasmius</i>	<i>pallidocephalus</i>			Gilliam
Agaricales	Marasmiaceae	DAVFP	UBC	<i>Marasmius</i>	<i>plicatulus</i>			Peck
Agaricales	Marasmiaceae			<i>Marasmius</i>	<i>tremulae</i>			Velen.
Agaricales	Marasmiaceae		UBC	<i>Megacollybia</i>	<i>platyphylla</i>			(Pers.) Kotl. & Pouzar
Agaricales	Marasmiaceae		UBC	<i>Mycopan</i>	<i>scabripes</i>			(Murrill) Redhead, Moncalvo & Vilgalys

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Marasmiaceae	DAVFP	UBC	<i>Pleurocybella</i>	<i>porrigens</i>			(Pers.) Singer
Agaricales	Marasmiaceae	DAVFP	UBC	<i>Sarcomyxa</i>	<i>serotinus</i>			(Pers.) P. Karst.
Agaricales	Marasmiaceae	DAVFP		<i>Stromatocyphella</i>	<i>conglobata</i>			(Burt) W.B. Cooke
Agaricales	Marasmiaceae		UBC	<i>Tetrapyrgos</i>	<i>subdendrophora</i>			(Redhead) E. Horak
Agaricales	Mycenaceae			<i>Hemimycena</i>	<i>albicolor</i>			(A.H. Sm.) Elborne
Agaricales	Mycenaceae		UBC	<i>Hemimycena</i>	<i>crispata</i>			(Kuhn) Sing.
Agaricales	Mycenaceae		UBC	<i>Hemimycena</i>	<i>cucullata</i>			(Pers.) Singer
Agaricales	Mycenaceae			<i>Hemimycena</i>	<i>cypelloides</i>			(P.D. Orton) Maas Geest.
Agaricales	Mycenaceae	DAVFP	UBC	<i>Hemimycena</i>	<i>delectabilis</i>			(Peck) Singer
Agaricales	Mycenaceae		UBC	<i>Hemimycena</i>	<i>gracilis</i>			(Quél.) Singer
Agaricales	Mycenaceae		UBC	<i>Hemimycena</i>	<i>hirsuta</i>			(Tode) Singer
Agaricales	Mycenaceae			<i>Hemimycena</i>	<i>ignobilis</i>			Joss. ex Bon
Agaricales	Mycenaceae		UBC	<i>Hemimycena</i>	<i>lactea</i>			(Pers.) Singer
Agaricales	Mycenaceae		UBC	<i>Hemimycena</i>	<i>mauretanica</i>			(Maire) Singer
Agaricales	Mycenaceae		UBC	<i>Hemimycena</i>	<i>nebulophila</i>			(Redhead) Redhead
Agaricales	Mycenaceae		UBC	<i>Hemimycena</i>	<i>pseudocrispula</i>			(Kühner) Singer
Agaricales	Mycenaceae		UBC	<i>Hemimycena</i>	<i>subimmaculata</i>			(Murrill) Elborne & Laessoe
Agaricales	Mycenaceae			<i>Hemimycena</i>	<i>substellata</i>			(Kühner) Antonín & Noordel.
Agaricales	Mycenaceae			<i>Hemimycena</i>	<i>tortuosa</i>			(P.D. Orton) Redhead
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>abramsii</i>			(Murrill) Murrill
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>acicula</i>			(Schaeff.) P. Kumm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>aetites</i>			(Fr.) Quél.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>albidula</i>			(Peck) A.H. Sm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>albissima</i>			A.H. Sm.
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>alcalina</i>			(Fr.) P. Kumm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>algeriensis</i>			Maire
Agaricales	Mycenaceae	DAVFP		<i>Mycena</i>	<i>alnetorum</i>			J. Favre
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>alnicola</i>			A.H. Sm.
Agaricales	Mycenaceae			<i>Mycena</i>	<i>alphitophora</i>			(Berk.) Sacc.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>amabilis</i>			Robich
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>amabilissima</i>			Peck
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>amicita</i>			(Fr.) Quél.
Agaricales	Mycenaceae	DAVFP		<i>Mycena</i>	<i>arcangeliana</i>			Bres.
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>atroalboides</i>			(Peck) Sacc.
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>aurantiomarginata</i>			(Fr.) Quél.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>avenacea</i>			(Fr.) Quél.
Agaricales	Mycenaceae			<i>Mycena</i>	<i>bulbosa</i>			(Cejp) Kühner
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>capillaripes</i>			Peck
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>capillaris</i>			(Schumach.) P. Kumm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>cinerella</i>			(P. Karst.) P. Karst.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>citrinomarginata</i>			Gillet
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>clavicularis</i>			(Fr.) Gillet
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>clavularis</i>			(Batsch) Sacc.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>corticaticeps</i>			Kauffman & A.H. Sm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>corticola</i>			(Pers.) Gray
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>corynephora</i>			Maas Geest.
Agaricales	Mycenaceae			<i>Mycena</i>	<i>culmigena</i>			Maas Geest.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>debilis</i>			(Fr.) Quél.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>elegantula</i>			Peck
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>epipterygia</i>	<i>epipterygia</i>		(Scop.) Gray
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>epipterygia</i>	<i>lignicola</i>		A.H. Sm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>epipterygioides</i>			A. Pearson
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>erubescens</i>			Hohn
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>excisa</i>			(Lasch) P. Kumm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>fagitorum</i>			(Fr.) Gillet
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>filipes</i>			(Bull.) P. Kumm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>fragillima</i>			A.H. Sm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>fuliginella</i>			A.H. Sm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>fusco-ocula</i>			A.H. Sm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>fuscopurpurea</i>			Henn.
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>galericulata</i>			(Scop.) Gray
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>galopus</i>			(Pers.) P. Kumm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>griseiconica</i>			Kauffman
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>griseoviridis</i>			Kauffman
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>haematopus</i>			(Pers.) P. Kumm.
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>hudsoniana</i>			A.H. Sm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>inclinata</i>			(Fr.) Quél.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>insignis</i>			A.H. Sm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>laevigata</i>			Gillet
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>leptocephala</i>			(Pers.) Gillet
Agaricales	Mycenaceae			<i>Mycena</i>	<i>leucophaea</i>			(Murrill) Murrill
Agaricales	Mycenaceae			<i>Mycena</i>	<i>lilacifolia</i>			(Peck) A.H. Sm.
Agaricales	Mycenaceae			<i>Mycena</i>	<i>loh wagii</i>			Singer
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>longipes</i>			(Murrill) Murrill
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>longiseta</i>			Höhn.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>luteopallens</i>			Peck
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>maculata</i>			P. Karst.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>magna</i>			(Murrill) Murrill
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>megaspora</i>			Kauffman
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>metata</i>			(Secr. ex Fr.) P. Kumm.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>minutissima</i>			(Murrill) Murrill
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>mirata</i>			(Peck) Sacc.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>monticola</i>			A.H. Sm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>murina</i>			(Murrill) Murrill
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>occidentalis</i>			(Murrill) Murrill
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>odora</i>			Maas Geest. & E. Horak
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>odorifera</i>			(Peck) Sacc.
Agaricales	Mycenaceae	DAVFP		<i>Mycena</i>	<i>olivaceobrunnea</i>			A.H. Sm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>olivaceomarginata</i>			(Massee) Massee
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>oregonensis</i>			A.H. Sm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>overholtsii</i>			A.H. Sm. & Solheim
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>parabolica</i>			(Fr.) Quéel.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>paucilamellata</i>			A.H. Sm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>pearsoniana</i>			Dennis ex Singer
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>pelluculosa</i>			(Pers.) P. Kumm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>plumbea</i>			(Fr.) Sacc.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>pseudocorticola</i>			Kühner
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>pseudoinclinata</i>			A.H. Sm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>pterigena</i>			(Fr.) P. Kumm.
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>pura</i>			(Pers.) P. Kumm.
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>purpureofusca</i>			(Peck) Sacc.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>pusilla</i>			A.H. Sm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>quinaultensis</i>			Kauffman
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>radicifer</i>			J. Favre
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>renati</i>			Quéel.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>rosea</i>			Gramberg
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>rosella</i>			(Fr.) P. Kumm.
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>rubromarginata</i>			(Fr.) P. Kumm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>rugulosiceps</i>			(Scop.) Gray
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>rutilantiformis</i>			(Murrill) Murrill
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>sanguinolenta</i>			(Alb. & Schwein.) P. Kumm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>sepia</i>			J.E. Lange
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>serotina</i>			A.H. Sm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>stannea</i>			(Fr.) Quéel.
Agaricales	Mycenaceae			<i>Mycena</i>	<i>stipata</i>			Maas Geest. & Schwöbel
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>strobilinoidea</i>			Peck
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>stylobates</i>			(Pers.) P. Kumm.
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>subcana</i>			A.H. Sm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>subcucullata</i>			A.H. Sm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>subplicosa</i>			P. Karst.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>subsanguinolenta</i>			A.H. Sm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>subspina</i>			A.H. Sm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>supina</i>			(Fr.) P. Kumm.
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>tenax</i>			A.H. Sm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>tenerrima</i>			(Berk.) Quéł.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>tubarioides</i>			(Maire) Kühner
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>ulmicola</i>			A.H. Sm.
Agaricales	Mycenaceae		UBC	<i>Mycena</i>	<i>vitis</i>			(Fr.) Quéł.
Agaricales	Mycenaceae	DAVFP	UBC	<i>Mycena</i>	<i>vulgaris</i>			(Pers.) P. Kumm.
Agaricales	Mycenaceae	DAVFP	UBC	<i>Panellus</i>	<i>mitis</i>			(Pers.) Singer
Agaricales	Mycenaceae		UBC	<i>Panellus</i>	<i>ringens</i>			(Fr.) Romagn.
Agaricales	Mycenaceae		UBC	<i>Panellus</i>	<i>stipticus</i>			(Bull.) P. Karst.
Agaricales	Mycenaceae		UBC	<i>Resinomycena</i>	<i>montana</i>			Redhead & Singer
Agaricales	Mycenaceae	DAVFP	UBC	<i>Resinomycena</i>	<i>saccharifera</i>			(Berk. & Broome) Redhead
Agaricales	Mycenaceae	DAVFP	UBC	<i>Roridomyces</i>	<i>rorida</i>			(Fr.) Rexer
Agaricales	Mycenaceae	DAVFP		<i>Tectella</i>	<i>patellaris</i>			(Fr.) Murrill
Agaricales	Mycenaceae		UBC	<i>Xeromphalina</i>	<i>brunneola</i>			O.K. Mill.
Agaricales	Mycenaceae	DAVFP	UBC	<i>Xeromphalina</i>	<i>campanella</i>			(Batsch) Kühner & Maire
Agaricales	Mycenaceae			<i>Xeromphalina</i>	<i>campanelloides</i>			Redhead
Agaricales	Mycenaceae	DAVFP	UBC	<i>Xeromphalina</i>	<i>cauticinalis</i>			(With.) Kühner & Maire
Agaricales	Mycenaceae		UBC	<i>Xeromphalina</i>	<i>cirris</i>			Redhead
Agaricales	Mycenaceae		UBC	<i>Xeromphalina</i>	<i>cornuta</i>			(Quéł.) J. Favre
Agaricales	Mycenaceae	DAVFP	UBC	<i>Xeromphalina</i>	<i>fulvipes</i>			(Murrill) A.H. Sm.
Agaricales	Mycenaceae		UBC	<i>Xeromphalina</i>	<i>orickiana</i>			(A.H. Sm.) Singer
Agaricales	Mycenaceae	DAVFP	UBC	<i>Xeromphalina</i>	<i>picta</i>			(Fr.) A.H. Sm.
Agaricales	Niaceae	DAVFP	UBC	<i>Cyphelopsis</i>	<i>anomala</i>			(Pers.) Donk
Agaricales	Niaceae		UBC	<i>Cyphelopsis</i>	<i>subglobispora</i>			D.A. Reid
Agaricales	Niaceae		UBC	<i>Flagelloscypha</i>	<i>minutissima</i>			(Burt) Donk
Agaricales	Niaceae	DAVFP	UBC	<i>Lachnella</i>	<i>alboviolascens</i>			(Alb. & Schwein.) Fr.
Agaricales	Niaceae	DAVFP		<i>Lachnella</i>	<i>subochracea</i>			(Cooke & Peck) Seaver
Agaricales	Niaceae		UBC	<i>Lachnella</i>	<i>villosa</i>			(Pers.) Donk
Agaricales	Niaceae	DAVFP	UBC	<i>Merismodes</i>	<i>fasciculata</i>	<i>fasciculata</i>		(Schwein.) Donk
Agaricales	Niaceae		UBC	<i>Merismodes</i>	<i>ochraceus</i>			(Hoffm.) D.A. Reid
Agaricales	Omphalotaceae	DAVFP	UBC	<i>Connopus</i>	<i>acervatus</i>			(Fr.) K.W. Hughes, Mather & R.H. Petersen
Agaricales	Omphalotaceae		UBC	<i>Gymnopus</i>	<i>alkalivirens</i>			(Singer) Halling
Agaricales	Omphalotaceae	DAVFP	UBC	<i>Gymnopus</i>	<i>androsaceus</i>			(L.) J.L. Mata & R.H. Petersen
Agaricales	Omphalotaceae		UBC	<i>Gymnopus</i>	<i>biformis</i>			(Peck) Halling
Agaricales	Omphalotaceae	DAVFP	UBC	<i>Gymnopus</i>	<i>confluens</i>			(Pers.) Antonín, Halling & Noordel.
Agaricales	Omphalotaceae	DAVFP	UBC	<i>Gymnopus</i>	<i>dryophilus</i>			(Bull.) Murrill

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Omphalotaceae		UBC	<i>Gymnopus</i>	<i>earleae</i>			Murrill
Agaricales	Omphalotaceae		UBC	<i>Gymnopus</i>	<i>erythropus</i>			(Pers.) Antonín, Halling & Noordel
Agaricales	Omphalotaceae	DAVFP	UBC	<i>Gymnopus</i>	<i>foetidus</i>			(Sowerby) J.L. Mata & R.H. Petersen
Agaricales	Omphalotaceae		UBC	<i>Gymnopus</i>	<i>fuscopurpureus</i>			(Pers.) Antonín, Halling & Noordel.
Agaricales	Omphalotaceae		UBC	<i>Gymnopus</i>	<i>ocior</i>			(Pers.) Antonín & Noordel.
Agaricales	Omphalotaceae	DAVFP	UBC	<i>Gymnopus</i>	<i>perforans</i>			(Hoffm.) Antonín & Noordel.
Agaricales	Omphalotaceae		UBC	<i>Gymnopus</i>	<i>peronatus</i>			(Pers.) Antonín, Halling & Noordel.
Agaricales	Omphalotaceae		UBC	<i>Gymnopus</i>	<i>putillus</i>			(Fr.) Antonín, Halling & Noordel
Agaricales	Omphalotaceae		UBC	<i>Gymnopus</i>	<i>subnudus</i>			(Ellis ex Peck) Halling
Agaricales	Omphalotaceae		UBC	<i>Gymnopus</i>	<i>sub sulphureus</i>			(Peck) Murrill
Agaricales	Omphalotaceae		UBC	<i>Gymnopus</i>	<i>subterginus</i>			(Halling) Halling
Agaricales	Omphalotaceae	DAVFP	UBC	<i>Marasmiellus</i>	<i>candidus</i>			(Fr.) Singer
Agaricales	Omphalotaceae			<i>Marasmiellus</i>	<i>filipes</i>			(Peck) Redhead
Agaricales	Omphalotaceae			<i>Marasmiellus</i>	<i>papillatus</i>			(Peck) Redhead & Halling
Agaricales	Omphalotaceae		UBC	<i>Marasmiellus</i>	<i>pluvius</i>			Redhead
Agaricales	Omphalotaceae		UBC	<i>Marasmiellus</i>	<i>ramealis</i>			(Bull.) Singer (1948)
Agaricales	Omphalotaceae		UBC	<i>Marasmiellus</i>	<i>roseipallens</i>			(Murrill) Singer
Agaricales	Omphalotaceae			<i>Marasmiellus</i>	<i>vaiiantii</i>			(Pers.) Singer
Agaricales	Omphalotaceae		UBC	<i>Micromphale</i>	<i>arbuticola</i>			Desjardin
Agaricales	Omphalotaceae		UBC	<i>Mycetiniris</i>	<i>applanatipes</i>			(Desjardin) A.W. Wilson & Desjardin
Agaricales	Omphalotaceae	DAVFP	UBC	<i>Mycetiniris</i>	<i>salalis</i>			(Desjardin & Redhead) Redhead
Agaricales	Omphalotaceae	DAVFP	UBC	<i>Mycetiniris</i>	<i>scorodonius</i>			(Fr.) A.W. Wilson & Desjardin
Agaricales	Omphalotaceae	DAVFP	UBC	<i>Rhodocollybia</i>	<i>badialba</i>			(Murrill) Lennox
Agaricales	Omphalotaceae	DAVFP	UBC	<i>Rhodocollybia</i>	<i>butyracea</i>			(Bull.) Lennox
Agaricales	Omphalotaceae	DAVFP	UBC	<i>Rhodocollybia</i>	<i>maculata</i>			(Alb. & Schwein.) Singer
Agaricales	Omphalotaceae	DAVFP	UBC	<i>Rhodocollybia</i>	<i>oregonensis</i>			(A.H. Sm.) Lennox
Agaricales	Physalacriaceae			<i>Armillaria</i>	<i>cepistipes</i>			Velen.
Agaricales	Physalacriaceae	DAVFP		<i>Armillaria</i>	<i>gallica</i>			Marxm. & Romagn.
Agaricales	Physalacriaceae			<i>Armillaria</i>	<i>gemina</i>			Berube & Dessur.
Agaricales	Physalacriaceae	DAVFP		<i>Armillaria</i>	<i>nabsnona</i>			T.J. Volk & Burds.
Agaricales	Physalacriaceae	DAVFP	UBC	<i>Armillaria</i>	<i>ostoyae</i>			(Romagn.) Herink
Agaricales	Physalacriaceae	DAVFP	UBC	<i>Armillaria</i>	<i>sinapina</i>			Bérubé & Dessur.
Agaricales	Physalacriaceae			<i>Armillaria</i>	<i>solidipes</i>			Peck
Agaricales	Physalacriaceae	DAVFP	UBC	<i>Cylindrobasidium</i>	<i>corrugum</i>			(Burt) Ginn
Agaricales	Physalacriaceae	DAVFP	UBC	<i>Cylindrobasidium</i>	<i>laeve</i>			(Pers.) Chamuris
Agaricales	Physalacriaceae			<i>Flammulina</i>	<i>populincola</i>			Redhead & R.H. Petersen
Agaricales	Physalacriaceae	DAVFP	UBC	<i>Flammulina</i>	<i>velutipes</i>			(Curtis) Singer
Agaricales	Physalacriaceae			<i>Gloiocephala</i>	<i>caricis</i>			(P. Karst.) Bas
Agaricales	Physalacriaceae		UBC	<i>Gloiocephala</i>	<i>menieri</i>			(Boud.) Singer
Agaricales	Physalacriaceae		UBC	<i>Hymenopellis</i>	<i>radicata</i>			(Relhan) R.H. Petersen

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Physalacriaceae			<i>Rhizomarasmius</i>	<i>epidryas</i>			(Kühner ex A. Ronikier) A. Ronikier & Ronikier
Agaricales	Physalacriaceae	DAVFP	UBC	<i>Strobilurus</i>	<i>albipilatus</i>			(Peck) V.L. Wells & Kempton
Agaricales	Physalacriaceae	DAVFP		<i>Strobilurus</i>	<i>conigenoides</i>			(Ellis) Singer
Agaricales	Physalacriaceae	DAVFP	UBC	<i>Strobilurus</i>	<i>occidentalis</i>			V.L. Wells & Kempton
Agaricales	Physalacriaceae	DAVFP	UBC	<i>Strobilurus</i>	<i>trullisatus</i>			(Murrill) Lennox
Agaricales	Pleurotaceae			<i>Hohenbuehelia</i>	<i>angustata</i>			(Berk.) Singer
Agaricales	Pleurotaceae		UBC	<i>Hohenbuehelia</i>	<i>atrocoerulea</i>			(Fr.) Singer
Agaricales	Pleurotaceae		UBC	<i>Hohenbuehelia</i>	<i>cypselliformis</i>			(Berk.) O.K. Mill.
Agaricales	Pleurotaceae	DAVFP	UBC	<i>Hohenbuehelia</i>	<i>petalooides</i>			(Bull.) Schulzer
Agaricales	Pleurotaceae		UBC	<i>Hohenbuehelia</i>	<i>silvanus</i>			(Sacc.) O.K. Mill.
Agaricales	Pleurotaceae	DAVFP		<i>Hohenbuehelia</i>	<i>unguicularis</i>			(Fr.) O.K. Mill.
Agaricales	Pleurotaceae	DAVFP	UBC	<i>Pleurotus</i>	<i>dryinus</i>			Pers.) P. Kumm.
Agaricales	Pleurotaceae	DAVFP	UBC	<i>Pleurotus</i>	<i>ostreatus</i>			(Jacq.) P. Kumm.
Agaricales	Pleurotaceae			<i>Pleurotus</i>	<i>populinus</i>			O. Hilber & O.K. Mill.
Agaricales	Pleurotaceae			<i>Pleurotus</i>	<i>pulmonarius</i>			(Fr.) Quéł.
Agaricales	Pleurotaceae	DAVFP		<i>Pleurotus</i>	<i>subareolatus</i>			Peck
Agaricales	Pluteaceae	DAVFP	UBC	<i>Pluteus</i>	<i>atromarginatus</i>			(Konrad) Kühner
Agaricales	Pluteaceae		UBC	<i>Pluteus</i>	<i>brunneoradiatus</i>			Bonnard
Agaricales	Pluteaceae	DAVFP	UBC	<i>Pluteus</i>	<i>cervinus</i>			(Schaeff.) P. Kumm.
Agaricales	Pluteaceae		UBC	<i>Pluteus</i>	<i>cinereofuscus</i>			J.E. Lange
Agaricales	Pluteaceae		UBC	<i>Pluteus</i>	<i>ephebeus</i>			(Fr.) Gillet
Agaricales	Pluteaceae		UBC	<i>Pluteus</i>	<i>exiguus</i>			(Pat.) Sacc.
Agaricales	Pluteaceae		UBC	<i>Pluteus</i>	<i>flavofuligineus</i>			G.F. Atk.
Agaricales	Pluteaceae	DAVFP	UBC	<i>Pluteus</i>	<i>granularis</i>			Peck
Agaricales	Pluteaceae		UBC	<i>Pluteus</i>	<i>leoninus</i>			(Schaeff.) P. Kumm.
Agaricales	Pluteaceae		UBC	<i>Pluteus</i>	<i>nanus</i>			(Pers.) P. Kumm.
Agaricales	Pluteaceae	DAVFP	UBC	<i>Pluteus</i>	<i>pellitus</i>			(Pers.) P. Kumm.
Agaricales	Pluteaceae		UBC	<i>Pluteus</i>	<i>petasatus</i>			(Fr.) Gillet
Agaricales	Pluteaceae		UBC	<i>Pluteus</i>	<i>plautius</i>			(Weinm.) Gillet
Agaricales	Pluteaceae		UBC	<i>Pluteus</i>	<i>podospileus</i>			Sacc. & Cub.
Agaricales	Pluteaceae		UBC	<i>Pluteus</i>	<i>pouzarianus</i>			Singer
Agaricales	Pluteaceae		UBC	<i>Pluteus</i>	<i>primus</i>			Bonnard
Agaricales	Pluteaceae	DAVFP	UBC	<i>Pluteus</i>	<i>romellii</i>			(Britzelm.) Sacc.
Agaricales	Pluteaceae		UBC	<i>Pluteus</i>	<i>roseipes</i>			Höhn.
Agaricales	Pluteaceae		UBC	<i>Pluteus</i>	<i>salicinus</i>			(Pers.) P. Kumm.
Agaricales	Pluteaceae		UBC	<i>Pluteus</i>	<i>satur</i>			Kühner & Romagn.
Agaricales	Pluteaceae		UBC	<i>Pluteus</i>	<i>thomsonii</i>			(Berk. & Broome) Dennis
Agaricales	Pluteaceae	DAVFP	UBC	<i>Pluteus</i>	<i>tomentosulus</i>			Peck
Agaricales	Pluteaceae			<i>Volvariella</i>	<i>bombycena</i>			(Schaeff.) Singer

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Pluteaceae		UBC	<i>Volvariella</i>	<i>volvacea</i>			(Bull.) Singer
Agaricales	Pluteaceae	DAVFP	UBC	<i>Volvopluteus</i>	<i>gloiocephala</i>			(DC.) Vizzini, Contu & Justo
Agaricales	Porotheleaceae		UBC	<i>Phloeomana</i>	<i>minutula</i>			(Sacc.) Redhead
Agaricales	Porotheleaceae		UBC	<i>Phloeomana</i>	<i>speirea</i>			(Fr.) Redhead
Agaricales	Psathyrellaceae		UBC	<i>Coprinellus</i>	<i>angulatus</i>			(Peck) Redhead, Vilgalys & Moncalvo
Agaricales	Psathyrellaceae		UBC	<i>Coprinellus</i>	<i>congregatus</i>			(Bull.) P. Karst.
Agaricales	Psathyrellaceae		UBC	<i>Coprinellus</i>	<i>disseminatus</i>			(Pers.) J.E. Lange
Agaricales	Psathyrellaceae		UBC	<i>Coprinellus</i>	<i>domesticus</i>			(Bolton) Vilgalys, Hopple & Jacq.
								Johnson
Agaricales	Psathyrellaceae		UBC	<i>Coprinellus</i>	<i>ephemerus</i>			(Bull.) Redhead, Vilgalys & Moncalvo
Agaricales	Psathyrellaceae		UBC	<i>Coprinellus</i>	<i>heptemerus</i>			(M. Lange & A.H. Sm.) Vilgalys, Hopple & Jacq. Johnson
Agaricales	Psathyrellaceae		UBC	<i>Coprinellus</i>	<i>hiascens</i>			(Fr.) Redhead, Vilgalys & Moncalvo
Agaricales	Psathyrellaceae		UBC	<i>Coprinellus</i>	<i>impatiens</i>			(Fr.) J.E. Lange
Agaricales	Psathyrellaceae	DAVFP	UBC	<i>Coprinellus</i>	<i>micaceus</i>			(Bull.) Vilgalys, Hopple & Jacq. Johnson
Agaricales	Psathyrellaceae		UBC	<i>Coprinellus</i>	<i>xanthothrix</i>			(Romagn.) Vilgalys, Hopple & Jacq. Johnson
Agaricales	Psathyrellaceae	DAVFP	UBC	<i>Coprinopsis</i>	<i>atramentaria</i>			(Bull.) Redhead, Vilgalys & Moncalvo
Agaricales	Psathyrellaceae		UBC	<i>Coprinopsis</i>	<i>cinerea</i>			(Schaeff.) Redhead, Vilgalys &
Agaricales	Psathyrellaceae		UBC	<i>Coprinopsis</i>	<i>friesii</i>			Moncalvo
Agaricales	Psathyrellaceae		UBC	<i>Coprinopsis</i>	<i>gonophylla</i>			(Quél.) P. Karst.
Agaricales	Psathyrellaceae		UBC	<i>Coprinopsis</i>	<i>kubickae</i>			(Quél.) Redhead, Vilgalys & Moncalvo
Agaricales	Psathyrellaceae		UBC	<i>Coprinopsis</i>	<i>lagopides</i>			(Pilát & Svrček) Redhead, Vilgalys & Moncalvo
Agaricales	Psathyrellaceae		UBC	<i>Coprinopsis</i>	<i>lagopus</i>			(P. Karst.) Redhead, Vilgalys & Moncalvo
Agaricales	Psathyrellaceae		UBC	<i>Coprinopsis</i>	<i>nivea</i>			(Fr.) Redhead, Vilgalys & Moncalvo
Agaricales	Psathyrellaceae		UBC	<i>Coprinopsis</i>	<i>phaeosporus</i>			(Pers.) Redhead, Vilgalys & Moncalvo
Agaricales	Psathyrellaceae		UBC	<i>Coprinopsis</i>	<i>psychromorpha</i>			(P. Karst.) P. Karst.
Agaricales	Psathyrellaceae	DAVFP	UBC	<i>Coprinopsis</i>	<i>stercorea</i>			(Redhead & Traquair) Redhead, Vilgalys & Moncalvo
Agaricales	Psathyrellaceae		UBC	<i>Lacrymaria</i>	<i>glareosa</i>			(Fr.) Redhead, Vilgalys & Moncalvo
Agaricales	Psathyrellaceae		UBC	<i>Lacrymaria</i>	<i>lacrymabunda</i>			(J. Favre) Watling
Agaricales	Psathyrellaceae		UBC	<i>Parasola</i>	<i>conopilus</i>			(Bull.) Pat.
Agaricales	Psathyrellaceae		UBC	<i>Parasola</i>	<i>leiocephala</i>			(Fr.) Örstadius & E. Larss.
Agaricales	Psathyrellaceae		UBC	<i>Parasola</i>	<i>plicatilis</i>			(P.D. Orton) Redhead, Vilgalys & Hopple
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>alnicola</i>			(Curtis) Redhead, Vilgalys & Hopple
Agaricales	Psathyrellaceae		UBC					A.H. Sm.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>ammophila</i>			(Durieu & Lév.) P.D. Orton
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>annulata</i>			A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>barlowiana</i>			A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>bartholomei</i>			Peck
Agaricales	Psathyrellaceae	DAVFP	UBC	<i>Psathyrella</i>	<i>candolleana</i>			(Fr.) Maire
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>cernua</i>			(Vahl) M.M. Moser
Agaricales	Psathyrellaceae			<i>Psathyrella</i>	<i>columbiana</i>			K.A. Harrison & A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>conissans</i>			(Peck) A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>corrugis</i>			(Pers.) Konrad & Maubl.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>delineata</i>			(Peck) A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>distans</i>			A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>epimyces</i>			(Peck) A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>flexuosipes</i>			A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>fulvobrunnea</i>			A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>griseopallida</i>			Thiers & A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>hymenocephala</i>			(Peck) A.H. Sm.
Agaricales	Psathyrellaceae	DAVFP	UBC	<i>Psathyrella</i>	<i>longistriata</i>			(Murrill) A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>maculata</i>			(Parker) A.H. Sm.
Agaricales	Psathyrellaceae			<i>Psathyrella</i>	<i>madeodisca</i>			(Peck) A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>microrhiza</i>			(Lasch) Konrad & Maubl.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>multipedata</i>			(Peck) A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>muricata</i>			(Fr.) Kits van Wav.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>noli-tangere</i>			(Fr.) A. Pearson & Dennis
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>obtusata</i>			(Pers.) A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>ocellata</i>			(Romagn.) M.M. Moser
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>olympiana</i>			A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>orbitarum</i>			(Romagn.) M.M. Moser
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>paradoxa</i>			A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>pennata</i>			(Fr.) A. Pearson & Dennis
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>piluliformis</i>			(Bull.) P.D. Orton
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>praetenuis</i>			A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>prona</i>			(Fr.) Gillet
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>pseudolarga</i>			A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>pseudotrepida</i>			A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>quercicola</i>			A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>rigidipes</i>			(Peck) A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>rubicola</i>			A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>sacchariolens</i>			Enderle
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>senex</i>			(Peck) A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>spadiceogrisea</i>			(Schaeff.) Maire

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>subalpina</i>			A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>subcaerulea</i>			A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>subcinnamomea</i>			A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>subhepatica</i>			A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>subnuda</i>			A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>subquamulosa</i>			A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>tephrophylla</i>			(Romagn.) M.M. Moser
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>uliginicola</i>			McKnight & A.H. Sm.
Agaricales	Psathyrellaceae		UBC	<i>Psathyrella</i>	<i>vesiculocystis</i>			A.H. Sm.
Agaricales	Pterulaceae			<i>Aphanobasidium</i>	<i>filicinum</i>			(Bourdot) Jülich
Agaricales	Pterulaceae			<i>Aphanobasidium</i>	<i>pseudotsugae</i>			(Burt) Boidin & Gilles
Agaricales	Pterulaceae		UBC	<i>Radulomyces</i>	<i>confluens</i>			(Fr.) M.P. Christ.
Agaricales	Pterulaceae			<i>Radulomyces</i>	<i>notabilis</i>			(H.S. Jacks.) Parmasto
Agaricales	Schizophyllaceae	DAVFP	UBC	<i>Schizophyllum</i>	<i>commune</i>			Fr.
Agaricales	Strophariaceae		UBC	<i>Agrocybe</i>	<i>acericola</i>			(Peck) Singer
Agaricales	Strophariaceae	DAVFP	UBC	<i>Agrocybe</i>	<i>arvalis</i>			(Fr.) Singer
Agaricales	Strophariaceae	DAVFP	UBC	<i>Agrocybe</i>	<i>dura</i>			(Bolton) Singer
Agaricales	Strophariaceae	DAVFP	UBC	<i>Agrocybe</i>	<i>erebia</i>			(Fr.) Kühner ex Singer
Agaricales	Strophariaceae		UBC	<i>Agrocybe</i>	<i>pediades</i>			(Fr.) Fayod
Agaricales	Strophariaceae	DAVFP	UBC	<i>Agrocybe</i>	<i>praecox</i>			(Pers.) Fayod
Agaricales	Strophariaceae		UBC	<i>Agrocybe</i>	<i>putaminum</i>			(Maire) Singer
Agaricales	Strophariaceae		UBC	<i>Agrocybe</i>	<i>sororia</i>			(Peck) Singer
Agaricales	Strophariaceae			<i>Bogbodia</i>	<i>uda</i>			(Pers.) Redhead
Agaricales	Strophariaceae		UBC	<i>Deconica</i>	<i>angustispora</i>			(A.H. Sm.) Ram.-Cruz & Guzmán
Agaricales	Strophariaceae		UBC	<i>Deconica</i>	<i>merdaria</i>			(Fr.) Noordel.
Agaricales	Strophariaceae		UBC	<i>Deconica</i>	<i>moelleri</i>			(Guzmán) Noordel.
Agaricales	Strophariaceae		UBC	<i>Deconica</i>	<i>phylligena</i>			(Sacc.) Noordel.
Agaricales	Strophariaceae		UBC	<i>Gymnopilus</i>	<i>aeruginosus</i>			(Peck) Singer
Agaricales	Strophariaceae	DAVFP	UBC	<i>Gymnopilus</i>	<i>bellulus</i>			(Peck) Murrill
Agaricales	Strophariaceae			<i>Gymnopilus</i>	<i>echinulisperus</i>			Murrill
Agaricales	Strophariaceae			<i>Gymnopilus</i>	<i>flavidellus</i>			Murrill
Agaricales	Strophariaceae			<i>Gymnopilus</i>	<i>hillii</i>			Murrill
Agaricales	Strophariaceae	DAVFP	UBC	<i>Gymnopilus</i>	<i>junonius</i>			(Fr.) P.D. Orton
Agaricales	Strophariaceae	DAVFP	UBC	<i>Gymnopilus</i>	<i>liquiritiae</i>			(Pers.) P. Karst.
Agaricales	Strophariaceae		UBC	<i>Gymnopilus</i>	<i>luteofolius</i>			(Peck) Singer
Agaricales	Strophariaceae			<i>Gymnopilus</i>	<i>magnus</i>			(Peck) Murrill
Agaricales	Strophariaceae			<i>Gymnopilus</i>	<i>pallidus</i>			(Dessì & Contu) Contu
Agaricales	Strophariaceae		UBC	<i>Gymnopilus</i>	<i>penetrans</i>			(Fr.) Murrill
Agaricales	Strophariaceae	DAVFP	UBC	<i>Gymnopilus</i>	<i>picreus</i>			(Pers.) P. Karst.
Agaricales	Strophariaceae	DAVFP	UBC	<i>Gymnopilus</i>	<i>punctifolius</i>			(Peck) Singer

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Strophariaceae		UBC	<i>Gymnopilus</i>	<i>sapineus</i>			(Fr.) Murrill
Agaricales	Strophariaceae		UBC	<i>Gymnopilus</i>	<i>ventricosus</i>			(Earle) Hesler
Agaricales	Strophariaceae	DAVFP	UBC	<i>Hemipholiota</i>	<i>populnea</i>			(Pers.) Bon
Agaricales	Strophariaceae		UBC	<i>Hemistropharia</i>	<i>albocreulata</i>			(Peck) Jacobsson & E. Larss.
Agaricales	Strophariaceae		UBC	<i>Hymenogaster</i>	<i>subalpinus</i>			A.H. Sm.
Agaricales	Strophariaceae	DAVFP	UBC	<i>Hypholoma</i>	<i>capnoides</i>			(Fr.) P. Kumm.
Agaricales	Strophariaceae	DAVFP	UBC	<i>Hypholoma</i>	<i>dispersum</i>			Quél.
Agaricales	Strophariaceae	DAVFP	UBC	<i>Hypholoma</i>	<i>elongatum</i>			(Pers.) Ricken
Agaricales	Strophariaceae		UBC	<i>Hypholoma</i>	<i>epixanthum</i>			(Fr.) Quél.
Agaricales	Strophariaceae			<i>Hypholoma</i>	<i>ericaeoides</i>			P.D. Orton
Agaricales	Strophariaceae			<i>Hypholoma</i>	<i>ericaeum</i>			(Pers.) Kühner
Agaricales	Strophariaceae	DAVFP	UBC	<i>Hypholoma</i>	<i>fasciculare</i>			(Huds.) P. Kumm.
Agaricales	Strophariaceae	DAVFP	UBC	<i>Hypholoma</i>	<i>lateritium</i>			(Schaeff.) P. Kumm.
Agaricales	Strophariaceae		UBC	<i>Hypholoma</i>	<i>marginatum</i>			J. Schröt.
Agaricales	Strophariaceae		UBC	<i>Hypholoma</i>	<i>myosotis</i>			(Fr.) M. Lange
Agaricales	Strophariaceae		UBC	<i>Hypholoma</i>	<i>radicosum</i>			J.E. Lange
Agaricales	Strophariaceae		UBC	<i>Hypholoma</i>	<i>subericaceum</i>			(Fr.) Kühner
Agaricales	Strophariaceae	DAVFP	UBC	<i>Hypholoma</i>	<i>tuberum</i>			Redhead & Kroeger
Agaricales	Strophariaceae	DAVFP	UBC	<i>Kuehneromyces</i>	<i>lignicola</i>			(Peck) Redhead
Agaricales	Strophariaceae	DAVFP	UBC	<i>Kuehneromyces</i>	<i>mutabilis</i>			(Schaeff.) Singer & A.H. Sm.
Agaricales	Strophariaceae	DAVFP	UBC	<i>Kuehneromyces</i>	<i>vernalis</i>			(Sacc.) Singer & A.H. Sm.
Agaricales	Strophariaceae		UBC	<i>Leratiomyces</i>	<i>ceres</i>			(Cooke & Massee) Spooner & Bridge
Agaricales	Strophariaceae		UBC	<i>Leratiomyces</i>	<i>magnivelaris</i>			(Peck) Bridge & Spooner
Agaricales	Strophariaceae		UBC	<i>Leratiomyces</i>	<i>percevalii</i>			(Berk. & Broome) Bridge & Spooner
Agaricales	Strophariaceae		UBC	<i>Leratiomyces</i>	<i>squamulosus</i>			(Pers.) Bridge & Spooner
Agaricales	Strophariaceae		UBC	<i>Melanotus</i>	<i>caricicola</i>			(P.D. Orton) Guzmán
Agaricales	Strophariaceae	DAVFP	UBC	<i>Melanotus</i>	<i>horizontalis</i>			(Bull.) P.D. Orton
Agaricales	Strophariaceae		UBC	<i>Melanotus</i>	<i>phillipsii</i>			(Berk. & Broome) Singer
Agaricales	Strophariaceae		UBC	<i>Mythicomyces</i>	<i>corneipes</i>			(Fr.) Redhead & A.H. Sm.
Agaricales	Strophariaceae		UBC	<i>Naucoria</i>	<i>alnetorum</i>			(Maire) Kühner & Romagn.
Agaricales	Strophariaceae		UBC	<i>Naucoria</i>	<i>amarescens</i>			Quél.
Agaricales	Strophariaceae		UBC	<i>Naucoria</i>	<i>bohemica</i>			Velen.
Agaricales	Strophariaceae	DAVFP	UBC	<i>Naucoria</i>	<i>escharoides</i>			(Fr.) P. Kumm.
Agaricales	Strophariaceae	DAVFP		<i>Naucoria</i>	<i>geminella</i>			(Peck) Sacc.
Agaricales	Strophariaceae		UBC	<i>Naucoria</i>	<i>luteolofibrillosa</i>			(Kühner) Kühner & Romagn.
Agaricales	Strophariaceae		UBC	<i>Naucoria</i>	<i>melinoides</i>			(Bull.) P. Kumm.
Agaricales	Strophariaceae		UBC	<i>Naucoria</i>	<i>salicis</i>			P.D. Orton
Agaricales	Strophariaceae		UBC	<i>Naucoria</i>	<i>suavis</i>			(Bres.) Kuhn.
Agaricales	Strophariaceae			<i>Pachylepyrium</i>	<i>carbonicola</i>			(A.H. Sm.) Singer
Agaricales	Strophariaceae			<i>Phaeogalera</i>	<i>stagnina</i>			(Fr.) Pegler & T.W.K. Young

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Strophariaceae	DAVFP	UBC	<i>Pholiota</i>	<i>adiposa</i>			(Batsch) P. Kumm.
Agaricales	Strophariaceae	DAVFP		<i>Pholiota</i>	<i>alnicola</i>			(Fr.) Singer
Agaricales	Strophariaceae	DAVFP	UBC	<i>Pholiota</i>	<i>astragalina</i>			(Fr.) Singer
Agaricales	Strophariaceae	DAVFP	UBC	<i>Pholiota</i>	<i>aurivella</i>			(Batsch) P. Kumm.
Agaricales	Strophariaceae	DAVFP	UBC	<i>Pholiota</i>	<i>aurivelloides</i>			Overh.
Agaricales	Strophariaceae		UBC	<i>Pholiota</i>	<i>brunnescens</i>			A.H. Sm. & Hesler
Agaricales	Strophariaceae		UBC	<i>Pholiota</i>	<i>carbonaria</i>			A.H. Sm.
Agaricales	Strophariaceae	DAVFP	UBC	<i>Pholiota</i>	<i>decorata</i>			(Murrill) A.H. Sm. & Hesler
Agaricales	Strophariaceae		UBC	<i>Pholiota</i>	<i>flammans</i>			(Batsch) P. Kumm.
Agaricales	Strophariaceae	DAVFP	UBC	<i>Pholiota</i>	<i>flavida</i>			(Schaeff.) Singer
Agaricales	Strophariaceae	DAVFP	UBC	<i>Pholiota</i>	<i>fulvozonata</i>			A.H. Sm. & Hesler
Agaricales	Strophariaceae	DAVFP	UBC	<i>Pholiota</i>	<i>highlandensis</i>			(Peck) Quadr. & Lunghini
Agaricales	Strophariaceae		UBC	<i>Pholiota</i>	<i>lenta</i>			(Pers.) Singer
Agaricales	Strophariaceae	DAVFP	UBC	<i>Pholiota</i>	<i>limonella</i>			(Peck) Sacc.
Agaricales	Strophariaceae	DAVFP	UBC	<i>Pholiota</i>	<i>malicola</i>			(Kauffman) A.H. Sm.
Agaricales	Strophariaceae			<i>Pholiota</i>	<i>molesta</i>			A.H. Sm. & Hesler
Agaricales	Strophariaceae		UBC	<i>Pholiota</i>	<i>olympiana</i>			(A.H. Sm.) A.H. Sm. & Hesler
Agaricales	Strophariaceae	DAVFP		<i>Pholiota</i>	<i>polychroa</i>			(Berk.) A.H. Sm. & H.J. Brodie
Agaricales	Strophariaceae	DAVFP		<i>Pholiota</i>	<i>pulchella</i>			A.H. Sm. & Hesler
Agaricales	Strophariaceae	DAVFP	UBC	<i>Pholiota</i>	<i>scamba</i>			(Fr.) M.M. Moser
Agaricales	Strophariaceae			<i>Pholiota</i>	<i>silvatica</i>			(A.H. Sm.) A.H. Sm. & Hesler
Agaricales	Strophariaceae	DAVFP	UBC	<i>Pholiota</i>	<i>squarrosa</i>			(Vahl) P. Kumm.
Agaricales	Strophariaceae	DAVFP	UBC	<i>Pholiota</i>	<i>squarrosoadiposa</i>			J.E. Lange
Agaricales	Strophariaceae	DAVFP	UBC	<i>Pholiota</i>	<i>squarrosooides</i>			(Peck) Sacc.
Agaricales	Strophariaceae			<i>Pholiota</i>	<i>subcaerulea</i>			A.H. Sm. & Hesler
Agaricales	Strophariaceae		UBC	<i>Pholiota</i>	<i>terrestris</i>			Overh.
Agaricales	Strophariaceae	DAVFP	UBC	<i>Pholiota</i>	<i>tuberculosa</i>			(Schaeff.) P. Kumm.
Agaricales	Strophariaceae		UBC	<i>Protostropharia</i>	<i>alcis</i>			(Kytöv.) Redhead, Thorn & Malloch
Agaricales	Strophariaceae	DAVFP	UBC	<i>Protostropharia</i>	<i>semiglobata</i>			(Batsch) Redhead, Moncalvo & Vilgalys
Agaricales	Strophariaceae		UBC	<i>Psilocybe</i>	<i>apelliculosa</i>			P.D. Orton
Agaricales	Strophariaceae		UBC	<i>Psilocybe</i>	<i>atrobrunnea</i>			(Lasch) Gillet
Agaricales	Strophariaceae		UBC	<i>Psilocybe</i>	<i>azurescens</i>			Stamets & Gartz
Agaricales	Strophariaceae		UBC	<i>Psilocybe</i>	<i>baoocystis</i>			Singer & A.H. Sm.
Agaricales	Strophariaceae		UBC	<i>Psilocybe</i>	<i>coprophila</i>			(Bull.) P. Kumm.
Agaricales	Strophariaceae	DAVFP	UBC	<i>Psilocybe</i>	<i>crobula</i>			(Fr.) Singer
Agaricales	Strophariaceae	DAVFP	UBC	<i>Psilocybe</i>	<i>cyanescens</i>			Wakef.
Agaricales	Strophariaceae		UBC	<i>Psilocybe</i>	<i>cyanofibrillosa</i>			Guzmán & Stamets
Agaricales	Strophariaceae		UBC	<i>Psilocybe</i>	<i>fimetaria</i>			(P.D. Orton) Watling
Agaricales	Strophariaceae		UBC	<i>Psilocybe</i>	<i>inquilina</i>			(Fr.) Bres.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Strophariaceae		UBC	<i>Psilocybe</i>	<i>laticystis</i>			Guzman & Smith
Agaricales	Strophariaceae	DAVFP	UBC	<i>Psilocybe</i>	<i>montana</i>			(Pers.) P. Kumm.
Agaricales	Strophariaceae	DAVFP	UBC	<i>Psilocybe</i>	<i>pelliculosa</i>			(A.H. Sm.) Singer & A.H. Sm.
Agaricales	Strophariaceae		UBC	<i>Psilocybe</i>	<i>sabulosa</i>			Peck
Agaricales	Strophariaceae	DAVFP	UBC	<i>Psilocybe</i>	<i>semilanceata</i>			(Fr.) P. Kumm.
Agaricales	Strophariaceae		UBC	<i>Psilocybe</i>	<i>strictipes</i>			Singer & A.H. Sm.
Agaricales	Strophariaceae	DAVFP	UBC	<i>Psilocybe</i>	<i>stuntzii</i>			Guzmán & J. Ott
Agaricales	Strophariaceae		UBC	<i>Psilocybe</i>	<i>subcoprophila</i>			(Britzelm.) Sacc.
Agaricales	Strophariaceae			<i>Psilocybe</i>	<i>subfimetaria</i>			Guzmán & A.H. Sm.
Agaricales	Strophariaceae		UBC	<i>Psilocybe</i>	<i>subviscida</i>			(Peck) Kauffman
Agaricales	Strophariaceae			<i>Psilocybe</i>	<i>turficola</i>			J. Favre
Agaricales	Strophariaceae	DAVFP	UBC	<i>Stagnicola</i>	<i>perplexa</i>			(P.D. Orton) Redhead & A.H. Sm.
Agaricales	Strophariaceae	DAVFP	UBC	<i>Stropharia</i>	<i>aeruginosa</i>			(Curtis) Quél.
Agaricales	Strophariaceae		UBC	<i>Stropharia</i>	<i>albivelata</i>			(Murrill) Norvell & Redhead
Agaricales	Strophariaceae		UBC	<i>Stropharia</i>	<i>albonitens</i>			(Fr.) Quél.
Agaricales	Strophariaceae	DAVFP	UBC	<i>Stropharia</i>	<i>ambigua</i>			(Peck) Zeller
Agaricales	Strophariaceae	DAVFP	UBC	<i>Stropharia</i>	<i>aurantiaca</i>			(Cooke) M. Imai
Agaricales	Strophariaceae		UBC	<i>Stropharia</i>	<i>caerulea</i>			Kreisel
Agaricales	Strophariaceae		UBC	<i>Stropharia</i>	<i>coronilla</i>			(Bull. ex DC.) Quél.
Agaricales	Strophariaceae	DAVFP	UBC	<i>Stropharia</i>	<i>hornemannii</i>			(Fr.) S. Lundell & Nannf.
Agaricales	Strophariaceae		UBC	<i>Stropharia</i>	<i>inuncta</i>			(Fr.) Quél.
Agaricales	Strophariaceae		UBC	<i>Stropharia</i>	<i>kauffmannii</i>			A.H. Sm.
Agaricales	Strophariaceae		UBC	<i>Stropharia</i>	<i>luteonitens</i>			(Fr.) Quél.
Agaricales	Strophariaceae		UBC	<i>Stropharia</i>	<i>melanosperma</i>			(Bull.) Gillet
Agaricales	Strophariaceae		UBC	<i>Stropharia</i>	<i>pseudocyanea</i>			(Desm.) Morgan
Agaricales	Strophariaceae		UBC	<i>Stropharia</i>	<i>riparia</i>			A.H. Sm.
Agaricales	Strophariaceae	DAVFP	UBC	<i>Stropharia</i>	<i>rugosoannulata</i>			Farl. ex Murrill
Agaricales	Strophariaceae			<i>Stropharia</i>	<i>semigloboides</i>			Murrill
Agaricales	Strophariaceae		UBC	<i>Stropharia</i>	<i>umbonatescens</i>			(Peck) Sacc.
Agaricales	Tricholomataceae		UBC	<i>Arrhenia</i>	<i>acerosa</i>			(Fr.) Kühner
Agaricales	Tricholomataceae			<i>Arrhenia</i>	<i>auriscalpium</i>			(Fr.) Fr.
Agaricales	Tricholomataceae		UBC	<i>Arrhenia</i>	<i>chlorocyanea</i>			(Pat.) Redhead, Lutzoni, Moncalvo & Vilgalys
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Arrhenia</i>	<i>epichysium</i>			(Pers.) Redhead, Lutzoni, Moncalvo & Vilgalys
Agaricales	Tricholomataceae		UBC	<i>Arrhenia</i>	<i>fusconigra</i>			(P.D. Orton) P.-A. Moreau & Courtec.
Agaricales	Tricholomataceae		UBC	<i>Arrhenia</i>	<i>hohensis</i>			(A.H. Sm.) Redhead, Lutzoni, Moncalvo & Vilgalys
Agaricales	Tricholomataceae		UBC	<i>Arrhenia</i>	<i>lobata</i>			(Pers.) Kühner & Lamoure ex Redhead

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Tricholomataceae		UBC	<i>Arrhenia</i>	<i>obscurata</i>			(D.A. Reid) Redhead, Lutzoni, Moncalvo & Vilgalys
Agaricales	Tricholomataceae	DAVFP		<i>Arrhenia</i>	<i>onisca</i>			(Fr.) Redhead, Lutzoni, Moncalvo & Vilgalys
Agaricales	Tricholomataceae		UBC	<i>Arrhenia</i>	<i>retiruga</i>			(Bull.) Redhead
Agaricales	Tricholomataceae		UBC	<i>Arrhenia</i>	<i>spathulata</i>			(Fr.) Redhead
Agaricales	Tricholomataceae		UBC	<i>Arrhenia</i>	<i>sphagnicola</i>			(Berk.) Redhead, Lutzoni, Moncalvo & Vilgalys
Agaricales	Tricholomataceae		UBC	<i>Arrhenia</i>	<i>velutipes</i>			(P.D. Orton) Redhead, Lutzoni, Moncalvo & Vilgalys
Agaricales	Tricholomataceae		UBC	<i>Aspropaxillus</i>	<i>septentrionalis</i>			(Singer & A.H. Sm.) Vizzini
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Callistosporium</i>	<i>luteo-olivaceum</i>			(Berk. & M.A. Curtis) Singer
Agaricales	Tricholomataceae		UBC	<i>Cantharellopsis</i>	<i>prescotii</i>			(Weinm.) Kuyper
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Cantharellula</i>	<i>umbonata</i>			(J.F. Gmel.) Singer
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Catathelasma</i>	<i>imperiale</i>			(Quél.) Singer
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Catathelasma</i>	<i>ventricosum</i>			(Peck) Singer
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>adirondackensis</i>			(Peck) Sacc.
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>albidula</i>			Peck
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>albirhiza</i>			H.E. Bigelow & A.H. Sm.
Agaricales	Tricholomataceae	DAVFP		<i>Clitocybe</i>	<i>americana</i>			H.E. Bigelow
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>atroviridis</i>			H.E. Bigelow
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>brumalis</i>			(Fr.) Quél.
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>candicans</i>			(Pers.) P. Kumm.
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>candida</i>			Bres.
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>coniferophila</i>			H.E. Bigelow
Agaricales	Tricholomataceae	DAVFP		<i>Clitocybe</i>	<i>costata</i>			Kühner & Romagn.
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>dealbata</i>			(Sowerby) P. Kumm.
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Clitocybe</i>	<i>dicolor</i>			(Pers.) Murrill
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Clitocybe</i>	<i>dilatata</i>			P. Karst.
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Clitocybe</i>	<i>ditopa</i>			(Fr.) Gillet
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>elegantula</i>			J. Favre
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>erubescens</i>			Sacc.
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>foetens</i>			Melot
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Clitocybe</i>	<i>fragrans</i>			(With.) P. Kumm.
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>georgina</i>			Clemenccon
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Clitocybe</i>	<i>gibba</i>			(Pers.) P. Kumm.
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Clitocybe</i>	<i>gilvaooides</i>			Kauffman
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>glacialis</i>			Redhead, Ammirati, Norvell & M.T. Seidl
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>harmajae</i>			Lamoure

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>hydrogramma</i>			(Bull.) P. Kumm.
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>incarnata</i>			Métrod
Agaricales	Tricholomataceae	DAVFP		<i>Clitocybe</i>	<i>multiceps</i>			Peck
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Clitocybe</i>	<i>nebularis</i>			(Batsch) P. Kumm.
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Clitocybe</i>	<i>odora</i>			(Bull.) P. Kumm.
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>ornamentalis</i>			Velen.
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>phylophila</i>			(Pers.) P. Kumm.
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>pinophila</i>			(Peck) Sacc.
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>praecox</i>			Kauffman
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>praemagna</i>			(Murrill) H.E. Bigelow & A.H. Sm.
Agaricales	Tricholomataceae	DAVFP		<i>Clitocybe</i>	<i>pseudodicolor</i>			Raithelh.
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>radicellata</i>			Godey
Agaricales	Tricholomataceae	DAVFP		<i>Clitocybe</i>	<i>robusta</i>			Peck
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Clitocybe</i>	<i>sclerotoidea</i>			(Morse) H.E. Bigelow
Agaricales	Tricholomataceae			<i>Clitocybe</i>	<i>septentrionalis</i>			(Singer & A.H. Sm.) H.E. Bigelow
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Clitocybe</i>	<i>sinopica</i>			(Fr.) P. Kumm.
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>squamulosa</i>	<i>sicca</i>		H.E. Bigelow
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>suaveolens</i>			(Schumach.) P. Kumm.
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>subclavipes</i>			Murrill
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>subditopoda</i>			Peck
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>tenuissima</i>			Romagn.
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>trulliformis</i>			(Fr.) P. Karst.
Agaricales	Tricholomataceae	DAVFP		<i>Clitocybe</i>	<i>truncicola</i>			(Peck) Sacc.
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>umbilicata</i>			(Schaeff.) P. Kumm.
Agaricales	Tricholomataceae		UBC	<i>Clitocybe</i>	<i>vibecina</i>			(Fr.) Quél.
Agaricales	Tricholomataceae		UBC	<i>Collybia</i>	<i>alboflavida</i>			(Peck) Kauffman
Agaricales	Tricholomataceae		UBC	<i>Collybia</i>	<i>bakerensis</i>			A.H. Sm.
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Collybia</i>	<i>cirrhata</i>			(Schumach.) Quél.
Agaricales	Tricholomataceae		UBC	<i>Collybia</i>	<i>cookei</i>			(Bres.) J.D. Arnold
Agaricales	Tricholomataceae		UBC	<i>Collybia</i>	<i>ozes</i>			(Fr.) Sacc.
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Collybia</i>	<i>tuberosa</i>			(Bull.) P. Kumm.
Agaricales	Tricholomataceae		UBC	<i>Collybia</i>	<i>zonata</i>			(Peck) Sacc.
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Dendrocollybia</i>	<i>racemosa</i>			(Pers.) R.H. Petersen & Redhead
Agaricales	Tricholomataceae		UBC	<i>Dermoloma</i>	<i>cuneifolium</i>			(Fr.) Singer ex Bon
Agaricales	Tricholomataceae		UBC	<i>Dermoloma</i>	<i>pseudocuneifolium</i>			Herink
Agaricales	Tricholomataceae		UBC	<i>Fayodia</i>	<i>gracilipes</i>			(Britzelm.) Bresinsky & Stangl
Agaricales	Tricholomataceae			<i>Gamundia</i>	<i>leucophylla</i>			(Gillet) H.E. Bigelow
Agaricales	Tricholomataceae			<i>Gamundia</i>	<i>striatula</i>			(Kühner) Raithelh.
Agaricales	Tricholomataceae		UBC	<i>Lepista</i>	<i>caespitosa</i>			(Bres.) Singer
Agaricales	Tricholomataceae		UBC	<i>Lepista</i>	<i>densifolia</i>			(J. Favre) Singer & Cléménçon

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Lepista</i>	<i>flaccida</i>			(Sowerby) Pat.
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Lepista</i>	<i>glaucocana</i>			(Bres.) Singer
Agaricales	Tricholomataceae		UBC	<i>Lepista</i>	<i>graveolens</i>			(Peck) Dermek
Agaricales	Tricholomataceae		UBC	<i>Lepista</i>	<i>irina</i>			(Fr.) H.E. Bigelow
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Lepista</i>	<i>nuda</i>			(Bull.) Cooke
Agaricales	Tricholomataceae	DAVFP		<i>Lepista</i>	<i>personata</i>			(Fr.) Cooke
Agaricales	Tricholomataceae		UBC	<i>Lepista</i>	<i>regularis</i>			(Peck) Harmaja
Agaricales	Tricholomataceae			<i>Lepista</i>	<i>sordida</i>			(Schumach.) Singer
Agaricales	Tricholomataceae		UBC	<i>Lepista</i>	<i>subconnexa</i>			(Murrill) Harmaja
Agaricales	Tricholomataceae		UBC	<i>Lepista</i>	<i>tarda</i>			(Peck) Murrill
Agaricales	Tricholomataceae		UBC	<i>Leucopaxillus</i>	<i>albissimus</i>			(Peck) Singer
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Leucopaxillus</i>	<i>gentianeus</i>			(Quél.) Kotl.
Agaricales	Tricholomataceae		UBC	<i>Leucopaxillus</i>	<i>giganteus</i>			(Quél.) Singer
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Leucopaxillus</i>	<i>laterarius</i>			(Peck) Singer & A.H. Sm.
Agaricales	Tricholomataceae	DAVFP		<i>Leucopaxillus</i>	<i>piceinus</i>			(Peck) Pomerl.
Agaricales	Tricholomataceae		UBC	<i>Leucopholiota</i>	<i>decorosa</i>			(Peck) O.K. Mill., T.J. Volk & Bessette
Agaricales	Tricholomataceae		UBC	<i>Melanoleuca</i>	<i>anglesiana</i>			A.H. Sm.
Agaricales	Tricholomataceae		UBC	<i>Melanoleuca</i>	<i>brevipes</i>			(Bull.) Pat.
Agaricales	Tricholomataceae		UBC	<i>Melanoleuca</i>	<i>cognata</i>			(Fr.) Konrad & Maubl.
Agaricales	Tricholomataceae		UBC	<i>Melanoleuca</i>	<i>davisiæ</i>			(Peck) Murrill
Agaricales	Tricholomataceae		UBC	<i>Melanoleuca</i>	<i>dryophila</i>			Murrill
Agaricales	Tricholomataceae		UBC	<i>Melanoleuca</i>	<i>excissa</i>			(Fr.) Singer
Agaricales	Tricholomataceae		UBC	<i>Melanoleuca</i>	<i>grammopodia</i>			(Bull.) Murrill
Agaricales	Tricholomataceae		UBC	<i>Melanoleuca</i>	<i>humilis</i>			(Pers.) Pat.
Agaricales	Tricholomataceae		UBC	<i>Melanoleuca</i>	<i>media</i>			(Paulet) Bon
Agaricales	Tricholomataceae		UBC	<i>Melanoleuca</i>	<i>melaleuca</i>			(Pers.) Murrill
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Melanoleuca</i>	<i>platyphylla</i>			Murrill
Agaricales	Tricholomataceae			<i>Melanoleuca</i>	<i>polioleuca</i>			(Fr.) Kühner & Maire
Agaricales	Tricholomataceae		UBC	<i>Melanoleuca</i>	<i>resplendens</i>			(Fr.) Murrill
Agaricales	Tricholomataceae			<i>Melanoleuca</i>	<i>stridula</i>			(Fr.) Singer
Agaricales	Tricholomataceae		UBC	<i>Melanoleuca</i>	<i>sublutea</i>			(Peck) Murrill
Agaricales	Tricholomataceae		UBC	<i>Melanoleuca</i>	<i>verrucipes</i>			(Fr.) Singer
Agaricales	Tricholomataceae		UBC	<i>Mycenella</i>	<i>bryophila</i>			(Voglino) Singer
Agaricales	Tricholomataceae		UBC	<i>Mycenella</i>	<i>nodulosa</i>			(A.H. Sm.) Boekhout
Agaricales	Tricholomataceae		UBC	<i>Mycenella</i>	<i>trachyspora</i>			(Rea) Bon
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Myxomphalia</i>	<i>maura</i>			(Fr.) Hora
Agaricales	Tricholomataceae		UBC	<i>Omphalina</i>	<i>chionophila</i>			Lamoure
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Omphalina</i>	<i>pyxidata</i>			(Bull.) Quél.
Agaricales	Tricholomataceae		UBC	<i>Omphalina</i>	<i>rivilicola</i>			Lamoure
Agaricales	Tricholomataceae		UBC	<i>Omphalina</i>	<i>setipes</i>			(Fr.) Raithelh.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Tricholomataceae			<i>Omphalina</i>	<i>smaragdina</i>			(Berk.) Malençon & Bertault
Agaricales	Tricholomataceae		UBC	<i>Paralepista</i>	<i>flaccida</i>			(Sowerby) Vizzini
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Phylloporopsis</i>	<i>nidulans</i>			(Pers.) Singer
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Pleurotopsis</i>	<i>longinqua</i>			(Berk.) E. Horak
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Pseudoarmillariella</i>	<i>ectypoides</i>			(Peck) Singer
Agaricales	Tricholomataceae			<i>Pseudobaeospora</i>	<i>pillodii</i>			(Quéel.) Wasser
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Pseudoclitocybe</i>	<i>cyathiformis</i>			(Bull.) Singer
Agaricales	Tricholomataceae		UBC	<i>Pseudoclitocybe</i>	<i>obbata</i>			(Fr.) Singer
Agaricales	Tricholomataceae	DAVFP		<i>Pseudoomphalina</i>	<i>pachyphylla</i>			(Fr.) Knudsen
Agaricales	Tricholomataceae		UBC	<i>Resupinatus</i>	<i>applicatus</i>			(Batsch) Gray
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Resupinatus</i>	<i>poriaeforme</i>			(Pers.) Thorn, Moncalvo & Redhead
Agaricales	Tricholomataceae	DAVFP		<i>Resupinatus</i>	<i>striatulus</i>			(Pers.) Murrill
Agaricales	Tricholomataceae		UBC	<i>Rimbachia</i>	<i>arachnoidea</i>			(Peck) Redhead
Agaricales	Tricholomataceae			<i>Rimbachia</i>	<i>bryophila</i>			(Pers.) Redhead
Agaricales	Tricholomataceae			<i>Rimbachia</i>	<i>neckeriae</i>			(Fr.) Redhead
Agaricales	Tricholomataceae		UBC	<i>Rimbachia</i>	<i>paludosa</i>			Redhead
Agaricales	Tricholomataceae		UBC	<i>Ripartites</i>	<i>serotinus</i>			Einhell.
Agaricales	Tricholomataceae		UBC	<i>Squamanita</i>	<i>paradoxa</i>			(A.H. Sm. & Singer) Bas
Agaricales	Tricholomataceae		UBC	<i>Tricholoma</i>	<i>albobrunneum</i>			(Pers.) P. Kumm.
Agaricales	Tricholomataceae		UBC	<i>Tricholoma</i>	<i>album</i>			(Schaeff.) P. Kumm.
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholoma</i>	<i>apium</i>			Jul. Schäff.
Agaricales	Tricholomataceae		UBC	<i>Tricholoma</i>	<i>atrosquamosum</i>			Sacc.
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholoma</i>	<i>atrovirens</i>			A.H. Sm.
Agaricales	Tricholomataceae		UBC	<i>Tricholoma</i>	<i>aurantio-olivaceum</i>			A.H. Sm.
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholoma</i>	<i>aurantium</i>			(Schaeff.) Ricken
Agaricales	Tricholomataceae		UBC	<i>Tricholoma</i>	<i>bufoninum</i>			(Pers.) Gillet
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholoma</i>	<i>caligatum</i>			(Viv.) Ricken
Agaricales	Tricholomataceae	DAVFP		<i>Tricholoma</i>	<i>cartilagineum</i>			(Bull.) Quéel.
Agaricales	Tricholomataceae		UBC	<i>Tricholoma</i>	<i>cingulatum</i>			(Almfelt) Jacobashch
Agaricales	Tricholomataceae		UBC	<i>Tricholoma</i>	<i>columbetta</i>			(Fr.) P. Kumm.
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholoma</i>	<i>equestre</i>			(L.) P. Kumm.
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholoma</i>	<i>focale</i>			(Fr.) Ricken
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholoma</i>	<i>fulvum</i>			(Fr.) Bigeard & H. Guill.
Agaricales	Tricholomataceae		UBC	<i>Tricholoma</i>	<i>gausapatum</i>			(Fr.) Quéel.
Agaricales	Tricholomataceae		UBC	<i>Tricholoma</i>	<i>griseoviolaceum</i>			Shanks
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholoma</i>	<i>imbricatum</i>			(Fr.) P. Kumm.
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholoma</i>	<i>inamoenum</i>			(Fr.) Gillet
Agaricales	Tricholomataceae		UBC	<i>Tricholoma</i>	<i>intermedium</i>			Peck
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholoma</i>	<i>leucophyllum</i>			Ovrebo & Tylutki
Agaricales	Tricholomataceae		UBC	<i>Tricholoma</i>	<i>luteomaculosum</i>			A. H. Sm.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholoma</i>	<i>magnivelare</i>			(Peck) Redhead
Agaricales	Tricholomataceae		UBC	<i>Tricholoma</i>	<i>manzanitae</i>			T.J. Baroni & Ovrebo
Agaricales	Tricholomataceae		UBC	<i>Tricholoma</i>	<i>muricatum</i>			Shanks
Agaricales	Tricholomataceae		UBC	<i>Tricholoma</i>	<i>mutabile</i>			Shanks
Agaricales	Tricholomataceae		UBC	<i>Tricholoma</i>	<i>myomyces</i>	<i>cystidiotum</i>		Shanks
Agaricales	Tricholomataceae		UBC	<i>Tricholoma</i>	<i>myomyces</i>	<i>myomyces</i>		(Pers.) J.E. Lange
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholoma</i>	<i>pardinum</i>			(Pers.) Quél.
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholoma</i>	<i>pessundatum</i>			(Fr.) Quél.
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholoma</i>	<i>populinum</i>			J.E. Lange
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholoma</i>	<i>portentosum</i>			(Fr.) Quél.
Agaricales	Tricholomataceae		UBC	<i>Tricholoma</i>	<i>psammopus</i>			(Kalchbr.) Quél.
Agaricales	Tricholomataceae		UBC	<i>Tricholoma</i>	<i>pullum</i>			Ovrebo
Agaricales	Tricholomataceae		UBC	<i>Tricholoma</i>	<i>robustum</i>			(Alb. & Schwein.) Ricken
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholoma</i>	<i>saponaceum</i>			(Fr.) P. Kumm.
Agaricales	Tricholomataceae		UBC	<i>Tricholoma</i>	<i>sculpturatum</i>			(Fr.) Quél.
Agaricales	Tricholomataceae		UBC	<i>Tricholoma</i>	<i>sciodes</i>			(Pers.) C. Martin
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholoma</i>	<i>sejunctum</i>			(Sowerby) Quél.
Agaricales	Tricholomataceae		UBC	<i>Tricholoma</i>	<i>stans</i>			(Fr.) Sacc.
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholoma</i>	<i>sulphurescens</i>			Bres.
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholoma</i>	<i>sulphureum</i>			(Bull.) P. Kumm.
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholoma</i>	<i>terreum</i>			(Schaeff.) P. Kumm.
Agaricales	Tricholomataceae		UBC	<i>Tricholoma</i>	<i>ustale</i>			(Fr.) P. Kumm.
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholoma</i>	<i>ustaloides</i>			Romagn.
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholoma</i>	<i>vaccinum</i>			(Schaeff.) P. Kumm.
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholoma</i>	<i>virgatum</i>			(Fr.) P. Kumm.
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholoma</i>	<i>zelleri</i>			(D.E. Stuntz & A.H. Sm.) Ovrebo & Tylutki
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholomopsis</i>	<i>decora</i>			(Fr.) Singer
Agaricales	Tricholomataceae		UBC	<i>Tricholomopsis</i>	<i>flavissima</i>			(A.H. Sm.) Singer
Agaricales	Tricholomataceae	DAVFP	UBC	<i>Tricholomopsis</i>	<i>rutilans</i>			(Schaeff.) Singer
Agaricales	Tubariaceae		UBC	<i>Tubaria</i>	<i>confragosa</i>			(Fr.) Harmaja
Agaricales	Tubariaceae		UBC	<i>Tubaria</i>	<i>conversa</i>			(Pers.) Fayod
Agaricales	Tubariaceae	DAVFP	UBC	<i>Tubaria</i>	<i>furfuracea</i>			(Pers.) Gillet
Agaricales	Tubariaceae		UBC	<i>Tubaria</i>	<i>praestans</i>			(Romagn.) M.M. Moser
Agaricales	Tubariaceae		UBC	<i>Tubaria</i>	<i>punicea</i>			(A.H. Sm. & Hesler) Ammirati, Matheny & P.-A. Moreau
Agaricales	Tubariaceae		UBC	<i>Tubaria</i>	<i>vinicolor</i>			(Peck) Ammirati, Matheny & Vellinga
Agaricales	Typhulaceae	DAVFP		<i>Macrotyphula</i>	<i>fistulosa</i>			(Holmsk.) R.H. Petersen
Agaricales	Typhulaceae		UBC	<i>Macrotyphula</i>	<i>junccea</i>			(Alb. & Schwein.) Berthier
Agaricales	Typhulaceae	DAVFP		<i>Typhula</i>	<i>abietina</i>			(Fuckel) Corner

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Agaricales	Typhulaceae		UBC	<i>Typhula</i>	<i>erumpens</i>			Corner
Agaricales	Typhulaceae		UBC	<i>Typhula</i>	<i>erythropus</i>			(Pers.) Fr.
Agaricales	Typhulaceae	DAVFP	UBC	<i>Typhula</i>	<i>filiformis</i>			(Bull.) Fr.
Agaricales	Typhulaceae			<i>Typhula</i>	<i>incarnata</i>			Lasch
Agaricales	Typhulaceae		UBC	<i>Typhula</i>	<i>megasperma</i>			Berthier
Agaricales	Typhulaceae		UBC	<i>Typhula</i>	<i>micans</i>			(Pers.) Berthier
Agaricales	Typhulaceae			<i>Typhula</i>	<i>mycophaga</i>			Berthier & Redhead
Agaricales	Typhulaceae		UBC	<i>Typhula</i>	<i>phacorrhiza</i>			(Reichard) Fr.
Agaricales	Typhulaceae		UBC	<i>Typhula</i>	<i>sclerotoides</i>			(Pers.) Fr.
Agaricales	Typhulaceae	DAVFP	UBC	<i>Typhula</i>	<i>setipes</i>			(Grev.) Berthier
Agaricales	Typhulaceae			<i>Typhula</i>	<i>thaxteri</i>			(Burt) Berthier
Agaricales	Typhulaceae			<i>Typhula</i>	<i>umbrina</i>			Remsberg
Agaricales	Typhulaceae	DAVFP	UBC	<i>Typhula</i>	<i>uncialis</i>			(Grev.) Berthier
Atheliales	Atheliaceae	DAVFP	UBC	<i>Amphinema</i>	<i>bysoides</i>			(Pers.) J. Erikss.
Atheliales	Atheliaceae		UBC	<i>Athelia</i>	<i>bombacina</i>			(Link) Pers.
Atheliales	Atheliaceae			<i>Athelia</i>	<i>cystidiolophra</i>			Parmasto
Atheliales	Atheliaceae		UBC	<i>Athelia</i>	<i>decipiens</i>			(Höhn. & Litsch.) J. Erikss.
Atheliales	Atheliaceae	DAVFP		<i>Athelia</i>	<i>epiphylla</i>			Pers.
Atheliales	Atheliaceae		UBC	<i>Athelia</i>	<i>fibulata</i>			M.P. Christ.
Atheliales	Atheliaceae		UBC	<i>Athelia</i>	<i>neuhoffii</i>			(Bres.) Donk
Atheliales	Atheliaceae			<i>Athelia</i>	<i>salicum</i>			Pers.
Atheliales	Atheliaceae			<i>Athelia</i>	<i>scutellaris</i>			(Berk. & M.A. Curtis) Gilb.
Atheliales	Atheliaceae			<i>Athelopsis</i>	<i>subinconspicua</i>			(Litsch.) Jülich
Atheliales	Atheliaceae			<i>Butlerelfia</i>	<i>eustacei</i>			Weresub & Illman
Atheliales	Atheliaceae			<i>Byssoporia</i>	<i>terrestris</i>			(DC.) M.J. Larsen & Zak
Atheliales	Atheliaceae	DAVFP	UBC	<i>Fibulomyces</i>	<i>mutabilis</i>			(Bres.) Jülich
Atheliales	Atheliaceae	DAVFP		<i>Leptosporomyces</i>	<i>fuscostratus</i>			(Burt) Hjortstam
Atheliales	Atheliaceae		UBC	<i>Leptosporomyces</i>	<i>galzinii</i>			(Bourdot) Jülich
Atheliales	Atheliaceae			<i>Leptosporomyces</i>	<i>munda</i>			(H.S. Jacks. & Dearden) Jülich
Atheliales	Atheliaceae			<i>Leptosporomyces</i>	<i>septentrionalis</i>			(J. Erikss.) Kriegst.
Atheliales	Atheliaceae			<i>Lyoathelia</i>	<i>laxa</i>			(Burt) Hjortstam & Ryvarden
Atheliales	Atheliaceae	DAVFP		<i>Melzericum</i>	<i>udicolum</i>			(Bourdot) Hauerslev
Atheliales	Atheliaceae	DAVFP		<i>Piloderma</i>	<i>bicolor</i>			(Peck) Jülich
Atheliales	Atheliaceae	DAVFP		<i>Piloderma</i>	<i>byssinum</i>	<i>byssinum</i>		(P. Karst.) Jülich
Atheliales	Atheliaceae			<i>Piloderma</i>	<i>olivaceum</i>			(Parmasto) Hjortstam
Atractiellales	Phleogenaceae	DAVFP	UBC	<i>Helicogloea</i>	<i>lagerheimii</i>			Pat.
Atractiellales	Phleogenaceae		UBC	<i>Helicogloea</i>	<i>vestita</i>			(Bourdot & Galzin) P. Roberts
Auriculariales	Auriculariaceae	DAVFP	UBC	<i>Auricularia</i>	<i>auricula-judae</i>			(Bull.) Quél.
Auriculariales	Auriculariaceae			<i>Eichleriella</i>	<i>deglubens</i>			(Berk. & Broome) Lloyd
Auriculariales	Auriculariaceae	DAVFP	UBC	<i>Exidia</i>	<i>candida</i>			Lloyd

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Auriculariales	Auriculariaceae			<i>Exidia</i>	<i>crenata</i>			(Schwein.) Fr.
Auriculariales	Auriculariaceae	DAVFP	UBC	<i>Exidia</i>	<i>glandulosa</i>			(Bull.) Fr.
Auriculariales	Auriculariaceae	DAVFP	UBC	<i>Exidia</i>	<i>glandulosa</i>		<i>populi</i>	Neuhoff
Auriculariales	Auriculariaceae	DAVFP	UBC	<i>Exidia</i>	<i>recisa</i>			(Ditmar) Fr.
Auriculariales	Auriculariaceae	DAVFP	UBC	<i>Exidia</i>	<i>saccharina</i>			Fr.
Auriculariales	Auriculariaceae		UBC	<i>Exidia</i>	<i>zelleri</i>			Lloyd
Auriculariales	Auriculariaceae			<i>Exidiopsis</i>	<i>diversa</i>			K. Wells
Auriculariales	Auriculariaceae			<i>Exidiopsis</i>	<i>paniculata</i>			K. Wells & Bandoni
Auriculariales	<i>Incertae sedis</i>		UBC	<i>Basidiodendron</i>	<i>caesiocinereum</i>			(Höhn. & Litsch.) Luck-Allen
Auriculariales	<i>Incertae sedis</i>		UBC	<i>Basidiodendron</i>	<i>cinerum</i>			(Bourdot & Galzin) Luck-Allen
Auriculariales	<i>Incertae sedis</i>			<i>Basidiodendron</i>	<i>eyrei</i>			(Wakef.) Luck-Allen
Auriculariales	<i>Incertae sedis</i>			<i>Basidiodendron</i>	<i>fulvum</i>			(Massee) Ginns
Auriculariales	<i>Incertae sedis</i>		UBC	<i>Basidiodendron</i>	<i>rimosum</i>			(H.S. Jacks. & G.W. Martin) Luck-Allen
Auriculariales	<i>Incertae sedis</i>	DAVFP	UBC	<i>Elmerina</i>	<i>caryae</i>			(Schwein.) D.A. Reid
Auriculariales	<i>Incertae sedis</i>	DAVFP	UBC	<i>Guepinia</i>	<i>helvelloides</i>			(DC.) Fr.
Auriculariales	<i>Incertae sedis</i>	DAVFP	UBC	<i>Protodontia</i>	<i>oligacantha</i>			G.W. Martin
Auriculariales	<i>Incertae sedis</i>	DAVFP	UBC	<i>Pseudohydnum</i>	<i>gelatinosum</i>			(Scop.) P. Karst.
Auriculariales	<i>Incertae sedis</i>	DAVFP	UBC	<i>Tremellob dendropsis</i>	<i>tuberosa</i>			(Grev.) D.A. Crawford
Boletales	Boletaceae			<i>Aureoboletus</i>	<i>flaviporus</i>			(Earle) Klofac
Boletales	Boletaceae	DAVFP	UBC	<i>Aureoboletus</i>	<i>mirabilis</i>			(Murrill) Halling
Boletales	Boletaceae			<i>Boletus</i>	<i>aereus</i>			Bull.
Boletales	Boletaceae	DAVFP	UBC	<i>Boletus</i>	<i>barrowsii</i>			Thiers & A.H. Sm.
Boletales	Boletaceae	DAVFP	UBC	<i>Boletus</i>	<i>coniferarum</i>			Lebedeva
Boletales	Boletaceae		UBC	<i>Boletus</i>	<i>edulis</i>			Bull.
Boletales	Boletaceae		UBC	<i>Boletus</i>	<i>erythropus</i>			Pers.
Boletales	Boletaceae		UBC	<i>Boletus</i>	<i>ferrugineus</i>			Schaeff.
Boletales	Boletaceae		UBC	<i>Boletus</i>	<i>fibrillosus</i>			Thiers
Boletales	Boletaceae		DAVFP	<i>Boletus</i>	<i>mottiae</i>			Thiers
Boletales	Boletaceae		UBC	<i>Boletus</i>	<i>rainisiae</i>			Bessette & O.K. Mill.
Boletales	Boletaceae		UBC	<i>Boletus</i>	<i>regineus</i>			Arora & Simonini
Boletales	Boletaceae		UBC	<i>Boletus</i>	<i>rubriceps</i>			D. Arora & J.L. Frank
Boletales	Boletaceae		DAVFP	<i>Boletus</i>	<i>smithii</i>			Thiers
Boletales	Boletaceae		UBC	<i>Boletus</i>	<i>subtomentosus</i>			L.
Boletales	Boletaceae		DAVFP	<i>Butyriboletus</i>	<i>appendiculatus</i>			(Schaeff.) D. Arora & J.L. Frank
Boletales	Boletaceae		UBC	<i>Caloboletus</i>	<i>calopus</i>			(Pers.) Vizzini
Boletales	Boletaceae		UBC	<i>Caloboletus</i>	<i>rubripes</i>			(Thiers) Vizzini
Boletales	Boletaceae		UBC	<i>Chalciporus</i>	<i>piperatoides</i>			(A.H. Sm. & Thiers) T.J. Baroni & Both
Boletales	Boletaceae	DAVFP	UBC	<i>Chalciporus</i>	<i>piperatus</i>			(Bull.) Bataille
Boletales	Boletaceae		UBC	<i>Chamonia xia</i>	<i>caespitosa</i>			Rolland

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Boletales	Boletaceae			<i>Chamoniaxia</i>	<i>caudata</i>			(Zeller & C.W. Dodge) A.H. Sm. & Singer
Boletales	Boletaceae	UBC		<i>Gastroboletus</i>	<i>turbanatus</i>			(Snell) A.H. Sm. & Singer
Boletales	Boletaceae	UBC		<i>Hemileccinum</i>	<i>subglabripes</i>			(Peck) Halling
Boletales	Boletaceae	UBC		<i>Imleria</i>	<i>badius</i>			(Fr.) Vizzini
Boletales	Boletaceae	UBC		<i>Leccinum</i>	<i>alaskanum</i>			V.L. Wells & Kempton
Boletales	Boletaceae	UBC		<i>Leccinum</i>	<i>arctostaphyli</i>			V.L. Wells & Kempton
Boletales	Boletaceae	DAVFP	UBC	<i>Leccinum</i>	<i>aurantiacum</i>			(Bull.) Gray
Boletales	Boletaceae	DAVFP		<i>Leccinum</i>	<i>clavatum</i>			A.H. Sm., Thiers & Watling
Boletales	Boletaceae	DAVFP		<i>Leccinum</i>	<i>discolor</i>			A.H. Sm., Thiers & Watling
Boletales	Boletaceae	DAVFP		<i>Leccinum</i>	<i>fallax</i>			A.H. Sm., Thiers & Watling
Boletales	Boletaceae			<i>Leccinum</i>	<i>fibrillosum</i>			A.H. Sm., Thiers & Watling
Boletales	Boletaceae	DAVFP	UBC	<i>Leccinum</i>	<i>holopus</i>			(Rostk.) Watling
Boletales	Boletaceae	DAVFP	UBC	<i>Leccinum</i>	<i>insigne</i>			A.H. Sm., Thiers & Watling
Boletales	Boletaceae	DAVFP	UBC	<i>Leccinum</i>	<i>manzanitae</i>			Thiers
Boletales	Boletaceae			<i>Leccinum</i>	<i>ponderosum</i>			A.H. Sm., Thiers & Watling
Boletales	Boletaceae		UBC	<i>Leccinum</i>	<i>potteri</i>			A.H. Sm., Thiers & Watling
Boletales	Boletaceae	DAVFP	UBC	<i>Leccinum</i>	<i>scabrum</i>			(Bull.) Gray
Boletales	Boletaceae	DAVFP	UBC	<i>Leccinum</i>	<i>versipelle</i>			(Fr. & Hök) Snell
Boletales	Boletaceae		UBC	<i>Neoboletus</i>	<i>luridiformis</i>			(Rostk.) Gelardi, Simonini & Vizzini
Boletales	Boletaceae	DAVFP	UBC	<i>Phylloporus</i>	<i>rhodoxanthus</i>			(Schwein.) Bres.
Boletales	Boletaceae		UBC	<i>Rubroboletus</i>	<i>haematinus</i>			(Halling) D. Arora & J.L. Frank
Boletales	Boletaceae	DAVFP	UBC	<i>Rubroboletus</i>	<i>pulcherrimus</i>			(Thiers & Halling) D. Arora, N. Siegel & J.L. Frank
Boletales	Boletaceae		UBC	<i>Tylopilus</i>	<i>porphyrosporus</i>			(Fr. & Hök) A.H. Sm. & Thiers
Boletales	Boletaceae	DAVFP	UBC	<i>Tylopilus</i>	<i>pseudoscaber</i>			Secr. ex A.H. Sm. & Thiers
Boletales	Boletaceae	DAVFP	UBC	<i>Xerocomellus</i>	<i>chrysenteron</i>			(Bull.) Šutara
Boletales	Boletaceae			<i>Xerocomellus</i>	<i>truncatus</i>			(Singer, Snell & E.A. Dick) Klofac
Boletales	Boletaceae	DAVFP	UBC	<i>Xerocomellus</i>	<i>zelleri</i>			(Murrill) Klofac
Boletales	Coniophoraceae	DAVFP	UBC	<i>Coniophora</i>	<i>arida</i>	<i>arida</i>		(Fr.) P. Karst.
Boletales	Coniophoraceae	DAVFP	UBC	<i>Coniophora</i>	<i>fusispora</i>			(Cooke & Ellis)
Boletales	Coniophoraceae	DAVFP	UBC	<i>Coniophora</i>	<i>olivacea</i>			(Fr.) P. Karst.
Boletales	Coniophoraceae	DAVFP	UBC	<i>Coniophora</i>	<i>puteana</i>			(Schumach.) P. Karst.
Boletales	Coniophoraceae	DAVFP	UBC	<i>Meruliporia</i>	<i>incrassata</i>			(Berk. & M.A. Curtis) Murrill
Boletales	Diplocystidiaceae	DAVFP	UBC	<i>Astraeus</i>	<i>hygrometricus</i>			(Pers.) Morgan
Boletales	Gomphidiaceae		UBC	<i>Brauniellula</i>	<i>nancyae</i>			A.H. Sm. & Singer
Boletales	Gomphidiaceae		UBC	<i>Chroogomphus</i>	<i>leptocystis</i>			(Singer) O.K. Mill.
Boletales	Gomphidiaceae		UBC	<i>Chroogomphus</i>	<i>ochraceus</i>			(Kauffman) O.K. Mill.
Boletales	Gomphidiaceae	DAVFP	UBC	<i>Chroogomphus</i>	<i>rutilus</i>			(Schaeff.) O.K. Mill.
Boletales	Gomphidiaceae	DAVFP	UBC	<i>Chroogomphus</i>	<i>tomentosus</i>			(Murrill) O.K. Mill.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Boletales	Gomphidiaceae		UBC	<i>Chroogomphus</i>	<i>vinicolor</i>			(Peck) O.K. Mill.
Boletales	Gomphidiaceae	DAVFP	UBC	<i>Gomphidius</i>	<i>glutinosus</i>			(Schaeff.) Fr.
Boletales	Gomphidiaceae		UBC	<i>Gomphidius</i>	<i>maculatus</i>			(Scop.) Fr.
Boletales	Gomphidiaceae	DAVFP	UBC	<i>Gomphidius</i>	<i>oregonensis</i>			Peck
Boletales	Gomphidiaceae	DAVFP	UBC	<i>Gomphidius</i>	<i>smithii</i>			Singer
Boletales	Gomphidiaceae	DAVFP	UBC	<i>Gomphidius</i>	<i>subroseus</i>			Kauffman
Boletales	Gyroporaceae	DAVFP		<i>Gyroporus</i>	<i>castaneus</i>			(Bull.) Quél.
Boletales	Hygrophoropsidaceae	DAVFP	UBC	<i>Hygrophoropsis</i>	<i>aurantiaca</i>			(Wulfen) Maire
Boletales	Hygrophoropsidaceae	DAVFP		<i>Leucogyrophana</i>	<i>mollusca</i>			(Fr.) Pouzar
Boletales	Hygrophoropsidaceae			<i>Leucogyrophana</i>	<i>romellii</i>			Ginns
Boletales	Jaapiaceae		UBC	<i>Jaapia</i>	<i>argillacea</i>			Bres.
Boletales	Paxillaceae	DAVFP	UBC	<i>Alpova</i>	<i>diplophloeus</i>			(Zeller & C.W. Dodge) Trappe & A.H. Sm.
Boletales	Paxillaceae			<i>Hydnomerulius</i>	<i>pinastri</i>			(Fr.) Jarosch & Besl
Boletales	Paxillaceae		UBC	<i>Melanogaster</i>	<i>ambiguus</i>			(Vittad.) Tul. & C. Tul.
Boletales	Paxillaceae		UBC	<i>Melanogaster</i>	<i>intermedius</i>			(Berk.) Zeller & C.W. Dodge
Boletales	Paxillaceae			<i>Melanogaster</i>	<i>tuberiformis</i>			Corda
Boletales	Paxillaceae	DAVFP	UBC	<i>Melanogaster</i>	<i>variegatus</i>			(Vittad.) Tul. & C. Tul.
Boletales	Paxillaceae		UBC	<i>Paxillus</i>	<i>filamentosus</i>			(Scop.) Fr.
Boletales	Paxillaceae		UBC	<i>Paxillus</i>	<i>involutus</i>			(Batsch) Fr.
Boletales	Paxillaceae			<i>Paxillus</i>	<i>vernalis</i>			Watling
Boletales	Rhizopogonaceae		UBC	<i>Rhizopogon</i>	<i>alexsmithii</i>			(Trappe) Vizzini & Zotti
Boletales	Rhizopogonaceae			<i>Rhizopogon</i>	<i>canadensis</i>			K.A. Harrison & A.H. Sm.
Boletales	Rhizopogonaceae			<i>Rhizopogon</i>	<i>cinnamomeus</i>			K.A. Harrison & A.H. Sm.
Boletales	Rhizopogonaceae			<i>Rhizopogon</i>	<i>columbianus</i>			K.A. Harrison & A.H. Sm.
Boletales	Rhizopogonaceae			<i>Rhizopogon</i>	<i>defectus</i>			A.H. Sm.
Boletales	Rhizopogonaceae			<i>Rhizopogon</i>	<i>diabolicus</i>			A.H. Sm.
Boletales	Rhizopogonaceae	UBC		<i>Rhizopogon</i>	<i>ellenae</i>			A.H. Sm.
Boletales	Rhizopogonaceae		UBC	<i>Rhizopogon</i>	<i>evadens</i>			A.H. Sm.
Boletales	Rhizopogonaceae			<i>Rhizopogon</i>	<i>florencianus</i>			A.H. Sm.
Boletales	Rhizopogonaceae		UBC	<i>Rhizopogon</i>	<i>fragrans</i>			A.H. Sm.
Boletales	Rhizopogonaceae			<i>Rhizopogon</i>	<i>hawkerae</i>			A.H. Sm.
Boletales	Rhizopogonaceae			<i>Rhizopogon</i>	<i>idahoensis</i>			A.H. Sm.
Boletales	Rhizopogonaceae			<i>Rhizopogon</i>	<i>molallaensis</i>			A.H. Sm.
Boletales	Rhizopogonaceae	DAVFP	UBC	<i>Rhizopogon</i>	<i>occidentalis</i>			Zeller & C.W. Dodge
Boletales	Rhizopogonaceae	DAVFP	UBC	<i>Rhizopogon</i>	<i>ochraceorubens</i>			A.H. Sm.
Boletales	Rhizopogonaceae			<i>Rhizopogon</i>	<i>olivaceofuscus</i>			A.H. Sm.
Boletales	Rhizopogonaceae	DAVFP	UBC	<i>Rhizopogon</i>	<i>parksii</i>			A.H. Sm.
Boletales	Rhizopogonaceae		UBC	<i>Rhizopogon</i>	<i>pseudoroseolus</i>			A.H. Sm.
Boletales	Rhizopogonaceae			<i>Rhizopogon</i>	<i>roseolus</i>			(Corda) Th. Fr.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Boletales	Rhizopogonaceae		UBC	<i>Rhizopogon</i>	<i>salebrosus</i>			A.H. Sm.
Boletales	Rhizopogonaceae		UBC	<i>Rhizopogon</i>	<i>subaerolatus</i>			A.H. Sm.
Boletales	Rhizopogonaceae			<i>Rhizopogon</i>	<i>subcaeruleascens</i>			A.H. Sm.
Boletales	Rhizopogonaceae		UBC	<i>Rhizopogon</i>	<i>subsalmoneus</i>			A.H. Sm.
Boletales	Rhizopogonaceae		UBC	<i>Rhizopogon</i>	<i>villosulus</i>		Zeller	
Boletales	Rhizopogonaceae	DAVFP	UBC	<i>Rhizopogon</i>	<i>vinicolor</i>			A.H. Sm.
Boletales	Sclerodermataceae	DAVFP	UBC	<i>Pisolithus</i>	<i>arhizus</i>			(Scop.) Rauschert
Boletales	Sclerodermataceae		UBC	<i>Scleroderma</i>	<i>areolatum</i>			Ehrenb.
Boletales	Sclerodermataceae	DAVFP	UBC	<i>Scleroderma</i>	<i>bovista</i>			Fr.
Boletales	Sclerodermataceae	DAVFP	UBC	<i>Scleroderma</i>	<i>cepa</i>			Pers.
Boletales	Sclerodermataceae	DAVFP		<i>Scleroderma</i>	<i>citrinum</i>			Pers.
Boletales	Sclerodermataceae	DAVFP		<i>Scleroderma</i>	<i>flavidum</i>			Ellis & Everh.
Boletales	Sclerodermataceae			<i>Scleroderma</i>	<i>hypogaeum</i>		Zeller	
Boletales	Sclerodermataceae	DAVFP	UBC	<i>Scleroderma</i>	<i>lycoperdoides</i>			Schwein.
Boletales	Sclerodermataceae		UBC	<i>Scleroderma</i>	<i>michiganense</i>			(Guzmán) Guzmán
Boletales	Sclerodermataceae	DAVFP	UBC	<i>Scleroderma</i>	<i>polyrhizum</i>			(J.F. Gmel.) Pers.
Boletales	Sclerodermataceae			<i>Scleroderma</i>	<i>verrucosum</i>			(Bull.) Pers.
Boletales	Serpulaceae	DAVFP		<i>Serpula</i>	<i>himantoides</i>			(Fr.) P. Karst.
Boletales	Serpulaceae	DAVFP		<i>Serpula</i>	<i>lacrymans</i>	<i>lacrymans</i>		(Wulfen) J. Schröt.
Boletales	Serpulaceae	DAVFP		<i>Serpula</i>	<i>pulverulenta</i>			(Sowerby) Bondartsev
Boletales	Suillaceae		UBC	<i>Fuscoboletinus</i>	<i>spectabilis</i>			(Peck) Pomerl. & A.H. Sm.
Boletales	Suillaceae	DAVFP		<i>Suillus</i>	<i>albidipes</i>			(Peck) Singer
Boletales	Suillaceae			<i>Suillus</i>	<i>albivelatus</i>			A.H. Sm., Thiers & O.K. Mill.
Boletales	Suillaceae			<i>Suillus</i>	<i>borealis</i>			A.H. Sm., Thiers & O.K. Mill.
Boletales	Suillaceae	DAVFP	UBC	<i>Suillus</i>	<i>brevipes</i>			(Peck) Kuntze
Boletales	Suillaceae	DAVFP	UBC	<i>Suillus</i>	<i>caeruleascens</i>			A.H. Sm. & Thiers
Boletales	Suillaceae	DAVFP	UBC	<i>Suillus</i>	<i>cavipes</i>			(Opat.) A.H. Sm. & Thiers
Boletales	Suillaceae		UBC	<i>Suillus</i>	<i>flavidus</i>			(Fr.) J. Presl
Boletales	Suillaceae			<i>Suillus</i>	<i>flavogranulatus</i>			A.H. Sm., Thiers & O.K. Mill.
Boletales	Suillaceae		UBC	<i>Suillus</i>	<i>glandulosipes</i>			Thiers & A.H. Sm.
Boletales	Suillaceae	DAVFP	UBC	<i>Suillus</i>	<i>granulatus</i>			(L.) Roussel
Boletales	Suillaceae	DAVFP	UBC	<i>Suillus</i>	<i>grevillei</i>			(Klotzsch) Singer
Boletales	Suillaceae	DAVFP	UBC	<i>Suillus</i>	<i>lakei</i>			(Murrill) A.H. Sm. & Thiers
Boletales	Suillaceae	DAVFP	UBC	<i>Suillus</i>	<i>luteus</i>			(L.) Roussel
Boletales	Suillaceae		UBC	<i>Suillus</i>	<i>neoalbidipes</i>			M.E. Palm & E.L. Stewart
Boletales	Suillaceae		UBC	<i>Suillus</i>	<i>ochraceoroseus</i>			(Snell) Singer
Boletales	Suillaceae		UBC	<i>Suillus</i>	<i>pictus</i>			(Peck) A.H. Sm. & Thiers
Boletales	Suillaceae		UBC	<i>Suillus</i>	<i>placidus</i>			(Bonord.) Singer
Boletales	Suillaceae		UBC	<i>Suillus</i>	<i>ponderosus</i>			A.H. Sm. & Thiers
Boletales	Suillaceae	DAVFP	UBC	<i>Suillus</i>	<i>pseudobrevipes</i>			A.H. Sm. & Thiers

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Boletales	Suillaceae		UBC	<i>Suillus</i>	<i>punctatipes</i>			(Snell & E.A. Dick) Singer
Boletales	Suillaceae	DAVFP	UBC	<i>Suillus</i>	<i>punctipes</i>			(Peck) Singer
Boletales	Suillaceae	DAVFP	UBC	<i>Suillus</i>	<i>sibiricus</i>			(Singer) Singer
Boletales	Suillaceae	DAVFP	UBC	<i>Suillus</i>	<i>subaureus</i>			(Peck) Snell
Boletales	Suillaceae	DAVFP	UBC	<i>Suillus</i>	<i>subolvaceus</i>			A.H. Sm. & Thiers
Boletales	Suillaceae	DAVFP	UBC	<i>Suillus</i>	<i>tomentosus</i>			(Kauffman) Singer
Boletales	Suillaceae	DAVFP	UBC	<i>Suillus</i>	<i>umbonatus</i>			E.A. Dick & Snell
Boletales	Suillaceae		UBC	<i>Suillus</i>	<i>viscidus</i>			(L.) Roussel
Boletales	Suillaceae	DAVFP	UBC	<i>Truncocolumella</i>	<i>citrina</i>			Zeller
Boletales	Suillaceae	DAVFP		<i>Truncocolumella</i>	<i>rubra</i>			Zeller
Boletales	Tapinellaceae	DAVFP		<i>Pseudomerulius</i>	<i>aureus</i>			(Fr.) Jülich
Boletales	Tapinellaceae	DAVFP	UBC	<i>Tapinella</i>	<i>atrotomentosa</i>			(Batsch) Štara
Boletales	Tapinellaceae	DAVFP	UBC	<i>Tapinella</i>	<i>panuoides</i>			(Batsch) E.-J. Gilbert
Cantharellales	Botryobasidiaceae	DAVFP		<i>Botryobasidium</i>	<i>ansosum</i>			(H.S. Jacks. & D.P. Rogers) Parmasto
Cantharellales	Botryobasidiaceae		UBC	<i>Botryobasidium</i>	<i>candicans</i>			J. Erikss.
Cantharellales	Botryobasidiaceae		UBC	<i>Botryobasidium</i>	<i>conspersum</i>			J. Erikss.
Cantharellales	Botryobasidiaceae		UBC	<i>Botryobasidium</i>	<i>croceum</i>			Lentz
Cantharellales	Botryobasidiaceae		UBC	<i>Botryobasidium</i>	<i>danicum</i>			J. Erikss. & Hjortstam
Cantharellales	Botryobasidiaceae		UBC	<i>Botryobasidium</i>	<i>obtusisporum</i>			J. Erikss.
Cantharellales	Botryobasidiaceae	DAVFP	UBC	<i>Botryobasidium</i>	<i>pruinatum</i>			(Bres.) J. Erikss.
Cantharellales	Botryobasidiaceae	DAVFP	UBC	<i>Botryobasidium</i>	<i>subcoronatum</i>			(Höhn. & Litsch.) Donk
Cantharellales	Botryobasidiaceae	DAVFP		<i>Botryobasidium</i>	<i>vagum</i>			(Berk. & M.A. Curtis) D.P. Rogers
Cantharellales	Botryobasidiaceae	DAVFP	UBC	<i>Botryohypochnus</i>	<i>isabellinus</i>			(Fr.) J. Erikss.
Cantharellales	Caloscyphaceae	DAVFP	UBC	<i>Caloscypha</i>	<i>fulgens</i>			(Pers.) Boud.
Cantharellales	Cantharellaceae		UBC	<i>Cantharellus</i>	<i>californicus</i>			Arora & Dunham
Cantharellales	Cantharellaceae	DAVFP	UBC	<i>Cantharellus</i>	<i>cibarius</i>			Fr.
Cantharellales	Cantharellaceae	DAVFP	UBC	<i>Cantharellus</i>	<i>formosus</i>			Corner
Cantharellales	Cantharellaceae		UBC	<i>Cantharellus</i>	<i>pallens</i>			Pilat
Cantharellales	Cantharellaceae	DAVFP	UBC	<i>Cantharellus</i>	<i>roseocanus</i>			(Redhead, Norvell & Danell) Redhead, Norvell & Moncalvo
Cantharellales	Cantharellaceae	DAVFP	UBC	<i>Cantharellus</i>	<i>subalbidus</i>			A.H. Sm. & Morse
Cantharellales	Cantharellaceae	DAVFP		<i>Craterellus</i>	<i>cornucopioides</i>			(L.) Pers.
Cantharellales	Cantharellaceae	DAVFP	UBC	<i>Craterellus</i>	<i>tubaformis</i>			(Fr.) Quél.
Cantharellales	Ceratobasidiaceae		UBC	<i>Thanatephorus</i>	<i>cucumeris</i>			(A.B. Frank) Donk
Cantharellales	Clavulinaceae	DAVFP		<i>Clavulicium</i>	<i>macounii</i>			(Burt) Parmasto
Cantharellales	Clavulinaceae	DAVFP	UBC	<i>Clavulina</i>	<i>castaneipes</i>			(G.F. Atk.) Corner
Cantharellales	Clavulinaceae	DAVFP	UBC	<i>Clavulina</i>	<i>cinerea</i>			(Bull.) J. Schröt.
Cantharellales	Clavulinaceae			<i>Clavulina</i>	<i>coralloides</i>			(L.) J. Schröt.
Cantharellales	Clavulinaceae	DAVFP	UBC	<i>Clavulina</i>	<i>rugosa</i>			(Bull.) J. Schröt.
Cantharellales	Clavulinaceae		UBC	<i>Multiclavula</i>	<i>mucida</i>			(Pers.) R.H. Petersen

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Cantharellales	Clavulinaceae		UBC	<i>Multiclavula</i>	<i>vernalis</i>			(Schwein.) R.H. Petersen
Cantharellales	Hydnaceae		UBC	<i>Hydnnum</i>	<i>indurescens</i>			D. Hall & D.E. Stuntz
Cantharellales	Hydnaceae			<i>Hydnnum</i>	<i>repandum</i>	<i>albidum</i>		(Peck) Bres.
Cantharellales	Hydnaceae	DAVFP	UBC	<i>Hydnnum</i>	<i>repandum</i>	<i>album</i>		(Quél.) Rea
Cantharellales	Hydnaceae	DAVFP	UBC	<i>Hydnnum</i>	<i>repandum</i>	<i>repandum</i>		L.
Cantharellales	Hydnaceae		UBC	<i>Hydnnum</i>	<i>subincarnatum</i>			K.A. Harrison
Cantharellales	Hydnaceae	DAVFP	UBC	<i>Hydnnum</i>	<i>umbilicatum</i>			Peck
Cantharellales	Hydnaceae			<i>Sistotrema</i>	<i>adnatum</i>			Hallenb.
Cantharellales	Hydnaceae			<i>Sistotrema</i>	<i>atheloides</i>			Hallenb.
Cantharellales	Hydnaceae			<i>Sistotrema</i>	<i>binucleosporum</i>			Hallenb.
Cantharellales	Hydnaceae	DAVFP		<i>Sistotrema</i>	<i>brinkmannii</i>			(Bres.) J. Erikss.
Cantharellales	Hydnaceae		UBC	<i>Sistotrema</i>	<i>confluens</i>			Pers.
Cantharellales	Hydnaceae			<i>Sistotrema</i>	<i>farinaceum</i>			Hallenb.
Cantharellales	Hydnaceae			<i>Sistotrema</i>	<i>oblongisporum</i>			M.P. Christ. & Hauerslev
Cantharellales	Hydnaceae			<i>Sistotrema</i>	<i>porulosum</i>			Hallenb.
Cantharellales	Hydnaceae	DAVFP		<i>Sistotrema</i>	<i>raduloides</i>			(P. Karst.) Donk
Cantharellales	Hydnaceae			<i>Sistotrema</i>	<i>resinicystidium</i>			Hallenb.
Coronophorales	Nitschkiaceae		UBC	<i>Nitschkia</i>	<i>collapsa</i>			(Romell) Chenant.
Coronophorales	Nitschkiaceae		UBC	<i>Nitschkia</i>	<i>confertula</i>			(Schwein.) Nannf.
Coronophorales	Nitschkiaceae		UBC	<i>Nitschkia</i>	<i>grevillei</i>			(Rehm) Nannf.
Corticiales	Corticiciaceae			<i>Amylobasidium</i>	<i>tsugae</i>			Ginns
Corticiales	Corticiciaceae			<i>Corticium</i>	<i>boreoroseum</i>			Boidin & Lanq.
Corticiales	Corticiciaceae	DAVFP	UBC	<i>Corticium</i>	<i>minnsiae</i>			(H.S. Jacks.) Boidin & Lanq.
Corticiales	Corticiciaceae	DAVFP	UBC	<i>Corticium</i>	<i>roseum</i>			Pers.
Corticiales	Corticiciaceae	DAVFP	UBC	<i>Cytidia</i>	<i>salicina</i>			(Fr.) Burt
Corticiales	Corticiciaceae			<i>Cytidia</i>	<i>stereoides</i>			W.B. Cooke
Corticiales	Corticiciaceae	DAVFP	UBC	<i>Dendrothele</i>	<i>candida</i>	<i>candida</i>		(Schwein.) P.A. Lemke
Corticiales	Corticiciaceae	DAVFP	UBC	<i>Dendrothele</i>	<i>incrustans</i>			(P.A. Lemke) P.A. Lemke
Corticiales	Corticiciaceae		UBC	<i>Erythricium</i>	<i>laetum</i>			(P. Karst.) J. Erikss. & Hjortstam
Corticiales	Corticiciaceae	DAVFP		<i>Galzinia</i>	<i>incrustans</i>			(Höhn. & Litsch.) Parmasto
Corticiales	Corticiciaceae			<i>Limonomyces</i>	<i>culmigenus</i>			(R.K. Webster & D.A. Reid) Stalpers & Loer.
Corticiales	Corticiciaceae	DAVFP		<i>Mutatoderma</i>	<i>mutatum</i>			(Peck) C.E. Gómez
Corticiales	Corticiciaceae	DAVFP	UBC	<i>Punctularia</i>	<i>strigoso-zonata</i>			(Schwein.) P.H.B. Talbot
Cystobasidiales	Cystobasidiaceae		UBC	<i>Cystobasidium</i>	<i>fimetarium</i>			(Schumach.) P. Roberts
Dacrymycetales	Dacrymycetaceae	DAVFP	UBC	<i>Calocera</i>	<i>cornea</i>			(Batsch) Fr
Dacrymycetales	Dacrymycetaceae	DAVFP	UBC	<i>Calocera</i>	<i>viscosa</i>			(Pers.) Fr.
Dacrymycetales	Dacrymycetaceae			<i>Cerinomyces</i>	<i>crustulinus</i>			(Bourdot & Galzin) G.W. Martin
Dacrymycetales	Dacrymycetaceae		UBC	<i>Dacrymyces</i>	<i>aquaticus</i>			Bandoni & G.C. Hughes
Dacrymycetales	Dacrymycetaceae		UBC	<i>Dacrymyces</i>	<i>capitatus</i>			Schwein.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Dacrymycetales	Dacrymycetaceae	DAVFP	UBC	<i>Dacrymyces</i>	<i>chrysocomus</i>			(Bull.) Tul.
Dacrymycetales	Dacrymycetaceae		UBC	<i>Dacrymyces</i>	<i>chrysospermus</i>			Berk. & M.A. Curtis
Dacrymycetales	Dacrymycetaceae		UBC	<i>Dacrymyces</i>	<i>deliquescens</i>			(Merat) Duby
Dacrymycetales	Dacrymycetaceae			<i>Dacrymyces</i>	<i>dictyosporus</i>			G.W. Martin
Dacrymycetales	Dacrymycetaceae		UBC	<i>Dacrymyces</i>	<i>minor</i>			Peck
Dacrymycetales	Dacrymycetaceae	DAVFP	UBC	<i>Dacrymyces</i>	<i>minutus</i>			(L.S. Olive) McNabb
Dacrymycetales	Dacrymycetaceae		UBC	<i>Dacrymyces</i>	<i>ovisporus</i>			Bref.
Dacrymycetales	Dacrymycetaceae		UBC	<i>Dacrymyces</i>	<i>punctiformis</i>			Neuhoff
Dacrymycetales	Dacrymycetaceae	DAVFP	UBC	<i>Dacrymyces</i>	<i>stillatus</i>			Nees
Dacrymycetales	Dacrymycetaceae		UBC	<i>Dacrymyces</i>	<i>tortus</i>			(Willd.) Fr.
Dacrymycetales	Dacrymycetaceae		UBC	<i>Dacrymyces</i>	<i>variisporus</i>			McNabb
Dacrymycetales	Dacrymycetaceae		UBC	<i>Dacryonaema</i>	<i>rufum</i>			(Fr.) Nannf.
Dacrymycetales	Dacrymycetaceae	DAVFP	UBC	<i>Dacryopinax</i>	<i>spathularia</i>			(Schwein.) G.W. Martin
Dacrymycetales	Dacrymycetaceae			<i>Ditiola</i>	<i>peziziformis</i>			(Lév.) D.A. Reid
Dacrymycetales	Dacrymycetaceae		UBC	<i>Ditiola</i>	<i>radicata</i>	<i>radicata</i>		(Alb. & Schwein.) Fr.
Dacrymycetales	Dacrymycetaceae		UBC	<i>Guepiniopsis</i>	<i>alpina</i>			(Tracy & Earle) Brasf.
Dacrymycetales	Dacrymycetaceae		UBC	<i>Guepiniopsis</i>	<i>buccina</i>			(Pers.) L.L. Kenn.
Dacrymycetales	Dacrymycetaceae	DAVFP		<i>Guepiniopsis</i>	<i>chrysocoma</i>			(Bull.) Brasf.
Dacrymycetales	Dacrymycetaceae		UBC	<i>Heterotextus</i>	<i>luteus</i>			(Bres.) McNabb
Diaporthales	Gnomoniaceae		UBC	<i>Gnomonia</i>	<i>cerastis</i>			(Riess) Ces. & De Not.
Diaporthales	<i>Incertae sedis</i>		UBC	<i>Anisogramma</i>	<i>anomala</i>			(Peck) E. Muell.
Endogonales	Endogonaceae			<i>Endogone</i>	<i>flammicorona</i>			Trappe & Gerd.
Endogonales	Endogonaceae		UBC	<i>Endogone</i>	<i>lactifluia</i>			Berk. & Broome
Endogonales	Endogonaceae	DAVFP	UBC	<i>Endogone</i>	<i>pisiformis</i>			Link
Erysiphales	Erysiphaceae		UBC	<i>Erysiphe</i>	<i>penicillata</i>			(Wallr.) Link
Eurotiales	Elaphomycetaceae	DAVFP	UBC	<i>Elaphomyces</i>	<i>granulatus</i>			Fr.
Eurotiales	Elaphomycetaceae	DAVFP	UBC	<i>Elaphomyces</i>	<i>muricatus</i>			Fr.
Exobasidiales	Exobasidiaceae	DAVFP	UBC	<i>Exobasidium</i>	<i>vaccinii</i>			(Fuckel) Woronin
Geastrales	Geastraceae		UBC	<i>Geastrum</i>	<i>campestre</i>			Morgan
Geastrales	Geastraceae		UBC	<i>Geastrum</i>	<i>coronatum</i>			Pers.
Geastrales	Geastraceae		UBC	<i>Geastrum</i>	<i>fimbriatum</i>			Fr.
Geastrales	Geastraceae		UBC	<i>Geastrum</i>	<i>limbatum</i>			Fr.
Geastrales	Geastraceae		UBC	<i>Geastrum</i>	<i>minimum</i>			Schwien.
Geastrales	Geastraceae	DAVFP	UBC	<i>Geastrum</i>	<i>pectinatum</i>			Pers.
Geastrales	Geastraceae		UBC	<i>Geastrum</i>	<i>pseudolimbatum</i>			Holloz
Geastrales	Geastraceae	DAVFP	UBC	<i>Geastrum</i>	<i>quadrifidum</i>			DC. ex Pers.
Geastrales	Geastraceae		UBC	<i>Geastrum</i>	<i>saccatum</i>			Fr.
Geastrales	Geastraceae		UBC	<i>Geastrum</i>	<i>schmidelii</i>			Vittad.
Geastrales	Geastraceae	DAVFP	UBC	<i>Geastrum</i>	<i>triplex</i>			Jungh.
Geastrales	Geastraceae		UBC	<i>Geastrum</i>	<i>umbilicatum</i>			Fr. senu Morgan

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Geastrales	Geastraceae	DAVFP	UBC	<i>Sphaerobolus</i>	<i>stellatus</i>			Tode
Geoglossales	Geoglossaceae		UBC	<i>Geoglossum</i>	<i>glabrum</i>			Pers.
Geoglossales	Geoglossaceae		UBC	<i>Geoglossum</i>	<i>glutinosum</i>			(Pers.) Hustad, A.N. Mill, Dentinger & P.F. Cannon
Geoglossales	Geoglossaceae		UBC	<i>Geoglossum</i>	<i>simile</i>			Peck
Geoglossales	Geoglossaceae		UBC	<i>Geoglossum</i>	<i>sphagnophilum</i>			Ehrenb.
Geoglossales	Geoglossaceae	DAVFP	UBC	<i>Geoglossum</i>	<i>umbratile</i>			Sacc.
Geoglossales	Geoglossaceae		UBC	<i>Microglossum</i>	<i>olivaceum</i>			(Pers.) Gillet
Geoglossales	Geoglossaceae		UBC	<i>Microglossum</i>	<i>viride</i>			(Pers. ex Fr.) Gill
Geoglossales	Geoglossaceae	DAVFP	UBC	<i>Trichoglossum</i>	<i>hirsutum</i>			Pat.
Gloeophyllales	Gloeophyllaceae	DAVFP		<i>Boreostereum</i>	<i>radiatum</i>			(Peck) Parmasto
Gloeophyllales	Gloeophyllaceae	DAVFP		<i>Gloeophyllum</i>	<i>carbonarium</i>			(Berk. & M.A. Curtis) Ryvarde
Gloeophyllales	Gloeophyllaceae	DAVFP		<i>Gloeophyllum</i>	<i>odoratum</i>			(Wulff) Imazeki
Gloeophyllales	Gloeophyllaceae		UBC	<i>Gloeophyllum</i>	<i>protractum</i>			(Fr.) Imazeki
Gloeophyllales	Gloeophyllaceae	DAVFP	UBC	<i>Gloeophyllum</i>	<i>sepiarium</i>			(Wulff) P. Karst.
Gloeophyllales	Gloeophyllaceae		UBC	<i>Gloeophyllum</i>	<i>trabeum</i>			(Pers.) Murrill
Gloeophyllales	Gloeophyllaceae		UBC	<i>Veluticeps</i>	<i>abietina</i>			(Pers.) Hjortstam & Telleria
Gloeophyllales	Gloeophyllaceae		UBC	<i>Veluticeps</i>	<i>fimbriata</i>			(Ellis & Everh.) Nakasone
Gomphales	Clavariadelphaceae	DAVFP	UBC	<i>Clavariadelphus</i>	<i>ligula</i>			(Schaeff.) Donk
Gomphales	Clavariadelphaceae		UBC	<i>Clavariadelphus</i>	<i>mucronatus</i>			V.L. Wells & Kempton
Gomphales	Clavariadelphaceae		UBC	<i>Clavariadelphus</i>	<i>occidentalis</i>			Methven
Gomphales	Clavariadelphaceae		UBC	<i>Clavariadelphus</i>	<i>pistillaris</i>			(L.) Donk
Gomphales	Clavariadelphaceae	DAVFP		<i>Clavariadelphus</i>	<i>sachalinensis</i>			(S. Imai) Corner
Gomphales	Clavariadelphaceae	DAVFP	UBC	<i>Clavariadelphus</i>	<i>subfastigiatus</i>			V.L. Wells & Kempton
Gomphales	Clavariadelphaceae	DAVFP	UBC	<i>Clavariadelphus</i>	<i>truncatus</i>			Donk
Gomphales	Gomphaceae		UBC	<i>Gautieria</i>	<i>monticola</i>			(Hark.) Harkn.
Gomphales	Gomphaceae		UBC	<i>Gomphus</i>	<i>bonarii</i>			(Morse) Singer
Gomphales	Gomphaceae	DAVFP	UBC	<i>Gomphus</i>	<i>clavatus</i>			(Pers.) Gray
Gomphales	Gomphaceae	DAVFP	UBC	<i>Gomphus</i>	<i>floccosus</i>			(Schwein.) Singer
Gomphales	Gomphaceae		UBC	<i>Gomphus</i>	<i>kauffmannii</i>			(A.H. Sm.) Corner
Gomphales	Gomphaceae	DAVFP	UBC	<i>Ramaria</i>	<i>abietina</i>			(Pers.) Quél.
Gomphales	Gomphaceae		UBC	<i>Ramaria</i>	<i>acrisiccescens</i>			Marr & D.E. Stuntz
Gomphales	Gomphaceae		UBC	<i>Ramaria</i>	<i>apiculata</i>			(Fr.) Donk
Gomphales	Gomphaceae		UBC	<i>Ramaria</i>	<i>araiospora</i>			Marr & D.E. Stuntz
Gomphales	Gomphaceae		UBC	<i>Ramaria</i>	<i>aurantiisiccescens</i>			Marr & D.E. Stuntz
Gomphales	Gomphaceae		UBC	<i>Ramaria</i>	<i>botrytis</i>			(Pers.) Ricken
Gomphales	Gomphaceae		UBC	<i>Ramaria</i>	<i>botryoides</i>			(Peck) Corner
Gomphales	Gomphaceae			<i>Ramaria</i>	<i>cartilaginea</i>			Marr & D.E. Stuntz
Gomphales	Gomphaceae		UBC	<i>Ramaria</i>	<i>celerivirescens</i>			Marr & D.E. Stuntz
Gomphales	Gomphaceae	DAVFP	UBC	<i>Ramaria</i>	<i>concolor</i>			(Corner) R.H. Petersen

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Gomphales	Gomphaceae			Ramaria	<i>conjunctipes</i>			Marr & D.E. Stuntz
Gomphales	Gomphaceae		UBC	Ramaria	<i>curta</i>			(Fr.) Schild
Gomphales	Gomphaceae		UBC	Ramaria	<i>cyaneigranosa</i>			Marr & D.E. Stuntz
Gomphales	Gomphaceae		UBC	Ramaria	<i>cystidiophora</i>			(Kauffman) Corner
Gomphales	Gomphaceae		UBC	Ramaria	<i>cystidiophora</i>	<i>citronella</i>		Marr & D.E. Stuntz
Gomphales	Gomphaceae		UBC	Ramaria	<i>cystidiophora</i>	<i>cystidiophora</i>		(Kauffman) Corner
Gomphales	Gomphaceae			Ramaria	<i>cystidiophora</i>	<i>fabiolens</i>		Marr & D.E. Stuntz
Gomphales	Gomphaceae		UBC	Ramaria	<i>cystidiophora</i>	<i>maculans</i>		Marr & D.E. Stuntz
Gomphales	Gomphaceae			Ramaria	<i>distinctissima</i>			R.H. Petersen & M. Zang
Gomphales	Gomphaceae		UBC	Ramaria	<i>flaccida</i>			(Fr.) Bourdot
Gomphales	Gomphaceae	DAVFP		Ramaria	<i>flava</i>			(Schaeff.) Quél.
Gomphales	Gomphaceae		UBC	Ramaria	<i>flavigelatinosa</i>			Marr & D.E. Stuntz
Gomphales	Gomphaceae	DAVFP		Ramaria	<i>flavobrunnescens</i>			(G.F. Atk.) Corner
Gomphales	Gomphaceae		UBC	Ramaria	<i>formosa</i>			(Pers.) Quél.
Gomphales	Gomphaceae		UBC	Ramaria	<i>gelatinosa</i>			(Coker) Corner
Gomphales	Gomphaceae		UBC	Ramaria	<i>leptoformosa</i>			Marr & D.E. Stuntz
Gomphales	Gomphaceae		UBC	Ramaria	<i>longispora</i>			Marr & D.E. Stuntz
Gomphales	Gomphaceae		UBC	Ramaria	<i>marrii</i>			Scates
Gomphales	Gomphaceae			Ramaria	<i>mutabilis</i>			Schild & R.H. Petersen
Gomphales	Gomphaceae		UBC	Ramaria	<i>myceliosa</i>			(Peck) Corner
Gomphales	Gomphaceae		UBC	Ramaria	<i>pinicola</i>			(Burt) Corner
Gomphales	Gomphaceae	DAVFP	UBC	Ramaria	<i>rasilispora</i>			Marr & D.E. Stuntz
Gomphales	Gomphaceae		UBC	Ramaria	<i>rasilispora</i>	<i>scatesiana</i>		Marr & D.E. Stuntz
Gomphales	Gomphaceae		UBC	Ramaria	<i>rubella</i>			(Schaeff.) R.H. Petersen
Gomphales	Gomphaceae		UBC	Ramaria	<i>rubribrunnescens</i>			Marr & D.E. Stuntz
Gomphales	Gomphaceae		UBC	Ramaria	<i>rubricarnata</i>			R.H. Petersen & Scates
Gomphales	Gomphaceae		UBC	Ramaria	<i>rubrevanescens</i>			Marr & D.E. Stuntz
Gomphales	Gomphaceae	DAVFP	UBC	Ramaria	<i>sandaracina</i>			Marr & D.E. Stuntz
Gomphales	Gomphaceae	DAVFP	UBC	Ramaria	<i>stricta</i>			(Pers.) Quél.
Gomphales	Gomphaceae	DAVFP	UBC	Ramaria	<i>stuntzii</i>			Marr
Gomphales	Gomphaceae			Ramaria	<i>subbotrytis</i>			(Coker) Corner
Gomphales	Gomphaceae			Ramaria	<i>suecica</i>			(Fr.) Donk
Gomphales	Gomphaceae			Ramaria	<i>testaceoflava</i>			(Bres.) Corner
Gomphales	Gomphaceae		UBC	Ramaria	<i>testaceoflava</i>	<i>brunnea</i>		(Zeller) Marr & D.E. Stuntz
Gomphales	Gomphaceae		UBC	Ramaria	<i>thiersii</i>			R.H. Petersen & Scates
Gomphales	Gomphaceae		UBC	Ramaria	<i>velocimutans</i>			Marr & D.E. Stuntz
Gomphales	Gomphaceae	DAVFP		Ramaria	<i>vinosimaculans</i>			Marr & D.E. Stuntz
Gomphales	Gomphaceae		UBC	Ramaria	<i>violaceibrunnea</i>			(Marr & D.E. Stuntz) R.H. Petersen
Gomphales	Gomphaceae		UBC	Ramaricium	<i>albo-ochraceum</i>			(Bres.) Julich
Gomphales	Gomphaceae		UBC	Ramaricium	<i>flavomarginatum</i>			(Burt) Ginns

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Gomphales	Lentariaceae	DAVFP		<i>Hydnocristella</i>	<i>himantia</i>			(Schwein.) R.H. Petersen
Gomphales	Lentariaceae	DAVFP		<i>Kavinia</i>	<i>alboviridis</i>			(Morgan) Gilb. & Budington
Gomphales	Lentariaceae		UBC	<i>Lentaria</i>	<i>byssidea</i>			Corner
Gomphales	Lentariaceae			<i>Lentaria</i>	<i>epichnoa</i>			(Fr.) Corner
Helicobasidiales	Helicobasidiaceae	UBC		<i>Helicobasidium</i>	<i>corticoides</i>			Bandoni
Helicobasidiales	Helicobasidiaceae	UBC		<i>Helicobasidium</i>	<i>purpureum</i>			(Tul.) Pat.
Helotiales	Dermateaceae	UBC		<i>Belonopsis</i>	<i>graminea</i>			(Karst.) Sacc & Syd
Helotiales	Dermateaceae			<i>Calloria</i>	<i>neglecta</i> ?			(Lib.) B. Hein
Helotiales	Dermateaceae	UBC		<i>Mollisia</i>	<i>cinerea</i>			(Batsch) P. Karst.
Helotiales	Dermateaceae	UBC		<i>Mollisia</i>	<i>discolor</i>			(Mont. & Fr.) W. Phillips
Helotiales	Dermateaceae	UBC		<i>Mollisia</i>	<i>melaleuca</i>			(Fr.) Sacc.
Helotiales	Dermateaceae	UBC		<i>Mollisia</i>	<i>ventosa</i>			P. Karst.
Helotiales	Dermateaceae	UBC		<i>Patellariopsis</i>	<i>clavispora</i>			(Berk. & Broome) Dennis
Helotiales	Helotiaceae	DAVFP		<i>Ascocoryne</i>	<i>constricta</i>			D.E. Wilson
Helotiales	Helotiaceae		UBC	<i>Ascocoryne</i>	<i>cylindrium</i>			(Tul.) Korf
Helotiales	Helotiaceae	DAVFP		<i>Ascocoryne</i>	<i>inflata</i>			D.E. Wilson
Helotiales	Helotiaceae	DAVFP	UBC	<i>Ascocoryne</i>	<i>sarcoides</i>			(Jacq.) J.W. Groves & D.E. Wilson
Helotiales	Helotiaceae	DAVFP	UBC	<i>Bisporella</i>	<i>citrina</i>			(Batsch) Korf & S.E. Carp
Helotiales	Helotiaceae		UBC	<i>Bisporella</i>	<i>subpallida</i>			(Rehm) Dennis
Helotiales	Helotiaceae		UBC	<i>Bisporella</i>	<i>sulfurina</i>			(Quél.) S.E. Carp
Helotiales	Helotiaceae	UBC		<i>Bulgariella</i>	<i>pulla</i>			(Fr.) P. Karst.
Helotiales	Helotiaceae	DAVFP	UBC	<i>Chlorociboria</i>	<i>aeruginascens</i>			(Nyl.) Kanouse ex C.S. Ramamurthi, Korf & L.R. Batra
Helotiales	Helotiaceae	DAVFP	UBC	<i>Chlorociboria</i>	<i>aeruginosa</i>			(Oeder) Seaver ex C.S. Ramamurthi, Korf & L.R. Batra
Helotiales	Helotiaceae		UBC	<i>Claussenomyces</i>	<i>atrovirens</i>			(Pers.) Korf & Abawi
Helotiales	Helotiaceae		UBC	<i>Crocireas</i>	<i>cyathoideum</i>			(Bull.) S.E. Carp
Helotiales	Helotiaceae		UBC	<i>Cudoniella</i>	<i>clavus</i>			(Alb. & Schwein.) Dennis
Helotiales	Helotiaceae		UBC	<i>Dencoeliopsis</i>	<i>johnstonii</i>			(Berk.) Korf
Helotiales	Helotiaceae		UBC	<i>Discinella</i>	<i>boudieri</i>			(Quél.) Boud.
Helotiales	Helotiaceae		UBC	<i>Durella</i>	<i>connivens</i>			(Fr.) Rehm
Helotiales	Helotiaceae		UBC	<i>Durella</i>	<i>melanochlora</i>			(Sommerf.) Rehm
Helotiales	Helotiaceae	DAVFP	UBC	<i>Gelatinodiscus</i>	<i>flavidus</i>			Kanouse & A.H. Sm.
Helotiales	Helotiaceae		UBC	<i>Helotium</i>	<i>incarnatum</i>			Pers.
Helotiales	Helotiaceae		UBC	<i>Hymenoscyphus</i>	<i>albidus</i>			(Gillet) W. Phillips
Helotiales	Helotiaceae		UBC	<i>Hymenoscyphus</i>	<i>calyculus</i>			(Fr.) W. Phillips
Helotiales	Helotiaceae		UBC	<i>Hymenoscyphus</i>	<i>caudatus</i>			(P. Karst.) Dennis
Helotiales	Helotiaceae		UBC	<i>Hymenoscyphus</i>	<i>fructigenus</i>			(Bull.) Gray
Helotiales	Helotiaceae		UBC	<i>Hymenoscyphus</i>	<i>herbarum</i>			(Pers.) Dennis
Helotiales	Helotiaceae		UBC	<i>Hymenoscyphus</i>	<i>imberbis</i>			(Bull.) Dennis

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Helotiales	Helotiaceae		UBC	<i>Hymenoscyphus</i>	<i>phylogenius</i>			(Rehm) Kuntze
Helotiales	Helotiaceae		UBC	<i>Hymenoscyphus</i>	<i>salicellus</i>			(Fr.) Dennis
Helotiales	Helotiaceae		UBC	<i>Hymenoscyphus</i>	<i>scutula</i>			(Pers.) W. Phillips
Helotiales	Helotiaceae		UBC	<i>Parorbiliopsis</i>	<i>extumescens</i>			(P. Karst.) Spooner & Dennis
Helotiales	Helotiaceae		UBC	<i>Phaeohelotium</i>	<i>carneum</i>			(Fr.) Hengst.
Helotiales	Helotiaceae		UBC	<i>Phaeohelotium</i>	<i>umbilicatum</i>			(Le Gal) Dennis
Helotiales	Helotiaceae		UBC	<i>Velutarina</i>	<i>rufo-olivacea</i>			(Alb. & Schwein.) Korf
Helotiales	Hemiphacidiaceae	DAVFP	UBC	<i>Heyderia</i>	<i>abietis</i>			(Fr.) Link
Helotiales	Hyaloscyphaceae		UBC	<i>Albotricha</i>	<i>laetior</i>			(P. Karst.) Raitv.
Helotiales	Hyaloscyphaceae			<i>Bryoglossum</i>	<i>gracile</i>			(P. Karst.) Redhead
Helotiales	Hyaloscyphaceae		UBC	<i>Calycellina</i>	<i>punctata</i>			(Fr.) Lowen & Dumont
Helotiales	Hyaloscyphaceae	DAVFP	UBC	<i>Capitotricha</i>	<i>bicolor</i>			(Bull.) Baral
Helotiales	Hyaloscyphaceae			<i>Dasyscyphella</i>	<i>montana</i>			Raitv.
Helotiales	Hyaloscyphaceae		UBC	<i>Dasyscyphella</i>	<i>nivea</i>			(R. Hedw.) Raitv.
Helotiales	Hyaloscyphaceae		UBC	<i>Dematiocystpha</i>	<i>dematiicola</i>			(Berk. & Broome) Svrček
Helotiales	Hyaloscyphaceae			<i>Hyalopeziza</i>	<i>ciliata</i>			Fuckel
Helotiales	Hyaloscyphaceae		UBC	<i>Hyaloscypha</i>	<i>albohyalina</i>			(P. Karst.) Boud.
Helotiales	Hyaloscyphaceae		UBC	<i>Hyaloscypha</i>	<i>britannica</i>			Huhtinen
Helotiales	Hyaloscyphaceae		UBC	<i>Hyaloscypha</i>	<i>daedaleae</i>			Velen.
Helotiales	Hyaloscyphaceae		UBC	<i>Hyaloscypha</i>	<i>flaveola</i>			(Cooke) Nannf.
Helotiales	Hyaloscyphaceae		UBC	<i>Hyaloscypha</i>	<i>fuckelii</i>			Nannf.
Helotiales	Hyaloscyphaceae		UBC	<i>Hyaloscypha</i>	<i>herbarum</i>			Velen.
Helotiales	Hyaloscyphaceae		UBC	<i>Hyaloscypha</i>	<i>quercicola</i>			(Velen.) Huhtinen
Helotiales	Hyaloscyphaceae		UBC	<i>Hyaloscypha</i>	<i>vitreola</i>			(P. Karst.) Boud.
Helotiales	Hyaloscyphaceae		UBC	<i>Lachnellula</i>	<i>agassizii</i>			(Berk. & M.A. Curtis) Seaver
Helotiales	Hyaloscyphaceae		UBC	<i>Lachnellula</i>	<i>calyciformis</i>			(Fr.) Dharne
Helotiales	Hyaloscyphaceae		UBC	<i>Lachnellula</i>	<i>flavovirens</i>			(Bres.) Dennis
Helotiales	Hyaloscyphaceae		UBC	<i>Lachnellula</i>	<i>occidentalis</i>			(G.G. Hahn & Ayers) Dharne
Helotiales	Hyaloscyphaceae		UBC	<i>Lachnellula</i>	<i>subtilissima</i>			(Cooke) Dennis
Helotiales	Hyaloscyphaceae		UBC	<i>Lasiobelonium</i>	<i>variegatum</i>			(Fuckel) Raitv.
Helotiales	Hyaloscyphaceae		UBC	<i>Neodasyscypha</i>	<i>cerina</i>			(Pers.) Spooner
Helotiales	Hyaloscyphaceae		UBC	<i>Perrotia</i>	<i>distincta</i>			(Peck) J.H. Haines
Helotiales	Hyaloscyphaceae		UBC	<i>Perrotia</i>	<i>gallica</i>			(P. Karst. & Har.) Spooner
Helotiales	Hyaloscyphaceae		UBC	<i>Pezizella</i>	<i>alniella</i>			(Nyl.) Dennis
Helotiales	Hyaloscyphaceae		UBC	<i>Pezizella</i>	<i>subtilissima</i>			(J. Schröt.) Sacc.
Helotiales	Hyaloscyphaceae		UBC	<i>Polydesmia</i>	<i>pruinosa</i>			(Berk. & Broome) Boud.
Helotiales	Hyaloscyphaceae		UBC	<i>Psilachnum</i>	<i>chrysostignum</i>			(Fr.) Raitv.
Helotiales	Hyaloscyphaceae		UBC	<i>Roseodiscus</i>	<i>rhodoleucus</i>			(Fr.) Baral
Helotiales	Hyaloscyphaceae		UBC	<i>Urceolella</i>	<i>crispula</i>			(P. Karst.) Boud.
Helotiales	<i>Incertae sedis</i>		UBC	<i>Tapesia</i>	<i>fusca</i>			(Pers.) Fuckel

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Helotiales	<i>Incertae sedis</i>		UBC	<i>Tapesia</i>	<i>lividofusca</i>			(Fr.) Rehm
Helotiales	Lachnaceae		UBC	<i>Lachnum</i>	<i>brevipilosum</i>			Baral
Helotiales	Lachnaceae		UBC	<i>Lachnum</i>	<i>corticale</i>			(Pers.) Nannf.
Helotiales	Lachnaceae		UBC	<i>Lachnum</i>	<i>fasciculare</i>			Velen.
Helotiales	Lachnaceae		UBC	<i>Lachnum</i>	<i>impudicum</i>			Baral
Helotiales	Lachnaceae		UBC	<i>Lachnum</i>	<i>nudipes</i>			(Fuckel) Nannf.
Helotiales	Lachnaceae		UBC	<i>Lachnum</i>	<i>pudibundum</i>			(Quél.) J. Schröt.
Helotiales	Lachnaceae		UBC	<i>Lachnum</i>	<i>pygmaeum</i>			(Fr.) Bres.
Helotiales	Lachnaceae		UBC	<i>Lachnum</i>	<i>relicinum</i>			(Fr.) P. Karst.
Helotiales	Lachnaceae		UBC	<i>Lachnum</i>	<i>rhytismatis</i>			(W. Phillips) Nannf.
Helotiales	Lachnaceae		UBC	<i>Lachnum</i>	<i>virginium</i>			(Batsch) P. Karst.
Helotiales	Lachnaceae			<i>Lachnum</i>	<i>washingtonense</i>			(Dennis) Nannf.
Helotiales	Lachnaceae			<i>Leotia</i>	<i>lubrica</i>			(Scop.) Pers.
Helotiales	Lachnaceae		UBC	<i>Trichopezizella</i>	<i>barbata</i>			(Kunze ex Fr.) Raitv.
Helotiales	Marthamycetaceae		UBC	<i>Propolis</i>	<i>farinosa</i>			(Pers.) Fr.
Helotiales	Rutstroemiaceae		UBC	<i>Lanzia</i>	<i>luteovirescens</i>			(Roberge) Dumont & Korf.
Helotiales	Rutstroemiaceae		UBC	<i>Rutstroemia</i>	<i>petiolorum</i>			(Roberge ex Desm.) W.L. White
Helotiales	Rutstroemiaceae		UBC	<i>Rutstroemia</i>	<i>sydowiana</i>			(Rehm) W.L. White
Helotiales	Sclerotiniaceae		UBC	<i>Ciboria</i>	<i>amentacea</i>			(Balb.) Fuckel
Helotiales	Sclerotiniaceae		UBC	<i>Ciboria</i>	<i>batschiana</i>			(Zopf) N.F. Buchw.
Helotiales	Sclerotiniaceae	DAVFP		<i>Ciboria</i>	<i>caucus</i>			(Rebent.) Fuckel
Helotiales	Sclerotiniaceae	DAVFP		<i>Ciboria</i>	<i>gordonii</i>			A. Funk
Helotiales	Sclerotiniaceae	DAVFP	UBC	<i>Ciboria</i>	<i>rufofusca</i>			(O. Weberb.) Sacc.
Helotiales	Sclerotiniaceae	DAVFP	UBC	<i>Mitrula</i>	<i>elegans</i>			Berk.
Helotiales	Sclerotiniaceae		UBC	<i>Monilinia</i>	<i>vaccinii-corymbosi</i>			(J.M. Reade) Honey
Helotiales	Sclerotiniaceae		UBC	<i>Myriosclerotinia</i>	<i>caricis-ampullaceae</i>			(Nyberg) N.F. Buchw.
Helotiales	Sclerotiniaceae			<i>Myriosclerotinia</i>	<i>duriæana</i>			(Tul. & C. Tul.) N.F. Buchw.
Helotiales	Sclerotiniaceae		UBC	<i>Sclerotinia</i>	<i>sclerotiorum</i>			(Lib.) de Bary
Helotiales	Sclerotiniaceae		UBC	<i>Sclerotinia</i>	<i>veratri</i>			E.K. Cash & R.W. Davidson
Helotiales	Vibrisseaceae	DAVFP	UBC	<i>Vibrissa</i>	<i>truncorum</i>			(Alb. & Schwein.) Fr.
Heterogastridiales	Heterogastridiaceae		UBC	<i>Colacogloea</i>	<i>peniophorae</i>	<i>peniophorae</i>		(Bourdot & Galzin) Oberw., R. Bauer & Bandoni
Hymenochaetales	Hymenochaetaceae	DAVFP	UBC	<i>Asterodon</i>	<i>ferruginosus</i>			Pat.
Hymenochaetales	Hymenochaetaceae		UBC	<i>Coltricia</i>	<i>cinnamomea</i>			(Jacq.) Murrill
Hymenochaetales	Hymenochaetaceae	DAVFP	UBC	<i>Coltricia</i>	<i>perennis</i>			(L.) Murrill
Hymenochaetales	Hymenochaetaceae			<i>Fibricium</i>	<i>lapponicum</i>			J. Erikss.
Hymenochaetales	Hymenochaetaceae	DAVFP		<i>Fibricium</i>	<i>rude</i>			(P. Karst.) Jülich
Hymenochaetales	Hymenochaetaceae	DAVFP		<i>Fomitiporia</i>	<i>punctata</i>			(P. Karst.) Murrill
Hymenochaetales	Hymenochaetaceae	DAVFP	UBC	<i>Fomitiporia</i>	<i>robusta</i>			(P. Karst.) Fiasson & Niemelä
Hymenochaetales	Hymenochaetaceae	DAVFP	UBC	<i>Fuscoporia</i>	<i>ferrea</i>			(Pers.) G. Cunn.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Hymenochaetales	Hymenochaetaceae	DAVFP	UBC	<i>Fuscoporia</i>	<i>ferruginosa</i>			(Schrad.) Murrill
Hymenochaetales	Hymenochaetaceae	DAVFP	UBC	<i>Hymenochaete</i>	<i>cinnamomea</i>			(Pers.) Bres.
Hymenochaetales	Hymenochaetaceae	DAVFP	UBC	<i>Hymenochaete</i>	<i>fuliginosa</i>			(Pers.) Lév.
Hymenochaetales	Hymenochaetaceae	DAVFP	UBC	<i>Hymenochaete</i>	<i>rubiginosa</i>			(Dicks.) Lév.
Hymenochaetales	Hymenochaetaceae	DAVFP	UBC	<i>Hymenochaete</i>	<i>spreta</i>			Peck
Hymenochaetales	Hymenochaetaceae	DAVFP	UBC	<i>Hymenochaete</i>	<i>tenuis</i>			Peck
Hymenochaetales	Hymenochaetaceae			<i>Inocutis</i>	<i>rheades</i>			(Pers.) Fiasson & Niemelä
Hymenochaetales	Hymenochaetaceae	DAVFP		<i>Inonotopsis</i>	<i>subiculosa</i>			(Peck) Parmasto
Hymenochaetales	Hymenochaetaceae	DAVFP		<i>Inonotus</i>	<i>cuticularis</i>			(Bull.) P. Karst.
Hymenochaetales	Hymenochaetaceae	DAVFP		<i>Inonotus</i>	<i>glomeratus</i>			(Peck) Murrill
Hymenochaetales	Hymenochaetaceae			<i>Inonotus</i>	<i>leporinus</i>			(Fr.) Gilb. & Ryvarden
Hymenochaetales	Hymenochaetaceae	DAVFP	UBC	<i>Inonotus</i>	<i>obliquus</i>			(Ach. ex Pers.) Pilát
Hymenochaetales	Hymenochaetaceae		UBC	<i>Kurtia</i>	<i>argillacea</i>			(Bres.) Karasiński
Hymenochaetales	Hymenochaetaceae		UBC	<i>Lawrynomyces</i>	<i>capitatus</i>			(J. Erikss. & Å. Strid) Karasiński
Hymenochaetales	Hymenochaetaceae	DAVFP	UBC	<i>Onnia</i>	<i>tomentosa</i>			(Fr.) P. Karst.
Hymenochaetales	Hymenochaetaceae	DAVFP		<i>Phellinidium</i>	<i>ferrugineofuscum</i>			(P. Karst.) Fiasson & Niemelä
Hymenochaetales	Hymenochaetaceae	DAVFP		<i>Phellinidium</i>	<i>sulphurascens</i>			(Pilát) Y.C. Dai
Hymenochaetales	Hymenochaetaceae			<i>Phellinus</i>	<i>chrysoloma</i>			(Fr.) Donk
Hymenochaetales	Hymenochaetaceae			<i>Phellinus</i>	<i>conchatus</i>			(Pers.) Quél.
Hymenochaetales	Hymenochaetaceae			<i>Phellinus</i>	<i>gilvus</i>			(Schwein.) Pat.
Hymenochaetales	Hymenochaetaceae			<i>Phellinus</i>	<i>hartigii</i>			(Allesch. & Schnabl) Pat.
Hymenochaetales	Hymenochaetaceae		UBC	<i>Phellinus</i>	<i>igniarius</i>			(L.) Quél.
Hymenochaetales	Hymenochaetaceae	DAVFP		<i>Phellinus</i>	<i>laevigatus</i>			(P. Karst.) Bourdot & Galzin
Hymenochaetales	Hymenochaetaceae			<i>Phellinus</i>	<i>prunicola</i>			(Murrill) Gilb.
Hymenochaetales	Hymenochaetaceae	DAVFP		<i>Phellinus</i>	<i>repandus</i>			(Overh.) Gilb.
Hymenochaetales	Hymenochaetaceae	DAVFP		<i>Phellinus</i>	<i>tremulae</i>			(Bondartsev) Bondartsev & P.N. Borisov
Hymenochaetales	Hymenochaetaceae		UBC	<i>Phellinus</i>	<i>viticola</i>			(Schwein.) Donk
Hymenochaetales	Hymenochaetaceae	DAVFP	UBC	<i>Phellinus</i>	<i>weiri</i>			(Murrill) Gilb.
Hymenochaetales	Hymenochaetaceae	DAVFP		<i>Phellophilus</i>	<i>nigrolimitatus</i>			(Romell) Niemelä, T. Wagner & M. Fisch.
Hymenochaetales	Hymenochaetaceae	DAVFP	UBC	<i>Porodaedalea</i>	<i>pini</i>			(Brot.) Murrill
Hymenochaetales	Hymenochaetaceae		UBC	<i>Pseudochaete</i>	<i>corrugata</i>			(Fr.) S.H. He & Y.C. Dai
Hymenochaetales	Hymenochaetaceae	DAVFP	UBC	<i>Pseudochaete</i>	<i>tabacina</i>			(Sowerby) T. Wagner & M. Fisch.
Hymenochaetales	Hymenochaetaceae	DAVFP		<i>Pseudoinonotus</i>	<i>dryadeus</i>			(Pers.) T. Wagner & M. Fisch.
Hymenochaetales	Hymenochaetaceae		UBC	<i>Tubulicrinis</i>	<i>angustus</i>			(D.P. Rogers & Weresub) Donk
Hymenochaetales	Hymenochaetaceae		UBC	<i>Tubulicrinis</i>	<i>borealis</i>			J. Erikss.
Hymenochaetales	Hymenochaetaceae		UBC	<i>Tubulicrinis</i>	<i>chaetophorus</i>			(Höhn.) Donk
Hymenochaetales	Hymenochaetaceae		UBC	<i>Tubulicrinis</i>	<i>glebulosus</i>			(Fr.) Donk
Hymenochaetales	Hymenochaetaceae		UBC	<i>Tubulicrinis</i>	<i>sororius</i>			(Bourdot & Galzin) Oberw.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Hymenochaetales	Hymenochaetaceae		UBC	<i>Tubulicrinis</i>	<i>subulatus</i>			(Bourdot & Galzin) Donk
Hymenochaetales	Hymenochaetaceae			<i>Xanthoporia</i>	<i>radiata</i>			(Sowerby) Tura, Zmitr., Wasser, Raats & Nevo
Hymenochaetales	<i>Incertae sedis</i>	DAVFP	UBC	<i>Trichaptum</i>	<i>abietinum</i>			(Dicks.) Ryvarden
Hymenochaetales	<i>Incertae sedis</i>	DAVFP	UBC	<i>Trichaptum</i>	<i>biforme</i>			(Fr.) Ryvarden
Hymenochaetales	<i>Incertae sedis</i>	DAVFP		<i>Trichaptum</i>	<i>fuscoviolaceum</i>			(Ehrenb.) Ryvarden
Hymenochaetales	<i>Incertae sedis</i>	DAVFP		<i>Trichaptum</i>	<i>laricinum</i>			(P. Karst.) Ryvarden
Hymenochaetales	<i>Incertae sedis</i>	DAVFP		<i>Trichaptum</i>	<i>subchartaceum</i>			(Murrill) Ryvarden
Hymenochaetales	Repetobasidiaceae			<i>Repetobasidium</i>	<i>canadense</i>			J. Erikss. & Hjortstam
Hymenochaetales	Repetobasidiaceae			<i>Repetobasidium</i>	<i>conicum</i>			(Oberw.) J. Erikss. & Hjortstam
Hymenochaetales	Repetobasidiaceae			<i>Repetobasidium</i>	<i>macrosporum</i>			(Oberw.) J. Erikss. & Hjortstam
Hymenochaetales	Repetobasidiaceae			<i>Repetobasidium</i>	<i>mirificum</i>			J. Erikss.
Hymenochaetales	Repetobasidiaceae	DAVFP	UBC	<i>Rickenella</i>	<i>fibula</i>			(Bull.) Raithelh.
Hymenochaetales	Repetobasidiaceae		UBC	<i>Rickenella</i>	<i>swartzii</i>			(Fr.) Kuyper
Hymenochaetales	Schizoporaceae	DAVFP		<i>Alutaceodontia</i>	<i>alutacea</i>			(Fr.) Hjortstam & Ryvarden
Hymenochaetales	Schizoporaceae		UBC	<i>Basidioradulum</i>	<i>crustosum</i>			(Pers.) Zmitr., Malyshova & Spirin
Hymenochaetales	Schizoporaceae	DAVFP		<i>Basidioradulum</i>	<i>tuberculatum</i>			(Berk. & M.A. Curtis) Hjortstam
Hymenochaetales	Schizoporaceae			<i>Hyphodontia</i>	<i>abieticola</i>			(Bourdot & Galzin) J. Erikss.
Hymenochaetales	Schizoporaceae		UBC	<i>Hyphodontia</i>	<i>alutaria</i>			(Burt) J. Erikss.
Hymenochaetales	Schizoporaceae	DAVFP	UBC	<i>Hyphodontia</i>	<i>arguta</i>			(Fr.) J. Erikss.
Hymenochaetales	Schizoporaceae	DAVFP		<i>Hyphodontia</i>	<i>barba-jovis</i>			(Bull.) J. Erikss.
Hymenochaetales	Schizoporaceae		UBC	<i>Hyphodontia</i>	<i>cineracea</i>			(Bourdot & Galzin) J. Erikss. & Hjortstam
Hymenochaetales	Schizoporaceae	DAVFP	UBC	<i>Hyphodontia</i>	<i>crustosa</i>			(Pers.) J. Erikss.
Hymenochaetales	Schizoporaceae		UBC	<i>Hyphodontia</i>	<i>floccosa</i>			(Bourdot & Galzin) J. Erikss.
Hymenochaetales	Schizoporaceae	DAVFP		<i>Hyphodontia</i>	<i>hastata</i>			(Litsch.) J. Erikss.
Hymenochaetales	Schizoporaceae			<i>Hyphodontia</i>	<i>latitans</i>			(Bourdot & Galzin) Ginns & M.N.L. Lefebvre
Hymenochaetales	Schizoporaceae	DAVFP		<i>Hyphodontia</i>	<i>pallidula</i>			(Bres.) J. Erikss.
Hymenochaetales	Schizoporaceae	DAVFP	UBC	<i>Hyphodontia</i>	<i>quercina</i>			(Pers.) J. Erikss.
Hymenochaetales	Schizoporaceae			<i>Hyphodontia</i>	<i>radula</i>			(Pers.) Langer & Vesterh.
Hymenochaetales	Schizoporaceae	DAVFP	UBC	<i>Hyphodontia</i>	<i>sambuci</i>			(Pers.) J. Erikss.
Hymenochaetales	Schizoporaceae		UBC	<i>Hyphodontia</i>	<i>spathulata</i>			(Schrad.) Parmasto
Hymenochaetales	Schizoporaceae		UBC	<i>Hyphodontia</i>	<i>subalutacea</i>			(P. Karst.) J. Erikss.
Hymenochaetales	Schizoporaceae	DAVFP	UBC	<i>Schizopora</i>	<i>paradoxa</i>			(Schrad.) Donk
Hymenochaetales	Schizoporaceae		UBC	<i>Xylodon</i>	<i>aspera</i>			(Fr.) Hjortstam & Ryvarden
Hymenochaetales	Schizoporaceae		UBC	<i>Xylodon</i>	<i>brevisetus</i>			(P. Karst.) Hjortstam & Ryvarden
Hymenochaetales	Schizoporaceae		UBC	<i>Xylodon</i>	<i>nespori</i>			(Bres.) Hjortstam & Ryvarden
Hymenochaetales	Schizoporaceae		UBC	<i>Xylodon</i>	<i>sambuci</i>			(Pers.) Tura, Zmitr., Wasser & Spirin
Hypocreales	Bionectriaceae		UBC	<i>Nectriopsis</i>	<i>violacea</i>			(J.C. Schmidt ex Fr.) Maire

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Hypocreales	Clavicipitaceae		UBC	<i>Claviceps</i>	<i>grohii</i>			J.W. Groves
Hypocreales	Clavicipitaceae	DAVFP	UBC	<i>Claviceps</i>	<i>purpurea</i>			(Fr.) Tul.
Hypocreales	Cordycipitaceae	DAVFP	UBC	<i>Cordyceps</i>	<i>militaris</i>			(L.) Fr.
Hypocreales	Hypocreaceae		UBC	<i>Hypocrea</i>	<i>aureoviridis</i>			Plowr. & Cooke
Hypocreales	Hypocreaceae		UBC	<i>Hypocrea</i>	<i>citrina</i>			(Pers.) Fr.
Hypocreales	Hypocreaceae		UBC	<i>Hypocrea</i>	<i>gelatinosa</i>			(Tode) Fr.
Hypocreales	Hypocreaceae		UBC	<i>Hypocrea</i>	<i>moravica</i>			Petr.
Hypocreales	Hypocreaceae		UBC	<i>Hypocrea</i>	<i>pulvinata</i>			Fuckel
Hypocreales	Hypocreaceae		UBC	<i>Hypocrea</i>	<i>rufa</i>			(Pers.) Fr.
Hypocreales	Hypocreaceae	DAVFP	UBC	<i>Hypomyces</i>	<i>aurantius</i>			(Pers.) Fuckel
Hypocreales	Hypocreaceae	DAVFP	UBC	<i>Hypomyces</i>	<i>cervinogenus</i>			Rogerson & Simms
Hypocreales	Hypocreaceae	DAVFP	UBC	<i>Hypomyces</i>	<i>chrysospermus</i>			Tul. & C. Tul.
Hypocreales	Hypocreaceae	DAVFP	UBC	<i>Hypomyces</i>	<i>lactifluorum</i>			(Schwein.) Tul. & C. Tul.
Hypocreales	Hypocreaceae		UBC	<i>Hypomyces</i>	<i>lateritius</i>			(Fr.) Tul. & C. Tul.
Hypocreales	Hypocreaceae	DAVFP	UBC	<i>Hypomyces</i>	<i>luteovirens</i>			(Fr.) Tul. & C. Tul.
Hypocreales	Hypocreaceae			<i>Hypomyces</i>	<i>odoratus</i>			G.R.W. Arnold
Hypocreales	Hypocreaceae	DAVFP		<i>Hypomyces</i>	<i>rosellus</i>			(Alb. & Schwein.) Tul. & C. Tul.
Hypocreales	Hypocreaceae	DAVFP	UBC	<i>Podostroma</i>	<i>alutaceum</i>			(Pers.) G.F. Atk.
Hypocreales	Hypocreaceae			<i>Protocrea</i>	<i>farinosa</i>			(Berk. & Broome) Petch
Hypocreales	<i>Incertae sedis</i>	DAVFP	UBC	<i>Stilbella</i>	<i>byssidea</i>			(Pers.) Seifert
Hypocreales	<i>Incertae sedis</i>		UBC	<i>Tilachlidium</i>	<i>brachiatum</i>			(Batsch) Petch
Hypocreales	Nectriaceae		UBC	<i>Calonectria</i>	<i>pyrochroa</i>			(Desm.) Sacc.
Hypocreales	Nectriaceae		UBC	<i>Nectria</i>	<i>cinnabarina</i>			(Tode) Fr.
Hypocreales	Nectriaceae		UBC	<i>Neonectria</i>	<i>coccinea</i>			(Pers.) Rossman & Samuels
Hypocreales	Nectriaceae		UBC	<i>Neonectria</i>	<i>fuckeliana</i>			(C. Booth) Castl. & Rossman
Hypocreales	Ophiocordycipitaceae	DAVFP	UBC	<i>Elaphocordyceps</i>	<i>capitata</i>			(Holmsk.) G.H. Sung, J.M. Sung & Spatafora
Hypocreales	Ophiocordycipitaceae		UBC	<i>Elaphocordyceps</i>	<i>ophioglossoides</i>			(Ehrh.) G.H. Sung, J.M. Sung & Spatafora
Hypocreales	Ophiocordycipitaceae	DAVFP		<i>Ophiocordyceps</i>	<i>myrmecophila</i>			(Ces.) G.H. Sung, J.M. Sung, Hywel-Jones & Spatafora
Hypocreales	Ophiocordycipitaceae		UBC	<i>Ophiocordyceps</i>	<i>ravenelii</i>			(Berk. & M.A. Curtis) G.H. Sung, J.M. Sung, Hywel-Jones & Spatafora
Hysterangiales	Hysterangiaceae			<i>Hysterangium</i>	<i>coriaceum</i>			R. Hesse
Hysterangiales	Hysterangiaceae			<i>Hysterangium</i>	<i>epiroticum</i>			Pacioni
Hysterangiales	Hysterangiaceae		UBC	<i>Hysterangium</i>	<i>separabile</i>			Zeller
Hysterangiales	Phallogastraceae			<i>Phallogaster</i>	<i>saccatus</i>			Morgan
Hysteriales	Hysteriaceae		UBC	<i>Oedohysterium</i>	<i>insidens</i>			(Schwein.) E.W.A. Boehm & C.L. Schoch
<i>Incertae sedis</i>	Amylocorticiaceae	DAVFP		<i>Amyloathelia</i>	<i>amylacea</i>			(Bourdot & Galzin) Hjortstam & Ryvarden

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
<i>Incertae sedis</i>	Amylocorticiaceae	DAVFP		<i>Amylocorticium</i>	<i>cebennense</i>			(Bourdot) Pouzar
<i>Incertae sedis</i>	Amylocorticiaceae	DAVFP		<i>Amylocorticium</i>	<i>subincarnatum</i>			(Peck) Pouzar
<i>Incertae sedis</i>	Amylocorticiaceae			<i>Amylocorticium</i>	<i>subsulphureum</i>			(P. Karst.) Pouzar
<i>Incertae sedis</i>	Amylocorticiaceae			<i>Amyloxytenasma</i>	<i>rallum</i>			(H.S. Jacks.) Hjortstam & Ryvarden
<i>Incertae sedis</i>	Amylocorticiaceae	DAVFP	UBC	<i>Ceraceomyces</i>	<i>borealis</i>			(Romell) J. Erikss. & Ryvarden
<i>Incertae sedis</i>	Amylocorticiaceae	DAVFP		<i>Ceraceomyces</i>	<i>serpens</i>			(Tode) Ginns 1976
<i>Incertae sedis</i>	Amylocorticiaceae			<i>Ceraceomyces</i>	<i>sublaevis</i>			(Bres.) Jülich
<i>Incertae sedis</i>	Amylocorticiaceae			<i>Ceraceomyces</i>	<i>sulphurinus</i>			(P. Karst.) J. Erikss. & Ryvarden
<i>Incertae sedis</i>	Amylocorticiaceae	DAVFP		<i>Ceraceomyces</i>	<i>tessulatus</i>			(Cooke) Jülich
<i>Incertae sedis</i>	<i>Incertae sedis</i>	DAVFP	UBC	<i>Alloclavaria</i>	<i>purpurea</i>			(Fr.) Dentinger & D.J. McLaughlin
<i>Incertae sedis</i>	<i>Incertae sedis</i>	DAVFP	UBC	<i>Cotylidia</i>	<i>diaphana</i>			(Schwein.) Lentz
<i>Incertae sedis</i>	<i>Incertae sedis</i>	DAVFP	UBC	<i>Cyphellostereum</i>	<i>laeve</i>			(Fr.) D.A. Reid
<i>Incertae sedis</i>	<i>Incertae sedis</i>	DAVFP	UBC	<i>Gloeohypochnicum</i>	<i>analogum</i>			(Bourdot & Galzin) Hjortstam
<i>Incertae sedis</i>	<i>Incertae sedis</i>		UBC	<i>Hysterographium</i>	<i>flexuosum</i>			(Schwein.) Sacc.
<i>Incertae sedis</i>	<i>Incertae sedis</i>		UBC	<i>Hysterographium</i>	<i>fraxini</i>			(Pers.) De Not.
<i>Incertae sedis</i>	<i>Incertae sedis</i>	DAVFP	UBC	<i>Intextomyces</i>	<i>contiguus</i>			(P. Karst.) J. Erikss. & Ryvarden
<i>Incertae sedis</i>	<i>Incertae sedis</i>		UBC	<i>Loreleia</i>	<i>marchantiae</i>			(Singer & Clémenton) Redhead, Moncalvo, Vilgalys & Lutzeni
<i>Incertae sedis</i>	<i>Incertae sedis</i>			<i>Odonticium</i>	<i>romellii</i>			(S. Lundell) Parmasto
<i>Incertae sedis</i>	<i>Incertae sedis</i>	DAVFP		<i>Oxyporus</i>	<i>corticola</i>			(Fr.) Ryvarden
<i>Incertae sedis</i>	<i>Incertae sedis</i>	DAVFP	UBC	<i>Oxyporus</i>	<i>cuneatus</i>			(Murrill) Aoshima
<i>Incertae sedis</i>	<i>Incertae sedis</i>		UBC	<i>Oxyporus</i>	<i>latemarginatus</i>			(Durieu & Mont.) Donk
<i>Incertae sedis</i>	<i>Incertae sedis</i>			<i>Oxyporus</i>	<i>populinus</i>			(Schumach.) Donk
<i>Incertae sedis</i>	<i>Incertae sedis</i>	DAVFP	UBC	<i>Oxyporus</i>	<i>similis</i>			(Bres.) Ryvarden
<i>Incertae sedis</i>	<i>Incertae sedis</i>	DAVFP	UBC	<i>Pachycudonia</i>	<i>monticola</i>			(Mains) S. Imai
<i>Incertae sedis</i>	<i>Incertae sedis</i>		UBC	<i>Peniophorella</i>	<i>guttulifera</i>			(P. Karst.) K.H. Larss.
<i>Incertae sedis</i>	<i>Incertae sedis</i>	DAVFP		<i>Peniophorella</i>	<i>pallida</i>			(Bres.) K.H. Larss.
<i>Incertae sedis</i>	<i>Incertae sedis</i>	DAVFP	UBC	<i>Peniophorella</i>	<i>praetermissa</i>			(P. Karst.) K.H. Larss.
<i>Incertae sedis</i>	<i>Incertae sedis</i>	DAVFP	UBC	<i>Peniophorella</i>	<i>pubera</i>			(Fr.) P. Karst.
<i>Incertae sedis</i>	<i>Incertae sedis</i>	DAVFP	UBC	<i>Resinicium</i>	<i>bicolor</i>			(Alb. & Schwein.) Parmasto
<i>Incertae sedis</i>	<i>Incertae sedis</i>	DAVFP		<i>Resinicium</i>	<i>furfuraceum</i>			(Bres.) Parmasto
<i>Incertae sedis</i>	<i>Incertae sedis</i>			<i>Resinicium</i>	<i>praeteritum</i>			(H.S. Jacks. & Dearden) Ginns &
								M.N.L. Lefebvre
								(Parmasto) Audet
<i>Incertae sedis</i>	<i>Incertae sedis</i>		UBC	<i>Xanthoporus</i>	<i>syringae</i>			
Mycocaliciales	Mycocaliciaceae		UBC	<i>Chaenothecopsis</i>	<i>nigripunctata</i>			Rikkinen
Mycocaliciales	Mycocaliciaceae		UBC	<i>Chaenothecopsis</i>	<i>tsugae</i>			Rikkinen
Naohideales	<i>Incertae sedis</i>		UBC	<i>Naohidea</i>	<i>sebacea</i>			(Berk. & Broome) Oberw.
Neolctales	Neolctaceae	DAVFP	UBC	<i>Neolcta</i>	<i>vitellina</i>			(Bres.) Korf & J.K. Rogers
Onygenales	Onygenaceae		UBC	<i>Onygena</i>	<i>corvina</i>			Alb. & Schwein.
Onygenales	Onygenaceae	DAVFP	UBC	<i>Onygena</i>	<i>equina</i>			(Willd.) Pers.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Orbiliales	Orbiliaceae		UBC	<i>Hyalorbilia</i>	<i>inflatula</i>			(P. Karst.) Baral & G. Marson
Orbiliales	Orbiliaceae		UBC	<i>Orbilia</i>	<i>delicatula</i>			(P. Karst.) P. Karst.
Orbiliales	Orbiliaceae		UBC	<i>Orbilia</i>	<i>leucostigma</i>			(Fr.) Fr.
Orbiliales	Orbiliaceae		UBC	<i>Orbilia</i>	<i>luteorubella</i>			(Nyl.) P. Karst.
Orbiliales	Orbiliaceae		UBC	<i>Orbilia</i>	<i>sarraziniana</i>			Boud.
Orbiliales	Orbiliaceae		UBC	<i>Orbilia</i>	<i>xanthostigma</i>			(Fr.) Fr.
Ostropales	Stictidaceae		UBC	<i>Stictis</i>	<i>radiata</i>			(L.) Pers.
Pezizales	Ascobolaceae		UBC	<i>Ascobolus</i>	<i>furfuraceus</i>			Pers.
Pezizales	Ascobolaceae		UBC	<i>Ascobolus</i>	<i>hansennii</i>			M.D. Paulsen & Dissing
Pezizales	Ascobolaceae		UBC	<i>Ascobolus</i>	<i>stercorarius</i>			(Bull.) J. Schröt.
Pezizales	Ascodesmidaceae		UBC	<i>Lasiobiolus</i>	<i>cuniculi</i>			Velen.
Pezizales	Chorioactidaceae	DAVFP	UBC	<i>Neournula</i>	<i>pouchetii</i>			(Berthet & Riousset) Paden
Pezizales	Chorioactidaceae	DAVFP	UBC	<i>Pseudosarcosoma</i>	<i>latahense</i>			(Paden & Tylutki) M. Carbone, Agnello & P. Alvarado
Pezizales	Discinaceae	DAVFP	UBC	<i>Discina</i>	<i>ancilis</i>			(Pers.) Sacc.
Pezizales	Discinaceae	DAVFP	UBC	<i>Discina</i>	<i>caroliniana</i>			(Bosc) Eckblad
Pezizales	Discinaceae	DAVFP		<i>Discina</i>	<i>melaleuca</i>			Bres.
Pezizales	Discinaceae		UBC	<i>Discina</i>	<i>montana</i>			(Harmaja) Ginns
Pezizales	Discinaceae	DAVFP	UBC	<i>Gyromitra</i>	<i>ambigua</i>			(P. Karst.) Harmaja
Pezizales	Discinaceae			<i>Gyromitra</i>	<i>columbiana</i>			Harmaja
Pezizales	Discinaceae	DAVFP	UBC	<i>Gyromitra</i>	<i>esculenta</i>			(Pers.) Fr.
Pezizales	Discinaceae		UBC	<i>Gyromitra</i>	<i>fluctuans</i>			(Nyl.) Harmaja
Pezizales	Discinaceae	DAVFP	UBC	<i>Gyromitra</i>	<i>infula</i>			(Schaeff.) Quél.
Pezizales	Discinaceae	DAVFP	UBC	<i>Gyromitra</i>	<i>leucoxantha</i>			(Bres.) Harmaja
Pezizales	Discinaceae			<i>Gyromitra</i>	<i>macrospora</i>			(Bubák) Harmaja
Pezizales	Discinaceae	DAVFP		<i>Gyromitra</i>	<i>melaleuroides</i>			(Seaver) Pfister
Pezizales	Discinaceae			<i>Gyromitra</i>	<i>olympiana</i>			(Kanouse) Harmaja
Pezizales	Discinaceae		UBC	<i>Gyromitra</i>	<i>recurva</i>			(Snyder) Harmaja
Pezizales	Discinaceae			<i>Hydnotrya</i>	<i>cerebriformis</i>			Harkn.
Pezizales	Discinaceae		UBC	<i>Hydnotrya</i>	<i>cubispora</i>			(E.A. Bessey & B.E. Thomps.) Gilkey
Pezizales	Discinaceae	DAVFP	UBC	<i>Hydnotrya</i>	<i>variiformis</i>			Gilkey
Pezizales	Discinaceae		UBC	<i>Pseudorhizina</i>	<i>californica</i>			(W. Phillips) Harmaja
Pezizales	Discinaceae			<i>Pseudorhizina</i>	<i>sphaerospora</i>			(Peck) Pouzar
Pezizales	Helvellaceae		UBC	<i>Helvella</i>	<i>acetabulum</i>			(L.) Quél.
Pezizales	Helvellaceae		UBC	<i>Helvella</i>	<i>albella</i>			Quél.
Pezizales	Helvellaceae			<i>Helvella</i>	<i>atra</i>			J. König
Pezizales	Helvellaceae		UBC	<i>Helvella</i>	<i>compressa</i>			(Snyder) N.S. Weber
Pezizales	Helvellaceae		UBC	<i>Helvella</i>	<i>corium</i>			(O. Weberb.) Massee
Pezizales	Helvellaceae			<i>Helvella</i>	<i>crassitunicata</i>			N.S. Weber
Pezizales	Helvellaceae		UBC	<i>Helvella</i>	<i>crispa</i>			(Scop.) Fr.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Pezizales	Helvellaceae		UBC	<i>Helvella</i>	<i>dissingii</i>			Korf
Pezizales	Helvellaceae		UBC	<i>Helvella</i>	<i>elastica</i>			Bull.
Pezizales	Helvellaceae		UBC	<i>Helvella</i>	<i>griseoalba</i>			N.S. Weber
Pezizales	Helvellaceae		UBC	<i>Helvella</i>	<i>lacunosa</i>			Afzel.
Pezizales	Helvellaceae	DAVFP	UBC	<i>Helvella</i>	<i>latispora</i>			Boud.
Pezizales	Helvellaceae		UBC	<i>Helvella</i>	<i>leucomelaena</i>			(Pers.) Nannf.
Pezizales	Helvellaceae		UBC	<i>Helvella</i>	<i>macropus</i>			(Pers.) P. Karst.
Pezizales	Helvellaceae		UBC	<i>Helvella</i>	<i>maculata</i>			N.S. Weber
Pezizales	Helvellaceae		UBC	<i>Helvella</i>	<i>queletii</i>			Bres.
Pezizales	Helvellaceae		UBC	<i>Helvella</i>	<i>solitaria</i>			P. Karst.
Pezizales	Helvellaceae		UBC	<i>Helvella</i>	<i>vespertina</i>			N.H. Nguyen & Vellinga
Pezizales	Helvellaceae	DAVFP	UBC	<i>Picoa</i>	<i>carthusiana</i>			Tul. & C. Tul.
Pezizales	Helvellaceae			<i>Wynnella</i>	<i>silvicola</i>			(Beck) Nannf.
Pezizales	Morchellaceae		UBC	<i>Mitrophora</i>	<i>semilibera</i>			(DC.) Lév.
Pezizales	Morchellaceae		UBC	<i>Morchella</i>	<i>americana</i>			Clowez & Matherly
Pezizales	Morchellaceae	DAVFP	UBC	<i>Morchella</i>	<i>angusticeps</i>			Peck
Pezizales	Morchellaceae		UBC	<i>Morchella</i>	<i>conica</i>			Krombh.
Pezizales	Morchellaceae		UBC	<i>Morchella</i>	<i>costata</i>			(Vent.) Pers.
Pezizales	Morchellaceae	DAVFP		<i>Morchella</i>	<i>crassipes</i>			(Vent.) Pers.
Pezizales	Morchellaceae	DAVFP	UBC	<i>Morchella</i>	<i>deliciosa</i>			Fr.
Pezizales	Morchellaceae	DAVFP	UBC	<i>Morchella</i>	<i>elata</i>			Fr.
Pezizales	Morchellaceae	DAVFP	UBC	<i>Morchella</i>	<i>esculenta</i>			(L.) Pers.
Pezizales	Morchellaceae		UBC	<i>Morchella</i>	<i>frustrata</i>			M. Kuo
Pezizales	Morchellaceae		UBC	<i>Morchella</i>	<i>snyderi</i>			M. Kuo & Methven
Pezizales	Morchellaceae	DAVFP	UBC	<i>Verpa</i>	<i>bohemica</i>			(Krombh.) J. Schröt.
Pezizales	Morchellaceae	DAVFP	UBC	<i>Verpa</i>	<i>conica</i>			(O.F. Müll.) Sw.
Pezizales	Pezizaceae		UBC	<i>Iodophanus</i>	<i>carneus</i>			(Pers.) Korf
Pezizales	Pezizaceae		UBC	<i>Peziza</i>	<i>apiculata</i>			Cooke
Pezizales	Pezizaceae	DAVFP	UBC	<i>Peziza</i>	<i>arvernensis</i>			Roze & Boud.
Pezizales	Pezizaceae	DAVFP	UBC	<i>Peziza</i>	<i>badia</i>			Pers.
Pezizales	Pezizaceae		UBC	<i>Peziza</i>	<i>brunneatra</i>			Desm.
Pezizales	Pezizaceae		UBC	<i>Peziza</i>	<i>domiciliana</i>			Cooke
Pezizales	Pezizaceae		UBC	<i>Peziza</i>	<i>echinospora</i>			P. Karst.
Pezizales	Pezizaceae			<i>Peziza</i>	<i>howsei</i>			Cooke
Pezizales	Pezizaceae		UBC	<i>Peziza</i>	<i>nivalis</i>			(Heim et Remy) Moser
Pezizales	Pezizaceae	DAVFP		<i>Peziza</i>	<i>ostracoderma</i>			Korf
Pezizales	Pezizaceae			<i>Peziza</i>	<i>petersii</i>			Berk.
Pezizales	Pezizaceae	DAVFP		<i>Peziza</i>	<i>phyllogena</i>			Cooke
Pezizales	Pezizaceae	DAVFP	UBC	<i>Peziza</i>	<i>praetervisa</i>			Bres.
Pezizales	Pezizaceae	DAVFP	UBC	<i>Peziza</i>	<i>repanda</i>			Wahlenb.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Pezizales	Pezizaceae			<i>Peziza</i>	<i>sepiatra</i>			Cooke
Pezizales	Pezizaceae	DAVFP	UBC	<i>Peziza</i>	<i>succosa</i>			Berk.
Pezizales	Pezizaceae		UBC	<i>Peziza</i>	<i>varia</i>			(Hedw.) Alb. & Schwein.
Pezizales	Pezizaceae		UBC	<i>Peziza</i>	<i>vesiculosa</i>			Bull.
Pezizales	Pezizaceae	DAVFP	UBC	<i>Peziza</i>	<i>violacea</i>			Pers.
Pezizales	Pezizaceae		UBC	<i>Plicaria</i>	<i>endocarpoides</i>			(Berk.) Rifai
Pezizales	Pezizaceae			<i>Sarcosphaera</i>	<i>ammophila</i>			(Sacc.) Moesz
Pezizales	Pezizaceae	DAVFP	UBC	<i>Sarcosphaera</i>	<i>coronaria</i>			(Jacq.) J. Schröt.
Pezizales	Pyronemataceae	DAVFP	UBC	<i>Aleuria</i>	<i>aurantia</i>			(Pers.) Fuckel
Pezizales	Pyronemataceae		UBC	<i>Byssonectria</i>	<i>fusispora</i>			(Berk.) Rogerson & Korf
Pezizales	Pyronemataceae		UBC	<i>Cheilymenia</i>	<i>fimicola</i>			(Bagl.) Dennis
Pezizales	Pyronemataceae		UBC	<i>Cheilymenia</i>	<i>raripila</i>			(Phillips) Dennis
Pezizales	Pyronemataceae			<i>Genea</i>	<i>gardneri</i>			Gilkey
Pezizales	Pyronemataceae		UBC	<i>Geopora</i>	<i>arenosa</i>			(Fuckel) S. Ahmad
Pezizales	Pyronemataceae		UBC	<i>Geopora</i>	<i>cooperi</i>			Harkn.
Pezizales	Pyronemataceae	DAVFP	UBC	<i>Geopyxis</i>	<i>carbonaria</i>			(Alb. & Schwein.) Sacc.
Pezizales	Pyronemataceae		UBC	<i>Geopyxis</i>	<i>vulcanalis</i>			(Peck) Sacc.
Pezizales	Pyronemataceae			<i>Gilkeya</i>	<i>compacta</i>			(Harkn.) M.E. Sm. & Trappe
Pezizales	Pyronemataceae	DAVFP	UBC	<i>Humaria</i>	<i>hemisphaerica</i>			(F.H. Wigg.) Fuckel
Pezizales	Pyronemataceae			<i>Lamprospora</i>	<i>ammophila</i>			(Saut.) Boud.
Pezizales	Pyronemataceae	DAVFP	UBC	<i>Lamprospora</i>	<i>trachycarpa</i>			(Curr.) Seaver
Pezizales	Pyronemataceae			<i>Melastiza</i>	<i>chateri</i>			(W.G. Sm.) Boud.
Pezizales	Pyronemataceae		UBC	<i>Otidea</i>	<i>alutacea</i>			(Pers.) Massee
Pezizales	Pyronemataceae	DAVFP	UBC	<i>Otidea</i>	<i>kauffmanii</i>			Kanouse
Pezizales	Pyronemataceae	DAVFP	UBC	<i>Otidea</i>	<i>leporina</i>			(Batsch) Fuckel
Pezizales	Pyronemataceae	DAVFP	UBC	<i>Otidea</i>	<i>onotica</i>			(Pers.) Fuckel
Pezizales	Pyronemataceae	DAVFP	UBC	<i>Otidea</i>	<i>smithii</i>			Kanouse
Pezizales	Pyronemataceae		UBC	<i>Paratrichophaea</i>	<i>boudieri</i>			(Grélet) Bronckers
Pezizales	Pyronemataceae		UBC	<i>Pseudombrophila</i>	<i>cervaria</i>			(W. Phillips) Brumm.
Pezizales	Pyronemataceae		UBC	<i>Pseudombrophila</i>	<i>theiroleuca</i>			Rolland
Pezizales	Pyronemataceae		UBC	<i>Pulvinula</i>	<i>archeri</i>			(Berk.) Rifai
Pezizales	Pyronemataceae			<i>Rhodotarzetta</i>	<i>rosea</i>			(Rea) Dissing & Sivertsen
Pezizales	Pyronemataceae	DAVFP	UBC	<i>Scutellinia</i>	<i>scutellata</i>			(L.) Lambotte
Pezizales	Pyronemataceae	DAVFP	UBC	<i>Scutellinia</i>	<i>umbrorum</i>			(Fr.) Lambotte
Pezizales	Pyronemataceae		UBC	<i>Sowerbyella</i>	<i>rhenana</i>			(Fuckel) J. Moravec
Pezizales	Pyronemataceae		UBC	<i>Tarzetta</i>	<i>catinus</i>			(Holmsk.) Korf & J.K. Rogers
Pezizales	Pyronemataceae		UBC	<i>Tarzetta</i>	<i>cupularis</i>			(L.) Svrček
Pezizales	Pyronemataceae		UBC	<i>Tricharina</i>	<i>gilva</i>			(Boud. ex Cooke) Eckblad
Pezizales	Pyronemataceae		UBC	<i>Tricharina</i>	<i>ochroleuca</i>			(Bres.) Eckblad
Pezizales	Pyronemataceae		UBC	<i>Trichophaea</i>	<i>abundans</i>			(P. Karst.) Boud.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Pezizales	Pyronemataceae		UBC	<i>Trichophaea</i>	<i>hybrida</i>			(Sowerby) T. Schumach.
Pezizales	Pyronemataceae		UBC	<i>Wilcoxina</i>	<i>rehmii</i>			Chin S. Yang & Korf
Pezizales	Rhizinaceae	DAVFP	UBC	<i>Rhizina</i>	<i>undulata</i>			(Fr.) Ricken
Pezizales	Sarcoscyphaceae		UBC	<i>Pithya</i>	<i>cupressina</i>			(Fr.) Fuckel
Pezizales	Sarcoscyphaceae	DAVFP	UBC	<i>Pithya</i>	<i>vulgaris</i>			Fuckel
Pezizales	Sarcoscyphaceae	DAVFP	UBC	<i>Sarcoscypha</i>	<i>coccinea</i>			(Gray) Boud.
Pezizales	Sarcosomataceae	DAVFP	UBC	<i>Plectania</i>	<i>melaena</i>			(Fr.) Paden
Pezizales	Sarcosomataceae	DAVFP	UBC	<i>Plectania</i>	<i>melastoma</i>			(Sowerby) Fuckel
Pezizales	Sarcosomataceae		UBC	<i>Plectania</i>	<i>milleri</i>			Paden & Tylutki
Pezizales	Sarcosomataceae	DAVFP	UBC	<i>Plectania</i>	<i>nannfeldtii</i>			Korf
Pezizales	Sarcosomataceae	DAVFP	UBC	<i>Pseudoplectania</i>	<i>nigrella</i>			(Pers.) Fuckel
Pezizales	Sarcosomataceae		UBC	<i>Pseudoplectania</i>	<i>vogesai</i>			Seaver
Pezizales	Sarcosomataceae	DAVFP	UBC	<i>Urnula</i>	<i>mexicanum</i>			(Ellis & Holw.) M. Carbone, Agnello, A.D. Parker & P. Alvarado
Pezizales	Sarcosomataceae		UBC	<i>Urnula</i>	<i>padeniana</i>			M. Carbone, Agnello, A.D. Parker & P. Alvarado
Pezizales	Tuberaceae			<i>Tuber</i>	<i>aestivum</i>			Vittad.
Pezizales	Tuberaceae		UBC	<i>Tuber</i>	<i>anniae</i>			W. Colgan & Trappe
Pezizales	Tuberaceae			<i>Tuber</i>	<i>besseyi</i>			Gilkey
Pezizales	Tuberaceae		UBC	<i>Tuber</i>	<i>beyeleri</i>			Trappe, Bonito & Guevara
Pezizales	Tuberaceae			<i>Tuber</i>	<i>borchii</i>			Vittad.
Pezizales	Tuberaceae	DAVFP		<i>Tuber</i>	<i>gibbosum</i>			Harkn.
Pezizales	Tuberaceae			<i>Tuber</i>	<i>melanosporum</i>			Vittad.
Pezizales	Tuberaceae		UBC	<i>Tuber</i>	<i>oligospermum</i>			(Tul. & C. Tul.) Trappe
Pezizales	Tuberaceae			<i>Tuber</i>	<i>oregonense</i>			Trappe, Bonito & P. Rawl.
Pezizales	Tuberaceae		UBC	<i>Tuber</i>	<i>rapaeodorum</i>			Tul. & C. Tul.
Pezizales	Tuberaceae		UBC	<i>Tuber</i>	<i>uncinatum</i>			Chatin
Phallales	Phallaceae			<i>Clathrus</i>	<i>ruber</i>			P. Michel ex Pers.
Phallales	Phallaceae		UBC	<i>Dictyophora</i>	<i>duplicata</i>			(Bosc) E. Fisch.
Phallales	Phallaceae		UBC	<i>Lysurus</i>	<i>borealis</i>			(Burt) P. Henn.
Phallales	Phallaceae			<i>Lysurus</i>	<i>cruciatus</i>			(Lepr. & Mont.) Henn.
Phallales	Phallaceae	DAVFP	UBC	<i>Lysurus</i>	<i>gardneri</i>			Berk.
Phallales	Phallaceae	DAVFP		<i>Lysurus</i>	<i>periphragmoides</i>			(Klotzsch) Dring
Phallales	Phallaceae	DAVFP	UBC	<i>Mutinus</i>	<i>caninus</i>			(Huds.) Fr.
Phallales	Phallaceae		UBC	<i>Phallus</i>	<i>impudicus</i>			L.
Platygloeales	Eocronartiaceae		UBC	<i>Eocronartium</i>	<i>muscolica</i>			(Pers.) Fitzp.
Platygloeales	Platygloeaceae			<i>Platygloea</i>	<i>pustulata</i>			G.W. Martin & Cain
Pleosporales	Amniculicolaceae		UBC	<i>Pseudomassariosphaeria</i>	<i>grandispora</i>			(Sacc.) Phukhamsakda, Ariyawansa & K.D. Hyde
Pleosporales	Cucurbitariaceae		UBC	<i>Cucurbitaria</i>	<i>berberidis</i>			(Pers.) Gray

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Pleosporales	Cucurbitariaceae		UBC	<i>Cucurbitaria</i>	<i>spartii</i>			(Nees ex Fr.) Ces. & De Not.
Pleosporales	Leptosphaeriaceae		UBC	<i>Leptosphaeria</i>	<i>acuta</i>			(Fuckel) Karst.
Pleosporales	Leptosphaeriaceae		UBC	<i>Leptosphaeria</i>	<i>eustoma</i>			(Fr.) Sacc.
Polyporales	Cystostereaceae	DAVFP		<i>Crustomyces</i>	<i>expallens</i>			(Bres.) Hjortstam
Polyporales	Cystostereaceae	DAVFP	UBC	<i>Crustomyces</i>	<i>subabruptus</i>			(Bourdot & Galzin) Jülich
Polyporales	Cystostereaceae			<i>Cystostereum</i>	<i>murrayi</i>			(Berk. & M.A. Curtis) Pouzar
Polyporales	Cystostereaceae	DAVFP		<i>Cystostereum</i>	<i>pini-canadense</i>			(Schwein.) Parmasto
Polyporales	Fomitopsidaceae	DAVFP		<i>Amylocystis</i>	<i>lapponicus</i>			(Romell) Bondartsev & Singer ex Singer
Polyporales	Fomitopsidaceae	DAVFP		<i>Anomoloma</i>	<i>albolutescens</i>			(Romell) Niemelä & K.H. Larss.
Polyporales	Fomitopsidaceae	DAVFP		<i>Anomoloma</i>	<i>myceliosum</i>			(Peck) Niemelä & K.H. Larss.
Polyporales	Fomitopsidaceae			<i>Anomoporia</i>	<i>bombycinia</i>			(Fr.) Pouzar
Polyporales	Fomitopsidaceae			<i>Antrodia</i>	<i>albida</i>			(Fr.) Donk
Polyporales	Fomitopsidaceae	DAVFP		<i>Antrodia</i>	<i>alborbrunnea</i>			(Romell) Ryvarden
Polyporales	Fomitopsidaceae	DAVFP	UBC	<i>Antrodia</i>	<i>carbonica</i>			(Overh.) Ryvarden & Gilb.
Polyporales	Fomitopsidaceae		UBC	<i>Antrodia</i>	<i>crassa</i>			(P. Karst.) Ryvarden
Polyporales	Fomitopsidaceae			<i>Antrodia</i>	<i>ferox</i> ?			(Long & D.V. Baxter) Gilb. & Ryvarden
Polyporales	Fomitopsidaceae			<i>Antrodia</i>	<i>gossypium</i>			(Speg.) Ryvarden
Polyporales	Fomitopsidaceae			<i>Antrodia</i>	<i>heteromorpha</i>			(Fr.) Donk
Polyporales	Fomitopsidaceae		UBC	<i>Antrodia</i>	<i>malicola</i>			(Berk. & M.A. Curtis) Donk
Polyporales	Fomitopsidaceae	DAVFP	UBC	<i>Antrodia</i>	<i>serialis</i>			(Fr.) Donk
Polyporales	Fomitopsidaceae	DAVFP		<i>Antrodia</i>	<i>sinuosa</i>			(Fr.) P. Karst.
Polyporales	Fomitopsidaceae			<i>Antrodia</i>	<i>sitchensis</i>			(D.V. Baxter) Gilb. & Ryvarden
Polyporales	Fomitopsidaceae	DAVFP		<i>Antrodia</i>	<i>sordida</i>			Ryvarden & Gilb.
Polyporales	Fomitopsidaceae			<i>Antrodia</i>	<i>vaillantii</i>			(DC.) Parmasto
Polyporales	Fomitopsidaceae	DAVFP		<i>Antrodia</i>	<i>variiformis</i>			(Peck) Donk
Polyporales	Fomitopsidaceae	DAVFP		<i>Antrodia</i>	<i>xantha</i>			(Fr.) Ryvarden
Polyporales	Fomitopsidaceae	DAVFP		<i>Auriporia</i>	<i>aurea</i>			(Peck) Ryvarden
Polyporales	Fomitopsidaceae	DAVFP	UBC	<i>Climacocystis</i>	<i>borealis</i>			(Fr.) Kotl. & Pouzar
Polyporales	Fomitopsidaceae	DAVFP	UBC	<i>Dacryobolus</i>	<i>karstenii</i>			(Bres.) Oberw. ex Parmasto
Polyporales	Fomitopsidaceae	DAVFP	UBC	<i>Dacryobolus</i>	<i>sudans</i>			(Alb. & Schwein.) Fr.
Polyporales	Fomitopsidaceae	DAVFP	UBC	<i>Fomitopsis</i>	<i>cajanderi</i>			(P. Karst.) Kotl. & Pouzar
Polyporales	Fomitopsidaceae	DAVFP	UBC	<i>Fomitopsis</i>	<i>officinalis</i>			(Vill.) Bondartsev & Singer
Polyporales	Fomitopsidaceae	DAVFP	UBC	<i>Fomitopsis</i>	<i>pinicola</i>			(Sw.) P. Karst.
Polyporales	Fomitopsidaceae	DAVFP		<i>Fomitopsis</i>	<i>rosea</i>			(Alb. & Schwein.) P. Karst.
Polyporales	Fomitopsidaceae		UBC	<i>Gilbertsonia</i>	<i>angulopora</i>			(M.J. Larsen & Lombard) Parmasto
Polyporales	Fomitopsidaceae		UBC	<i>Ischnoderma</i>	<i>benzoinum</i>			(Wahlenb.) Karst.
Polyporales	Fomitopsidaceae	DAVFP	UBC	<i>Ischnoderma</i>	<i>resinosum</i>			(Schrad.) P. Karst.
Polyporales	Fomitopsidaceae	DAVFP	UBC	<i>Laetiporus</i>	<i>conifericola</i>			Burds. & Banik
Polyporales	Fomitopsidaceae			<i>Oligoporus</i>	<i>balsaminus</i>			(Niemelä & Y.C. Dai) Niemelä

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Polyporales	Fomitopsidaceae	DAVFP	UBC	<i>Osteina</i>	<i>obducta</i>			(Berk.) Donk
Polyporales	Fomitopsidaceae	DAVFP	UBC	<i>Phaeolus</i>	<i>schweinitzii</i>			(Fr.) Pat.
Polyporales	Fomitopsidaceae	DAVFP	UBC	<i>Piptoporus</i>	<i>betulinus</i>			(Bull.) P. Karst.
Polyporales	Fomitopsidaceae	DAVFP	UBC	<i>Postia</i>	<i>caesia</i>			(Schrad.) P. Karst.
Polyporales	Fomitopsidaceae		UBC	<i>Postia</i>	<i>floriformis</i>			(Quél.) Jülich
Polyporales	Fomitopsidaceae	DAVFP	UBC	<i>Postia</i>	<i>fragilis</i>			(Fr.) Jülich
Polyporales	Fomitopsidaceae	DAVFP	UBC	<i>Postia</i>	<i>guttulata</i>			(Sacc.) Jülich
Polyporales	Fomitopsidaceae			<i>Postia</i>	<i>lateritia</i>			Renvall
Polyporales	Fomitopsidaceae			<i>Postia</i>	<i>mappa</i>			(Overh. & J. Lowe) M.J. Larsen & Lombard
Polyporales	Fomitopsidaceae	DAVFP		<i>Postia</i>	<i>perdelicata</i>			(Murrill) M.J. Larsen & Lombard
Polyporales	Fomitopsidaceae		UBC	<i>Postia</i>	<i>ptychogaster</i>			(F. Ludw.) Vesterh.
Polyporales	Fomitopsidaceae	DAVFP		<i>Postia</i>	<i>sericeomollis</i>			(Romell) Jülich
Polyporales	Fomitopsidaceae	DAVFP		<i>Postia</i>	<i>stiptica</i>			(Pers.) Jülich
Polyporales	Fomitopsidaceae		UBC	<i>Postia</i>	<i>subcaesia</i>			(A. David) Jülich
Polyporales	Fomitopsidaceae	DAVFP	UBC	<i>Postia</i>	<i>tephroleuca</i>			(Fr.) Jülich
Polyporales	Fomitopsidaceae		UBC	<i>Postia</i>	<i>undosa</i>			(Peck) Jülich
Polyporales	Fomitopsidaceae	DAVFP	UBC	<i>Pycnoporellus</i>	<i>alboluteus</i>			(Ellis & Everh.) Kotl. & Pouzar
Polyporales	Fomitopsidaceae	DAVFP	UBC	<i>Pycnoporellus</i>	<i>fulgens</i>			(Fr.) Donk
Polyporales	Ganodermataceae	DAVFP	UBC	<i>Ganoderma</i>	<i>applanatum</i>			(Pers.) Pat.
Polyporales	Ganodermataceae	DAVFP	UBC	<i>Ganoderma</i>	<i>brownii</i>			(Murrill) Gilb.
Polyporales	Ganodermataceae	DAVFP	UBC	<i>Ganoderma</i>	<i>oregonense</i>			Murrill
Polyporales	Ganodermataceae	DAVFP	UBC	<i>Ganoderma</i>	<i>tsugae</i>			Murrill
Polyporales	Incertae sedis		UBC	<i>Phlebiella</i>	<i>christiansenii</i>			(Parmasto) K.H. Larss. & Hjortstam
Polyporales	Incertae sedis	DAVFP		<i>Phlebiella</i>	<i>inopinata</i>			(H.S. Jacks.) K.H. Larss. & Hjortstam
Polyporales	Meripilaceae	DAVFP	UBC	<i>Obba</i>	<i>rivulosa</i>			(Berk. & M.A. Curtis) Miettinen & Rajchenb.
Polyporales	Meripilaceae	DAVFP	UBC	<i>Physisporinus</i>	<i>vitreus</i>			(Pers.) P. Karst.
Polyporales	Meripilaceae	DAVFP		<i>Rigidoporus</i>	<i>croatus</i>			(Pat.) Ryvarden
Polyporales	Meripilaceae	DAVFP		<i>Rigidoporus</i>	<i>sanguinolentus</i>			(Alb. & Schwein.) Donk
Polyporales	Meruliaceae		UBC	<i>Abortiporus</i>	<i>biennis</i>			(Bull.) Singer
Polyporales	Meruliaceae			<i>Basidiolaradulum</i>	<i>radula</i>			(Fr.) Nobles
Polyporales	Meruliaceae	DAVFP	UBC	<i>Bjerkandera</i>	<i>adusta</i>			(Willd.) P. Karst.
Polyporales	Meruliaceae	DAVFP		<i>Bjerkandera</i>	<i>fumosa</i>			(Pers.) P. Karst.
Polyporales	Meruliaceae			<i>Cabalodontia</i>	<i>cretacea</i>			(Romell ex Bourdot & Galzin) Piątek
Polyporales	Meruliaceae		UBC	<i>Cabalodontia</i>	<i>subcretacea</i>			(Litsch.) Piątek
Polyporales	Meruliaceae	DAVFP		<i>Cerocorticium</i>	<i>sulfureoisabellinum</i>			(Litsch.) Jülich & Stalpers
Polyporales	Meruliaceae	DAVFP	UBC	<i>Crustoderma</i>	<i>dryinum</i>			(Berk. & M.A. Curtis) Parmasto
Polyporales	Meruliaceae			<i>Crustoderma</i>	<i>longicystidium</i>			(Litsch.) Nakasone
Polyporales	Meruliaceae			<i>Crustoderma</i>	<i>resinosum</i>			(H.S. Jacks. & Dearden) Gilb.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Polyporales	Meruliaceae	DAVFP		<i>Crustoderma</i>	<i>testatum</i>			(H.S. Jacks. & Dearden) Nakasone
Polyporales	Meruliaceae			<i>Gelatoporia</i>	<i>dichroa</i>			(Fr.) Ginnns
Polyporales	Meruliaceae	DAVFP	UBC	<i>Gloeoporus</i>	<i>ambiguus</i>			(Berk.) Zmitr. & Spirin
Polyporales	Meruliaceae	DAVFP		<i>Gloeoporus</i>	<i>dichrous</i>			(Fr.) Bres.
Polyporales	Meruliaceae	DAVFP		<i>Gloeoporus</i>	<i>pannocinctus</i>			(Romell) J. Erikss.
Polyporales	Meruliaceae	DAVFP	UBC	<i>Gloeoporus</i>	<i>taxicola</i>			(Pers.) Gilb. & Ryvarden
Polyporales	Meruliaceae	DAVFP	UBC	<i>Hyphoderma</i>	<i>amoenum</i>			(Burt) Donk
Polyporales	Meruliaceae		UBC	<i>Hyphoderma</i>	<i>cremeoalbum</i>			(Höhn. & Litsch.) Jülich
Polyporales	Meruliaceae	DAVFP		<i>Hyphoderma</i>	<i>deviatum</i>			(S. Lundell) Parmasto
Polyporales	Meruliaceae	DAVFP		<i>Hyphoderma</i>	<i>inusitata</i>			(H.S. Jacks. & Dearden) Ginnns
Polyporales	Meruliaceae		UBC	<i>Hyphoderma</i>	<i>medioburiense</i>			(Burt) Donk
Polyporales	Meruliaceae			<i>Hyphoderma</i>	<i>roseocremeum</i>			(Bres.) Donk
Polyporales	Meruliaceae	DAVFP	UBC	<i>Hyphoderma</i>	<i>setigerum</i>			(Fr.) Donk
Polyporales	Meruliaceae		UBC	<i>Hyphoderma</i>	<i>sibiricum</i>			(Parmasto) J. Erikss. & Å. Strid
Polyporales	Meruliaceae		UBC	<i>Hypochnicium</i>	<i>geogenium</i>			(Bres.) J. Erikss.
Polyporales	Meruliaceae		UBC	<i>Hypochnicium</i>	<i>punctulatum</i>			(Cooke) Erikss.
Polyporales	Meruliaceae	DAVFP	UBC	<i>Irpea</i>	<i>lacteus</i>			(Fr.) Fr.
Polyporales	Meruliaceae	DAVFP		<i>Junghuhnia</i>	<i>collabens</i>			(Fr.) Ryvarden
Polyporales	Meruliaceae			<i>Junghuhnia</i>	<i>lacera</i>			(P. Karst.) Niemelä & Kinnunen
Polyporales	Meruliaceae	DAVFP		<i>Junghuhnia</i>	<i>luteoalba</i>			(P. Karst.) Ryvarden
Polyporales	Meruliaceae	DAVFP		<i>Junghuhnia</i>	<i>nitida</i>			(Pers.) Ryvarden
Polyporales	Meruliaceae	DAVFP		<i>Junghuhnia</i>	<i>zonata</i>			(Bres.) Ryvarden
Polyporales	Meruliaceae	DAVFP	UBC	<i>Merulius</i>	<i>tremellosus</i>			Schrad.
Polyporales	Meruliaceae	DAVFP		<i>Mycoacia</i>	<i>aurea</i>			(Fr.) J. Erikss. & Ryvarden
Polyporales	Meruliaceae		UBC	<i>Mycoacia</i>	<i>fuscoatra</i>			(Fr.) Donk
Polyporales	Meruliaceae	DAVFP	UBC	<i>Mycoacia</i>	<i>uda</i>			(Fr.) Donk
Polyporales	Meruliaceae		UBC	<i>Phlebia</i>	<i>acerina</i>			Peck
Polyporales	Meruliaceae			<i>Phlebia</i>	<i>coccineofulva</i>			Schwein.
Polyporales	Meruliaceae	DAVFP	UBC	<i>Phlebia</i>	<i>livida</i>			(Pers.) Bres.
Polyporales	Meruliaceae		UBC	<i>Phlebia</i>	<i>mellea</i>			(P. Karst.) Spirin & Zmitr.
Polyporales	Meruliaceae		UBC	<i>Phlebia</i>	<i>phlebioides</i>			(H.S. Jacks. & Dearden) Donk
Polyporales	Meruliaceae	DAVFP	UBC	<i>Phlebia</i>	<i>radiata</i>			Fr.
Polyporales	Meruliaceae	DAVFP	UBC	<i>Phlebia</i>	<i>rufa</i>			(Pers.) M.P. Christ.
Polyporales	Meruliaceae			<i>Phlebia</i>	<i>segregata</i>			(Bourdot & Galzin) Parmasto
Polyporales	Meruliaceae			<i>Phlebia</i>	<i>separata</i>			(H.S. Jacks. & Dearden) Parmasto
Polyporales	Meruliaceae	DAVFP		<i>Phlebia</i>	<i>serialis</i>			(Fr.) Donk
Polyporales	Meruliaceae		UBC	<i>Phlebia</i>	<i>subochracea</i>			(Bres.) J. Erikss. & Ryvarden
Polyporales	Meruliaceae	DAVFP	UBC	<i>Phlebia</i>	<i>subserialis</i>			(Bourdot & Galzin) Donk
Polyporales	Meruliaceae	DAVFP		<i>Phlebia</i>	<i>unica</i>			(H.S. Jacks. & Dearden) Ginnns
Polyporales	Meruliaceae	DAVFP	UBC	<i>Pirexa</i>	<i>concentricus</i>			(Cooke & Ellis) Hjortstam & Ryvarden

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Polyporales	Meruliaceae	DAVFP		<i>Radulodon</i>	<i>americanus</i>			Ryvarden
Polyporales	Meruliaceae	DAVFP	UBC	<i>Radulodon</i>	<i>aneirina</i>			(Sommerf.) Spirin
Polyporales	Meruliaceae	DAVFP		<i>Sarcodontia</i>	<i>delectans</i>			(Peck) Spirin
Polyporales	Meruliaceae			<i>Sarcodontia</i>	<i>spumeus</i>			(Sowerby) Pat.
Polyporales	Meruliaceae	DAVFP		<i>Scopuloides</i>	<i>rimosa</i>			(Cooke) Jülich
Polyporales	Meruliaceae	DAVFP	UBC	<i>Steccherinum</i>	<i>ciliolatum</i>			(Berk. & M.A. Curtis) Gilb. & Budington
Polyporales	Meruliaceae	DAVFP	UBC	<i>Steccherinum</i>	<i>fimbriatum</i>			(Pers.) J. Erikss.
Polyporales	Meruliaceae	DAVFP	UBC	<i>Steccherinum</i>	<i>ochraceum</i>			(Pers.) Gray
Polyporales	Meruliaceae		UBC	<i>Steccherinum</i>	<i>oreophilum</i>			Lindsey & Gilb.
Polyporales	Meruliaceae		UBC	<i>Stereopsis</i>	<i>humphreyi</i>			(Burt) Redhead & D.A. Reid
Polyporales	Meruliaceae			<i>Xanthoporus</i>	<i>syringae</i>			(Parmasto) Audet
Polyporales	Phanerochaetaceae			<i>Antrodiella</i>	<i>canadensis</i>			(Overh.) Niemelä
Polyporales	Phanerochaetaceae			<i>Antrodiella</i>	<i>romellii</i>			(Donk) Niemelä
Polyporales	Phanerochaetaceae		UBC	<i>Antrodiella</i>	<i>semisupina</i>			(Berk. & M.A. Curtis) Ryvarden
Polyporales	Phanerochaetaceae			<i>Byssomerulius</i>	<i>albostramineus</i>			(Torrend) Hjortstam
Polyporales	Phanerochaetaceae	DAVFP	UBC	<i>Byssomerulius</i>	<i>corium</i>			(Pers.) Parmasto
Polyporales	Phanerochaetaceae			<i>Ceriporia</i>	<i>excelsa</i>			S. Lundell ex Parmasto
Polyporales	Phanerochaetaceae	DAVFP	UBC	<i>Ceriporia</i>	<i>purpurea</i>			(Fr.) Donk
Polyporales	Phanerochaetaceae	DAVFP	UBC	<i>Ceriporia</i>	<i>reticulata</i>			(Hoffm.) Domański
Polyporales	Phanerochaetaceae			<i>Ceriporia</i>	<i>spissa</i>			(Schwein. ex Fr.) Rajchenb.
Polyporales	Phanerochaetaceae	DAVFP		<i>Ceriporia</i>	<i>tarda</i>			(Berk.) Ginns
Polyporales	Phanerochaetaceae			<i>Ceriporia</i>	<i>viridans</i>			(Berk. & Broome) Donk
Polyporales	Phanerochaetaceae		UBC	<i>Ceriporiopsis</i>	<i>gilvescens</i>			(Bres.) Domański
Polyporales	Phanerochaetaceae			<i>Ceriporiopsis</i>	<i>mucidus</i>			(Pers.) Gilb. & Ryvarden
Polyporales	Phanerochaetaceae	DAVFP	UBC	<i>Ceriporiopsis</i>	<i>subvermispora</i>			(Pilát) Gilb. & Ryvarden
Polyporales	Phanerochaetaceae	DAVFP	UBC	<i>Hyphodermella</i>	<i>corrugata</i>			(Fr.) J. Erikss. & Ryvarden
Polyporales	Phanerochaetaceae			<i>Phanerochaete</i>	<i>affinis</i>			(Burt) Parmasto
Polyporales	Phanerochaetaceae	DAVFP		<i>Phanerochaete</i>	<i>carnosa</i>			(Burt) Parmasto
Polyporales	Phanerochaetaceae	DAVFP		<i>Phanerochaete</i>	<i>deflectens</i>			(P. Karst.) Hjortstam
Polyporales	Phanerochaetaceae		UBC	<i>Phanerochaete</i>	<i>laevis</i>			(Fr.) J. Erikss. & Ryvarden
Polyporales	Phanerochaetaceae	DAVFP	UBC	<i>Phanerochaete</i>	<i>sanguinea</i>			(Fr.) Pouzar
Polyporales	Phanerochaetaceae	DAVFP	UBC	<i>Phanerochaete</i>	<i>sordida</i>			(P. Karst.) J. Erikss. & Ryvarden
Polyporales	Phanerochaetaceae	DAVFP	UBC	<i>Phanerochaete</i>	<i>tuberculata</i>			(P. Karst.) Parmasto
Polyporales	Phanerochaetaceae	DAVFP	UBC	<i>Phanerochaete</i>	<i>velutina</i>			(DC.) P. Karst.
Polyporales	Phanerochaetaceae			<i>Phanerodontia</i>	<i>chrysosporium</i>			(Burd.) Hjortstam & Ryvarden
Polyporales	Phanerochaetaceae	DAVFP		<i>Phlebiopsis</i>	<i>gigantea</i>			(Fr.) Jülich
Polyporales	Phanerochaetaceae	DAVFP		<i>Phlebiopsis</i>	<i>ravenelii</i>			(Cooke) Hjortstam
Polyporales	Polyporaceae	DAVFP	UBC	<i>Cerrena</i>	<i>unicolor</i>			(Bull.) Murrill
Polyporales	Polyporaceae	DAVFP	UBC	<i>Cinereomyces</i>	<i>lindbladii</i>			(Berk.) Jülich

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Polyporales	Polyporaceae	DAVFP		<i>Coriolopsis</i>	<i>gallica</i>			(Fr.) Ryvarden
Polyporales	Polyporaceae			<i>Coriolopsis</i>	<i>trogii</i>			(Berk.) Domański
Polyporales	Polyporaceae	DAVFP	UBC	<i>Cryptoporus</i>	<i>volvatus</i>			(Peck) Shear
Polyporales	Polyporaceae	DAVFP	UBC	<i>Daedaleopsis</i>	<i>confragosa</i>			(Bolton) J. Schröt.
Polyporales	Polyporaceae	DAVFP	UBC	<i>Datronia</i>	<i>mollis</i>			(Sommerf.) Donk
Polyporales	Polyporaceae	DAVFP	UBC	<i>Datronia</i>	<i>scutellata</i>			(Schwein.) Gilb. & Ryvarden
Polyporales	Polyporaceae	DAVFP		<i>Datronia</i>	<i>stereoides</i>			(Fr.) Ryvarden
Polyporales	Polyporaceae	DAVFP		<i>Dichomitus</i>	<i>squalens</i>			(P. Karst.) D.A. Reid
Polyporales	Polyporaceae	DAVFP		<i>Diplomitoporus</i>	<i>crustulinus</i>			(Bres.) Domański
Polyporales	Polyporaceae	DAVFP		<i>Diplomitoporus</i>	<i>lenis</i>			(P. Karst.) Gilb. & Ryvarden
Polyporales	Polyporaceae	DAVFP		<i>Diplomitoporus</i>	<i>lindbladii</i>			(Berk.) Gilb. & Ryvarden
Polyporales	Polyporaceae	DAVFP		<i>Erastia</i>	<i>salmonicolor</i>			(Berk. & M.A. Curtis) Niemelä
								& Kinnunen
Polyporales	Polyporaceae	DAVFP	UBC	<i>Fomes</i>	<i>fomentarius</i>			(L.) Fr.
Polyporales	Polyporaceae	DAVFP	UBC	<i>Hapalopilus</i>	<i>nidulans</i>			(Fr.) P. Karst.
Polyporales	Polyporaceae	DAVFP	UBC	<i>Haploporus</i>	<i>odorus</i>			(Sommerf.) Bondartsev & Singer
Polyporales	Polyporaceae	DAVFP	UBC	<i>Lenzites</i>	<i>betulina</i>			(L.) Fr.
Polyporales	Polyporaceae	DAVFP		<i>Lenzites</i>	<i>elegans</i>			(Spreng.) Pat.
Polyporales	Polyporaceae	DAVFP	UBC	<i>Leptoporus</i>	<i>mollis</i>			(Pers.) Quél.
Polyporales	Polyporaceae		UBC	<i>Neofavolus</i>	<i>alveolaris</i>			(DC.) Sotome & T. Hatt.
Polyporales	Polyporaceae	DAVFP	UBC	<i>Neolentinus</i>	<i>kauffmanii</i>			(A.H. Sm.) Redhead & Ginnns
Polyporales	Polyporaceae	DAVFP	UBC	<i>Neolentinus</i>	<i>lepidus</i>			(Fr.) Redhead & Ginnns
Polyporales	Polyporaceae	DAVFP	UBC	<i>Panus</i>	<i>conchatus</i>			(Bull.) Fr.
Polyporales	Polyporaceae	DAVFP	UBC	<i>Panus</i>	<i>neostrigosus</i>			Drechsler-Santos & Wartchow
Polyporales	Polyporaceae	DAVFP		<i>Perenniporia</i>	<i>medulla-panis</i>			(Jacq.) Donk
Polyporales	Polyporaceae	DAVFP	UBC	<i>Perenniporia</i>	<i>subacida</i>			(Peck) Donk
Polyporales	Polyporaceae	DAVFP	UBC	<i>Perenniporia</i>	<i>tenuis</i>			(Schwein.) Ryvarden
Polyporales	Polyporaceae	DAVFP	UBC	<i>Polyporus</i>	<i>arcularius</i>			(Batsch) Fr.
Polyporales	Polyporaceae		UBC	<i>Polyporus</i>	<i>brumalis</i>			(Pers.) Fr.
Polyporales	Polyporaceae	DAVFP	UBC	<i>Polyporus</i>	<i>leptocephalus</i>			(Jacq.) Fr.
Polyporales	Polyporaceae	DAVFP	UBC	<i>Polyporus</i>	<i>melanopus</i>			(Pers.) Fr.
Polyporales	Polyporaceae		UBC	<i>Polyporus</i>	<i>radicatus</i>			Schwein.
Polyporales	Polyporaceae	DAVFP	UBC	<i>Polyporus</i>	<i>squamulosus</i>			(Huds.) Fr.
Polyporales	Polyporaceae		UBC	<i>Polyporus</i>	<i>tubaformis</i>			(P. Karst.) Ryvarden & Gilb.
Polyporales	Polyporaceae	DAVFP	UBC	<i>Polyporus</i>	<i>tuberaster</i>			(Jacq. ex Pers.) Fr.
Polyporales	Polyporaceae	DAVFP	UBC	<i>Polyporus</i>	<i>varius</i>			(Pers.) Fr.
Polyporales	Polyporaceae	DAVFP	UBC	<i>Pycnoporus</i>	<i>cinnabarinus</i>			(Jacq.) P. Karst.
Polyporales	Polyporaceae	DAVFP		<i>Rhodonia</i>	<i>placentus</i>			(Fr.) Niemelä, K.H. Larss. & Schigel
Polyporales	Polyporaceae	DAVFP	UBC	<i>Royoporus</i>	<i>badius</i>			(Pers.) A.B. De
Polyporales	Polyporaceae			<i>Sarcoporia</i>	<i>polyspora</i>			P. Karst.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Polyporales	Polyporaceae	DAVFP	UBC	<i>Skeletocutis</i>	<i>alutacea</i>			(J. Lowe) Jean Keller
Polyporales	Polyporaceae	DAVFP	UBC	<i>Skeletocutis</i>	<i>amorpha</i>			(Fr.) Kotl. & Pouzar
Polyporales	Polyporaceae			<i>Skeletocutis</i>	<i>lenis</i>			(P. Karst.) Niemelä
Polyporales	Polyporaceae	DAVFP	UBC	<i>Skeletocutis</i>	<i>nivea</i>			(Jungh.) Jean Keller
Polyporales	Polyporaceae	DAVFP	UBC	<i>Skeletocutis</i>	<i>odora</i>			(Sacc.) Ginn
Polyporales	Polyporaceae	DAVFP		<i>Skeletocutis</i>	<i>stellae</i>			(Pilát) Jean Keller
Polyporales	Polyporaceae	DAVFP		<i>Skeletocutis</i>	<i>subincarnata</i>			(Peck) Jean Keller
Polyporales	Polyporaceae	DAVFP	UBC	<i>Trametes</i>	<i>cervina</i>			(Schwein.) Bres.
Polyporales	Polyporaceae			<i>Trametes</i>	<i>gibbosa</i>			(Pers.) Fr.
Polyporales	Polyporaceae	DAVFP	UBC	<i>Trametes</i>	<i>hirsuta</i>			(Wulffen) Lloyd
Polyporales	Polyporaceae	DAVFP	UBC	<i>Trametes</i>	<i>ochracea</i>			(Pers.) Gilb. & Ryvarden
Polyporales	Polyporaceae	DAVFP	UBC	<i>Trametes</i>	<i>pubescens</i>			(Schumach.) Pilát
Polyporales	Polyporaceae	DAVFP		<i>Trametes</i>	<i>suaveolens</i>			(L.) Fr.
Polyporales	Polyporaceae	DAVFP	UBC	<i>Trametes</i>	<i>versicolor</i>			(L.) Lloyd
Polyporales	Polyporaceae			<i>Trametopsis</i>	<i>cervina</i>			(Schwein.) Tomšovský
Polyporales	Polyporaceae		UBC	<i>Tyromyces</i>	<i>chioneus</i>			(Fr.) P. Karst.
Polyporales	Polyporaceae	DAVFP		<i>Tyromyces</i>	<i>galactinus</i>			(Berk.) J. Lowe
Polyporales	Polyporaceae	DAVFP	UBC	<i>Tyromyces</i>	<i>leucospongia</i>			(Cooke & Harkn.) Bondartsev & Singer
Polyporales	Polyporaceae			<i>Wolfiporia</i>	<i>cocos</i>			(F.A. Wolf) Ryvarden & Gilb.
Polyporales	Polyporaceae	DAVFP		<i>Wolfiporia</i>	<i>extensa</i>			(Peck) Ginn
Polyporales	Sparassidaceae	DAVFP	UBC	<i>Sparassis</i>	<i>crispa</i>			(Wulffen) Fr.
Polyporales	Xenasmataceae		UBC	<i>Xenasma</i>	<i>praeteritum</i>			(H.S. Jacks.) Donk
Polyporales	Xenasmataceae		UBC	<i>Xenasma</i>	<i>rimicola</i>			(P. Karst.) Donk
Polyporales	Xenasmataceae	DAVFP	UBC	<i>Xenasma</i>	<i>tulasnelloideum</i>			(Höhn. & Litsch.) Donk
Polyporales	Xenasmataceae	DAVFP	UBC	<i>Xenasmatella</i>	<i>vaga</i>			(Fr.) Stalpers
Rhytismatales	Cudoniaceae	DAVFP	UBC	<i>Cudonia</i>	<i>circinans</i>			(Pers.) Fr.
Rhytismatales	Cudoniaceae	DAVFP	UBC	<i>Cudonia</i>	<i>grisea</i>			Mains
Rhytismatales	Cudoniaceae	DAVFP	UBC	<i>Spathularia</i>	<i>flavida</i>			Pers.
Rhytismatales	Cudoniaceae	DAVFP		<i>Spathulariopsis</i>	<i>velutipes</i>			(Cooke & Farl. ex Cooke) Maas Geest.
Rhytismatales	Rhytismataceae		UBC	<i>Coccomyces</i>	<i>arbutifolius</i>			Sherwood
Rhytismatales	Rhytismataceae		UBC	<i>Coccomyces</i>	<i>dentatus</i>			(Schmidt) Sacc.
Rhytismatales	Rhytismataceae		UBC	<i>Colpoma</i>	<i>crispum</i>			(Pers.) Sacc.
Rhytismatales	Rhytismataceae		UBC	<i>Rhytisma</i>	<i>arbuti</i>			W. Phillips
Rhytismatales	Rhytismataceae		UBC	<i>Rhytisma</i>	<i>punctatum</i>			(Pers.) Fr.
Russulales	Albatrellaceae		UBC	<i>Albatrellus</i>	<i>avellaneus</i>			Pouzar
Russulales	Albatrellaceae		UBC	<i>Albatrellus</i>	<i>confluens</i>			(Alb. & Schwein.) Kotl. & Pouzar
Russulales	Albatrellaceae	DAVFP	UBC	<i>Albatrellus</i>	<i>ellisi</i>			(Berk.) Pouzar
Russulales	Albatrellaceae	DAVFP	UBC	<i>Albatrellus</i>	<i>flettii</i>			Morse ex Pouzar
Russulales	Albatrellaceae	DAVFP	UBC	<i>Albatrellus</i>	<i>ovinus</i>			(Schaeff.) Kotl. & Pouzar
Russulales	Albatrellaceae		UBC	<i>Albatrellus</i>	<i>subrubescens</i>			(Murrill) Pouzar

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Russulales	Albatrellaceae	DAVFP	UBC	<i>Jahnoporus</i>	<i>hirtus</i>			(Cooke) Nuss
Russulales	Albatrellaceae			<i>Leucogaster</i>	<i>rubescens</i>			Zeller & C.W. Dodge
Russulales	Albatrellaceae	DAVFP	UBC	<i>Neoalbatrellus</i>	<i>caeruleoporus</i>			(Peck) Audet
Russulales	Albatrellaceae		UBC	<i>Polyporoletus</i>	<i>sublividus</i>			Snell
Russulales	Albatrellaceae		UBC	<i>Polyporoletus</i>	<i>sylvestris</i>			(Overh. ex Pouzar) Audet
Russulales	Albatrellaceae		UBC	<i>Scutiger</i>	<i>decurrens</i>			(Underw.) Murrill
Russulales	Amylostereaceae	DAVFP		<i>Amylostereum</i>	<i>chailletii</i>			(Pers.) Boidin
Russulales	Auriscalpiaceae		UBC	<i>Artomyces</i>	<i>piperatus</i>			(Kauffman) Jülich
Russulales	Auriscalpiaceae	DAVFP	UBC	<i>Auriscalpium</i>	<i>vulgare</i>			Gray
Russulales	Auriscalpiaceae	DAVFP	UBC	<i>Clavicorona</i>	<i>taxophila</i>			(Thom) Doty
Russulales	Auriscalpiaceae	DAVFP	UBC	<i>Lentinellus</i>	<i>cochleatus</i>			(Pers.) P. Karst.
Russulales	Auriscalpiaceae		UBC	<i>Lentinellus</i>	<i>flabelliformis</i>			(Bolton) S. Ito
Russulales	Auriscalpiaceae		UBC	<i>Lentinellus</i>	<i>micheneri</i>			(Berk. & M.A. Curtis) Pegler
Russulales	Auriscalpiaceae		UBC	<i>Lentinellus</i>	<i>montanus</i>			O.K. Mill.
Russulales	Auriscalpiaceae	DAVFP	UBC	<i>Lentinellus</i>	<i>ursinus</i>			(Fr.) Kühner
Russulales	Auriscalpiaceae	DAVFP		<i>Lentinellus</i>	<i>vulpinus</i>			(Sowerby) Kühner & Maire
Russulales	Bondarzewiaceae	DAVFP	UBC	<i>Bondarzewia</i>	<i>berkeleyi</i>			(Fr.) Bondartsev & Singer
Russulales	Bondarzewiaceae	DAVFP	UBC	<i>Bondarzewia</i>	<i>mesenterica</i>			(Schaeff.) Kreisel
Russulales	Bondarzewiaceae	DAVFP		<i>Gloiodon</i>	<i>occidentalis</i>			Ginns
Russulales	Bondarzewiaceae	DAVFP	UBC	<i>Heterobasidion</i>	<i>annosum</i> sensu lato			(Fr.) Bref.
Russulales	Bondarzewiaceae	DAVFP		<i>Wrightoporia</i>	<i>lenta</i>			(Overh. & J. Lowe) Pouzar
Russulales	Echinodontiaceae	DAVFP	UBC	<i>Echinodontium</i>	<i>tinctiorium</i>			(Ellis & Everh.) Ellis & Everh.
Russulales	Echinodontiaceae	DAVFP	UBC	<i>Laurilia</i>	<i>sulcata</i>			(Burt) Pouzar
Russulales	Hericiaceae	DAVFP	UBC	<i>Hericium</i>	<i>abietis</i>			(Weir ex Hubert) K.A. Harrison
Russulales	Hericiaceae	DAVFP	UBC	<i>Hericium</i>	<i>americanum</i>			Ginns
Russulales	Hericiaceae	DAVFP	UBC	<i>Hericium</i>	<i>coralloides</i>			(Scop.) Pers.
Russulales	Hericiaceae	DAVFP	UBC	<i>Hericium</i>	<i>erinaceus</i>			(Bull.) Pers.
Russulales	Hericiaceae	DAVFP	UBC	<i>Laxitextum</i>	<i>bicolor</i>			(Pers.) Lentz
Russulales	<i>Incertae sedis</i>			<i>Scytinostromella</i>	<i>heterogena</i>			(Bourdot & Galzin) Parmasto
Russulales	<i>Incertae sedis</i>	DAVFP		<i>Scytinostromella</i>	<i>humifaciens</i>			(Burt) G.W. Freeman & R.H. Petersen
Russulales	Lachnocladiaceae	DAVFP		<i>Asterostroma</i>	<i>andinum</i>			Pat.
Russulales	Lachnocladiaceae			<i>Dichostereum</i>	<i>boreale</i>			(Pouzar) Ginns & M.N.L. Lefebvre
Russulales	Lachnocladiaceae			<i>Dichostereum</i>	<i>effuscatum</i>			(Cooke & Ellis) Boidin & Lanq.
Russulales	Lachnocladiaceae	DAVFP	UBC	<i>Dichostereum</i>	<i>granulosum</i>			(Pers.) Boidin & Lanq.
Russulales	Lachnocladiaceae	DAVFP		<i>Dichostereum</i>	<i>pallescens</i>			(Schwein.) Boidin & Lanq.
Russulales	Lachnocladiaceae	DAVFP	UBC	<i>Scytinostroma</i>	<i>arachnoideum</i>			(Peck) Gilb.
Russulales	Lachnocladiaceae	DAVFP	UBC	<i>Scytinostroma</i>	<i>galactinum</i>			(Fr.) Donk
Russulales	Lachnocladiaceae	DAVFP		<i>Scytinostroma</i>	<i>jacksonii</i>			Boidin
Russulales	Lachnocladiaceae	DAVFP		<i>Scytinostroma</i>	<i>ochroleucum</i>			Donk
Russulales	Lachnocladiaceae		UBC	<i>Scytinostroma</i>	<i>portentosum</i>			(Berk. & M.A. Curtis) Donk

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Russulales	Peniophoraceae	DAVFP	UBC	<i>Entomocorticium</i>	<i>dendroctoni</i>			H.S. Whitney
Russulales	Peniophoraceae		UBC	<i>Gloiothele</i>	<i>lactescens</i>			(Berk.) Hjortstam
Russulales	Peniophoraceae	DAVFP		<i>Metulodontia</i>	<i>nivea</i>			(P. Karst.) Parmasto
Russulales	Peniophoraceae	DAVFP	UBC	<i>Peniophora</i>	<i>aurantiaca</i>			(Bres.) Höhn. & Litsch.
Russulales	Peniophoraceae	DAVFP	UBC	<i>Peniophora</i>	<i>cineraria</i>			(Pers.) Cooke
Russulales	Peniophoraceae	DAVFP	UBC	<i>Peniophora</i>	<i>decorticans</i>			Burt
Russulales	Peniophoraceae	DAVFP	UBC	<i>Peniophora</i>	<i>incarnata</i>			(Pers.) P. Karst.
Russulales	Peniophoraceae	DAVFP		<i>Peniophora</i>	<i>piceae</i>			(Pers.) J. Erikss.
Russulales	Peniophoraceae			<i>Peniophora</i>	<i>pithya</i>			(Pers.) J. Erikss.
Russulales	Peniophoraceae	DAVFP	UBC	<i>Peniophora</i>	<i>polygonia</i>			(Pers.) Bourdot & Galzin
Russulales	Peniophoraceae	DAVFP		<i>Peniophora</i>	<i>pseudopini</i>			Weresub & I.A.S. Gibson
Russulales	Peniophoraceae	DAVFP	UBC	<i>Peniophora</i>	<i>septentrionalis</i>			Laurila
Russulales	Peniophoraceae		UBC	<i>Peniophora</i>	<i>violaceolivida</i>			(Sommerf.) Massee
Russulales	Peniophoraceae	DAVFP	UBC	<i>Stereum</i>	<i>rufum</i>			(Fr.) J. Erikss.
Russulales	Russulaceae	DAVFP	UBC	<i>Boidinia</i>	<i>furfuracea</i>			(Bres.) Stalpers & Hjortstam
Russulales	Russulaceae	DAVFP		<i>Boidinia</i>	<i>propinqua</i>			(H.S. Jacks. & Dearden) Hjortstam & Ryvarden
Russulales	Russulaceae		UBC	<i>Elasmomyces</i>	<i>roseipes</i>			Singer & A.H. Sm.
Russulales	Russulaceae			<i>Gastrolactarius</i>	<i>camphoratus</i>			(Singer & A.H. Sm.) J.M. Vidal
Russulales	Russulaceae		UBC	<i>Gymnomyces</i>	<i>subochracea</i>			(A.H. Sm.) Trappe, T. Lebel & Castellano
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>affinis</i>			Peck
Russulales	Russulaceae		UBC	<i>Lactarius</i>	<i>alnicola</i>			A.H. Sm.
Russulales	Russulaceae		UBC	<i>Lactarius</i>	<i>alpinus</i>	<i>alpinus</i>		Peck
Russulales	Russulaceae		UBC	<i>Lactarius</i>	<i>alpinus</i>	<i>mitis</i>		Hesler & A.H. Sm.
Russulales	Russulaceae		UBC	<i>Lactarius</i>	<i>argillaceifolius</i>			Hesler & A.H. Sm.
Russulales	Russulaceae		UBC	<i>Lactarius</i>	<i>aspideoides</i>			Burlingham
Russulales	Russulaceae		UBC	<i>Lactarius</i>	<i>aspideus</i>			(Fr.) Fr.
Russulales	Russulaceae		UBC	<i>Lactarius</i>	<i>aurantiacus</i>			(Fr.) S.F. Gray
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>caespitosus</i>			Hesler & A.H. Sm.
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>carbonicola</i>			A.H. Sm.
Russulales	Russulaceae			<i>Lactarius</i>	<i>chrysorrheus</i>			Fr.
Russulales	Russulaceae		UBC	<i>Lactarius</i>	<i>circellatus</i>	<i>borealis</i>		Hesler & A.H. Sm.
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>controversus</i>			Pers.
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>deliciosus</i>			(L.) Gray
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>deterrimus</i>			Gröger
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>fallax</i>	<i>concolor</i>		A.H. Sm. & Hesler
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>fallax</i>	<i>fallax</i>		A.H. Sm. & Hesler
Russulales	Russulaceae		UBC	<i>Lactarius</i>	<i>fragilis</i>			(Burl.) Hesler & Smith
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>glyciosmus</i>			(Fr.) Fr.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>hepaticus</i>			Plowr.
Russulales	Russulaceae		UBC	<i>Lactarius</i>	<i>hysginus</i>			Fr.
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>kauffmanii</i>			Hesler & A.H. Sm.
Russulales	Russulaceae		UBC	<i>Lactarius</i>	<i>laccata</i>			(Fr.) Berk. & Br.
Russulales	Russulaceae		UBC	<i>Lactarius</i>	<i>lepidotus</i>			Hesler & A.H. Sm.
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>lignyotus</i>	<i>canadensis</i>		Smith & Hesler
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>lignyotus</i>	<i>lignyotus</i>		Fr.
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>luculentus</i>	<i>laetus</i>		Hesler & A.H. Sm.
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>luculentus</i>	<i>luculentus</i>		Burl.
Russulales	Russulaceae	DAVFP		<i>Lactarius</i>	<i>mucidus</i>	<i>fuscogriseus</i>		Hesler & A.H. Sm.
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>mucidus</i>	<i>mucidus</i>		Burl.
Russulales	Russulaceae		UBC	<i>Lactarius</i>	<i>necator</i>			(Pers. ex Fr.) Lundell
Russulales	Russulaceae		UBC	<i>Lactarius</i>	<i>obscurus</i>			(Lasch) Fr.
Russulales	Russulaceae		UBC	<i>Lactarius</i>	<i>occidentalis</i>			A.H. Sm.
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>olivaceoumbrinus</i>			Hesler & A.H. Sm.
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>olympianus</i>			Hesler & A.H. Sm.
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>pallescens</i>			Hesler & A.H. Sm.
Russulales	Russulaceae		UBC	<i>Lactarius</i>	<i>payettensis</i>			A.H. Sm.
Russulales	Russulaceae		UBC	<i>Lactarius</i>	<i>piperatus</i>			(L.) Pers.
Russulales	Russulaceae		UBC	<i>Lactarius</i>	<i>plumbeus</i>			(Bull.) Gray
Russulales	Russulaceae		UBC	<i>Lactarius</i>	<i>pseudodeceptivus</i>			Hesler & A.H. Sm.
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>pseudomucidus</i>			Hesler & A.H. Sm.
Russulales	Russulaceae	DAVFP		<i>Lactarius</i>	<i>pubescens</i>	<i>betulae</i>		Smith & Hesler
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>pubescens</i>	<i>pubescens</i>		Fr.
Russulales	Russulaceae		UBC	<i>Lactarius</i>	<i>repraesentaneus</i>			Britzelm.
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>resimus</i>			(Fr.) Fr.
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>rubrilacteus</i>			Hesler & A.H. Sm.
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>rufulus</i>			Peck
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>rufus</i>			(Scop.) Fr.
Russulales	Russulaceae		UBC	<i>Lactarius</i>	<i>scrobiculatus</i>	<i>canadensis</i>		A.H. Sm.
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>scrobiculatus</i>	<i>scrobiculatus</i>		(Scop.) Fr.
Russulales	Russulaceae		UBC	<i>Lactarius</i>	<i>sordidus</i>			Peck
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>subdulcis</i>			(Pers.) Gray
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>subflammeus</i>			Hesler & A.H. Sm.
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>substriatus</i>			A.H. Sm.
Russulales	Russulaceae		UBC	<i>Lactarius</i>	<i>subvillosum</i>			Hesler & A.H. Sm.
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>subviscidus</i>			Hesler & A.H. Sm.
Russulales	Russulaceae		UBC	<i>Lactarius</i>	<i>theiogalus</i>			(Fr.) Fr.
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>torminosus</i>	<i>nordmanensis</i>		(A.H. Sm.) Hesler & A.H. Sm.
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>torminosus</i>	<i>torminosus</i>		(Schaeff.) Gray

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>trivialis</i>			(Fr.) Fr.
Russulales	Russulaceae	DAVFP	UBC	<i>Lactarius</i>	<i>uvidus</i>			(Fr.) Fr.
Russulales	Russulaceae			<i>Macowanites</i>	<i>chlorinosmus</i>			A.H. Sm. & Trappe
Russulales	Russulaceae		UBC	<i>Macowanites</i>	<i>fulvescens</i>			Singer & A.H. Sm.
Russulales	Russulaceae			<i>Macowanites</i>	<i>luteolus</i>			A.H. Sm. & Trappe
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>abietina</i>			(J. Blum) Bon
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>adusta</i>			(Pers.) Fr.
Russulales	Russulaceae			<i>Russula</i>	<i>aerina</i>			Romagn.
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>aeruginea</i>			Lindbl. ex Fr.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>albida</i>			Peck
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>albidula</i>			Peck
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>albonigra</i>			(Krombh.) Fr.
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>alutacea</i>			(Fr.) Fr.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>americana</i>	<i>modicaspora</i>		C. Roberts nom prov
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>amygdalooides</i>			Kauffman
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>anthracina</i>			Romagn.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>anthracina</i>	<i>insipida</i>		Romagn.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>aquosa</i>			Leclair
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>aureofulva</i>			C. Roberts nom prov
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>azurea</i>			Bres.
Russulales	Russulaceae			<i>Russula</i>	<i>betularum</i>			Hora
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>bicolor</i>			Burl.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>borealis</i>			Kauffman
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>brevipes</i>			Peck
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>brevipes</i>	<i>acrior</i>		Shaffer
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>brunneola</i>			Burl.
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>brunneoviolacea</i>			Crawshay
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>cascadensis</i>			Shaffer
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>cavipes</i>			Britzelm.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>cerolens</i>			Shaffer
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>cessans</i>			A. Pearson
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>chloroides</i>			(Krombh.) Bres.
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>claroflava</i>			Grove
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>consobrina</i>			(Fr.) Fr.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>crassotunicata</i>			Singer
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>cremoricolor</i>			Earle
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>crenulata</i>			Burl.
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>cyanoxantha</i>			Schaff. ex Fr.
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>decolorans</i>			(Fr.) Fr.
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>delica</i>			Fr.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>densifolia</i>			Secr. ex Gillet
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>dissimulans</i>			Shaffer
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>emetica</i>			(Schaeff.) Pers.
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>farinipes</i>			Romell
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>favrei</i>			M.M. Moser
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>flaviceps</i>			Peck
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>foetens</i>			Pers.
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>fragilis</i>	<i>fragilis</i>		Fr.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>fragilis</i>	<i>mitis</i>		Krombh.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>fragrantissima</i>			Romagn.
Russulales	Russulaceae	DAVFP		<i>Russula</i>	<i>furcata</i>			Pers.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>fuscorubroides</i>			Bon
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>gracilis</i>			Burl.
Russulales	Russulaceae			<i>Russula</i>	<i>graminea</i>			Ruots., Unger & Vauras
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>granulata</i>			Peck
Russulales	Russulaceae			<i>Russula</i>	<i>grata</i>			Britzelm.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>grisea</i>			(Batsch) Fr.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>hydropila</i>			Horniček
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>integra</i>			(L.) Fr.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>laccata</i>			Huijsman
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>lepidiformis</i>			Murrill
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>luteotacta</i>			Rea
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>maculata</i>			Quél. & Roze
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>mariae</i>			Peck
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>medullata</i>			Romagn.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>mordax</i>			Burl.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>murrillii</i>			Burl.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>mustelina</i>			Fr.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>nauseosa</i>			(Pers.) Fries
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>nigricans</i>			Fr.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>nobilis</i>			Velen.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>ochroleuca</i>			Fr.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>olivacea</i>			(Schaeff.) Fr.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>pallescens</i>			P. Karst
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>paludosa</i>			Britzelm.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>parazurea</i>			Jul. Schäff.
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>pectinata</i>			Fr.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>pectinatoides</i>			Peck
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>pelargonia</i>			Niolle
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>placita</i>			Burl.

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>pseudo-olivascens</i>			Kärcher
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>puellaris</i>			Fr.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>queletii</i>			Fr.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>raoultii</i>			Quél.
Russulales	Russulaceae			<i>Russula</i>	<i>renidens</i>			Ruots., Sarnari & Vauras
Russulales	Russulaceae			<i>Russula</i>	<i>risigallina</i>			(Batsch) Sac
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>sanguinaria</i>			(Schumach.) Rauschert
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>sanguinea</i>			Fr.
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>silvicola</i>			Shaffer
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>sororia</i>			Fr.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>sphagnophila</i>			Kauffman
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>stuntzii</i>			Grund
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>subalutacea</i>			Burl.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>subfoetens</i>			W.G. Sm
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>sublevispora</i>			(Romagn.) Romagn.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>subloculata</i>			Trappe, T. Lebel & Castellano
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>variata</i>			Bann. & Peck.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>velenovskyi</i>			Melzer & Zvára
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>versicolor</i>			Jul. Schaeff.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>vesca</i>			Fr.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>veternosa</i>			Fr.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>vinosa</i>			Lindblad
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>virescens</i>			(Schaeff.) Fr.
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>viridofusca</i>			Grund
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>viscida</i>			Kudřna
Russulales	Russulaceae		UBC	<i>Russula</i>	<i>xerampelina</i>	<i>isabelliniceps</i>		C. Roberts nom prov
Russulales	Russulaceae	DAVFP	UBC	<i>Russula</i>	<i>xerampelina</i>	<i>xerampelina</i>		(Schaeff.) Fr.
Russulales	Russulaceae	DAVFP	Zelleromyces		<i>oregonensis</i>			Singer & A.H. Sm.
Russulales	Stephanosporaceae	DAVFP	UBC	<i>Cristinia</i>	<i>helvetica</i>			(Pers.) Parmasto
Russulales	Stephanosporaceae			<i>Cristinia</i>	<i>mucida</i>			(Pers.) J. Erikss. & Ryvarden
Russulales	Stephanosporaceae			<i>Mycolindtneria</i>	<i>leucobryophila</i>			(Henn.) Rauschert
Russulales	Stereaceae	DAVFP	UBC	<i>Acanthobasidium</i>	<i>penicillatum</i>			(Burt) Sheng H. Wu
Russulales	Stereaceae	DAVFP	UBC	<i>Acanthophysellum</i>	<i>lividoeruleum</i>			(P. Karst.) Parmasto
Russulales	Stereaceae	DAVFP	UBC	<i>Aleurocystidiellum</i>	<i>subcruentatum</i>			(Berk. & M.A. Curtis) P.A. Lemke
Russulales	Stereaceae	DAVFP	UBC	<i>Aleurodiscus</i>	<i>abietis</i>			H.S. Jacks. & P.A. Lemke
Russulales	Stereaceae	DAVFP		<i>Aleurodiscus</i>	<i>amorphus</i>			(Pers.) J. Schröt.
Russulales	Stereaceae		UBC	<i>Aleurodiscus</i>	<i>aurantius</i>			(Pers.) J. Schröt.
Russulales	Stereaceae	DAVFP		<i>Aleurodiscus</i>	<i>cerussatus</i>			(Bres.) Höhn. & Litsch.
Russulales	Stereaceae	DAVFP		<i>Aleurodiscus</i>	<i>farlowii</i>			Burt
Russulales	Stereaceae	DAVFP	UBC	<i>Aleurodiscus</i>	<i>grantii</i>			Lloyd

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Russulales	Stereaceae	DAVFP	UBC	<i>Aleurodiscus</i>	<i>macrocystidiatus</i>			P.A. Lemke
Russulales	Stereaceae			<i>Aleurodiscus</i>	<i>occidentalis</i>			Ginns
Russulales	Stereaceae	DAVFP		<i>Aleurodiscus</i>	<i>spiniger</i>			D.P. Rogers & P.A. Lemke
Russulales	Stereaceae	DAVFP		<i>Aleurodiscus</i>	<i>weiri</i>			Burt
Russulales	Stereaceae			<i>Chaetoderma</i>	<i>luna</i>			(Romell ex D.P. Rogers & H.S. Jacks.) Parmasto (Fr.) Hallenb.
Russulales	Stereaceae	DAVFP		<i>Conferticium</i>	<i>ochraceum</i>			(Höhn. & Litsch.) Nakasone
Russulales	Stereaceae			<i>Gloeocystidiellum</i>	<i>clavuligerum</i>			
Russulales	Stereaceae	DAVFP	UBC	<i>Gloeocystidiellum</i>	<i>karstenii</i>			(Bourdot & Galzin) Donk
Russulales	Stereaceae	DAVFP		<i>Gloeocystidiellum</i>	<i>leucoxanthum</i>			(Bres.) Boidin
Russulales	Stereaceae	DAVFP		<i>Gloeocystidiellum</i>	<i>porosum</i>			(Berk. & M.A. Curtis) Donk
Russulales	Stereaceae			<i>Gloeodontia</i>	<i>columbiensis</i>			Burt ex Burds. & Lombard
Russulales	Stereaceae			<i>Stereum</i>	<i>atrorubrum</i>			Ellis & Everh.
Russulales	Stereaceae	DAVFP	UBC	<i>Stereum</i>	<i>complicatum</i>			(Fr.) Fr.
Russulales	Stereaceae	DAVFP		<i>Stereum</i>	<i>gausapatum</i>			(Fr.) Fr.
Russulales	Stereaceae	DAVFP	UBC	<i>Stereum</i>	<i>hirsutum</i>			(Willd.) Pers.
Russulales	Stereaceae	DAVFP	UBC	<i>Stereum</i>	<i>ochraceoflavum</i>			(Schwein.) Sacc.
Russulales	Stereaceae	DAVFP		<i>Stereum</i>	<i>ostrea</i>			(Blume & T. Nees) Fr.
Russulales	Stereaceae	DAVFP	UBC	<i>Stereum</i>	<i>rugosum</i>			Pers.
Russulales	Stereaceae	DAVFP	UBC	<i>Stereum</i>	<i>sanguinolentum</i>			(Alb. & Schwein.) Fr.
Russulales	Stereaceae		UBC	<i>Stereum</i>	<i>striatum</i>			(Fr.) Fr.
Sebacinales	Sebacinaceae		UBC	<i>Sebacina</i>	<i>burtii</i>			Trotter
Sebacinales	Sebacinaceae		UBC	<i>Sebacina</i>	<i>epigaea</i>			(Berk. & Broome) Bourdot & Galzin
Sebacinales	Sebacinaceae			<i>Sebacina</i>	<i>fuliginea</i>			(Rick) L.S. Olive
Sebacinales	Sebacinaceae		UBC	<i>Sebacina</i>	<i>grisea</i>			Bres.
Sebacinales	Sebacinaceae	DAVFP	UBC	<i>Sebacina</i>	<i>macrospora</i>			(Ellis & Everh.) Burt
Sordariales	Helminthosphaeriaceae		UBC	<i>Echinospheeria</i>	<i>strigosa</i>			(Alb. & Schwein.) Declercq
Sordariales	Helminthosphaeriaceae		UBC	<i>Helminthosphaeria</i>	<i>clavariarum</i>			(Desm.) Fuckel
Sordariales	Lasiosphaeriaceae		UBC	<i>Lasiosphaeria</i>	<i>ovina</i>			(Pers.) Ces. & De Not.
Taphriniales	<i>Incertae sedis</i>	DAVFP	UBC	<i>Taphrina</i>	<i>alni</i>			(Berk. & Broome) Gjaerum
Thelephorales	Bankeraceae	DAVFP		<i>Bankera</i>	<i>fuligineoalba</i>			(J.C. Schmidt) Coker & Beers ex Pouzar
Thelephorales	Bankeraceae		UBC	<i>Boletopsis</i>	<i>grisea</i>			(Peck) Bondartsev & Singer
Thelephorales	Bankeraceae	DAVFP	UBC	<i>Boletopsis</i>	<i>subsquamosa</i>			(L.) Kotl. & Pouzar
Thelephorales	Bankeraceae	DAVFP	UBC	<i>Hydnellum</i>	<i>aurantiacum</i>			(Batsch) P. Karst.
Thelephorales	Bankeraceae	DAVFP	UBC	<i>Hydnellum</i>	<i>caeruleum</i>			(Hornem.) P. Karst.
Thelephorales	Bankeraceae			<i>Hydnellum</i>	<i>conigenum</i>			(Peck) Banker
Thelephorales	Bankeraceae			<i>Hydnellum</i>	<i>geogenium</i>			(Fr.) Banker
Thelephorales	Bankeraceae	DAVFP	UBC	<i>Hydnellum</i>	<i>peckii</i>			Banker
Thelephorales	Bankeraceae	DAVFP		<i>Hydnellum</i>	<i>pineticola</i>			K.A. Harrison
Thelephorales	Bankeraceae		UBC	<i>Hydnellum</i>	<i>regium</i>			K.A. Harrison

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Thelephorales	Bankeraceae	DAVFP	UBC	<i>Hydnellum</i>	<i>scrobiculatum</i>			(Fr.) P. Karst.
Thelephorales	Bankeraceae	DAVFP	UBC	<i>Hydnellum</i>	<i>suaveolens</i>			(Scop.) P. Karst.
Thelephorales	Bankeraceae	DAVFP	UBC	<i>Phellodon</i>	<i>atratus</i>			K.A. Harrison
Thelephorales	Bankeraceae	DAVFP	UBC	<i>Phellodon</i>	<i>melaleucus</i>			(Sw. ex Fr.) P. Karst.
Thelephorales	Bankeraceae	DAVFP	UBC	<i>Phellodon</i>	<i>tomentosus</i>			(L.) Banker
Thelephorales	Bankeraceae	DAVFP		<i>Sarcodon</i>	<i>calvatus</i>			(K.A. Harrison) K.A. Harrison
Thelephorales	Bankeraceae		UBC	<i>Sarcodon</i>	<i>fuligineoviolaceus</i>			(Kalchbr.) Pat.
Thelephorales	Bankeraceae	DAVFP	UBC	<i>Sarcodon</i>	<i>fuscoindicus</i>			(K.A. Harrison) Maas Geest.
Thelephorales	Bankeraceae	DAVFP	UBC	<i>Sarcodon</i>	<i>imbricatus</i>			(L.) P. Karst.
Thelephorales	Bankeraceae		UBC	<i>Sarcodon</i>	<i>rimosus</i>			(K.A. Harrison) K.A. Harrison
Thelephorales	Bankeraceae	DAVFP	UBC	<i>Sarcodon</i>	<i>scabrosus</i>			(Fr.) P. Karst.
Thelephorales	Bankeraceae	DAVFP	UBC	<i>Sarcodon</i>	<i>stereosarcinon</i>			Wehm.
Thelephorales	Bankeraceae		UBC	<i>Sarcodon</i>	<i>underwoodii</i>			Banker
Thelephorales	Bankeraceae		UBC	<i>Sarcodon</i>	<i>versipellis</i>			(Fr.) Nikol.
Thelephorales	Thelephoraceae			<i>Amaurodon</i>	<i>mustialaensis</i>			(P. Karst.) Köljalg & K.H. Larss.
Thelephorales	Thelephoraceae		UBC	<i>Amaurodon</i>	<i>viridis</i>			(Alb. & Schwein.) J. Schröt.
Thelephorales	Thelephoraceae	DAVFP	UBC	<i>Polyozellus</i>	<i>multiplex</i>			(Underw.) Murrill
Thelephorales	Thelephoraceae			<i>Pseudotomentella</i>	<i>atrofusca</i>			M.J. Larsen
Thelephorales	Thelephoraceae			<i>Pseudotomentella</i>	<i>humicola</i>			M.J. Larsen
Thelephorales	Thelephoraceae	DAVFP		<i>Pseudotomentella</i>	<i>mucidula</i>			(P. Karst.) Svrček
Thelephorales	Thelephoraceae		UBC	<i>Pseudotomentella</i>	<i>nigra</i>			(Höhn. & Litsch.) Svrček
Thelephorales	Thelephoraceae			<i>Pseudotomentella</i>	<i>tristis</i>			(P. Karst.) M.J. Larsen
Thelephorales	Thelephoraceae	DAVFP		<i>Pseudotomentella</i>	<i>vepallidospora</i>			M.J. Larsen
Thelephorales	Thelephoraceae		UBC	<i>Thelephora</i>	<i>anthocephala</i>			(Bull.) Fr.
Thelephorales	Thelephoraceae	DAVFP	UBC	<i>Thelephora</i>	<i>caryophyllea</i>			(Schaeff.) Pers.
Thelephorales	Thelephoraceae		UBC	<i>Thelephora</i>	<i>intybacea</i>			Pers.
Thelephorales	Thelephoraceae	DAVFP	UBC	<i>Thelephora</i>	<i>palmata</i>			(Scop.) Fr.
Thelephorales	Thelephoraceae		UBC	<i>Thelephora</i>	<i>penicillata</i>			(Pers.) Fr.
Thelephorales	Thelephoraceae	DAVFP	UBC	<i>Thelephora</i>	<i>regularis</i>			Schwein.
Thelephorales	Thelephoraceae	DAVFP	UBC	<i>Thelephora</i>	<i>terrestris</i>			Ehrh.
Thelephorales	Thelephoraceae	DAVFP		<i>Tomentella</i>	<i>avellanea</i>			(Burt) Bourdot & Galzin
Thelephorales	Thelephoraceae		UBC	<i>Tomentella</i>	<i>badia</i>			(Link) Stalpers
Thelephorales	Thelephoraceae		UBC	<i>Tomentella</i>	<i>bryophila</i>			(Pers.) M.J. Larsen
Thelephorales	Thelephoraceae	DAVFP	UBC	<i>Tomentella</i>	<i>calcicola</i>			(Bourdot & Galzin) M.J. Larsen
Thelephorales	Thelephoraceae	DAVFP		<i>Tomentella</i>	<i>cinerascens</i>			(P. Karst.) Höhn. & Litsch.
Thelephorales	Thelephoraceae	DAVFP	UBC	<i>Tomentella</i>	<i>coerulea</i>			(Bres.) Höhn. & Litsch.
Thelephorales	Thelephoraceae	DAVFP	UBC	<i>Tomentella</i>	<i>crinalis</i>			(Fr.) M.J. Larsen
Thelephorales	Thelephoraceae	DAVFP		<i>Tomentella</i>	<i>ellisi</i>			(Sacc.) Jülich & Stalpers
Thelephorales	Thelephoraceae	DAVFP	UBC	<i>Tomentella</i>	<i>ferruginea</i>			(Pers.) Pat.
Thelephorales	Thelephoraceae			<i>Tomentella</i>	<i>kootenaiensis</i>			M.J. Larsen

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Thelephorales	Thelephoraceae			Tomentella	<i>lapida</i>			(Pers.) Stalpers
Thelephorales	Thelephoraceae			Tomentella	<i>lilacinogrisea</i>			Wakef.
Thelephorales	Thelephoraceae			Tomentella	<i>nitellina</i>			Bourdot & Galzin
Thelephorales	Thelephoraceae		UBC	Tomentella	<i>subclavigera</i>			Litsch.
Thelephorales	Thelephoraceae	DAVFP	UBC	Tomentella	<i>sublilacina</i>			(Ellis & Holw.) Wakef.
Thelephorales	Thelephoraceae		UBC	Tomentella	<i>terrestris</i>			(Berk. & Broome) M.J. Larsen
Thelephorales	Thelephoraceae		UBC	Tomentella	<i>viridis</i>			(Rick) G. Cunn.
Thelephorales	Thelephoraceae	DAVFP		Tomentellina	<i>fibrosa</i>			(Berk. & M.A. Curtis) M.J. Larsen
Thelephorales	Thelephoraceae		UBC	Tomentellopsis	<i>echinospora</i>			(Ellis) Hjortstam
Trechisporales	Hydnodontaceae		UBC	Brevicellicium	<i>olivascens</i>			(Bres.) K.H. Larss. & Hjortstam
Trechisporales	Hydnodontaceae		UBC	Sistotremastrum	<i>niveocremeum</i>			(Höhn. & Litsch.) J. Erikss.
Trechisporales	Hydnodontaceae	DAVFP	UBC	Subulicystidium	<i>longisporum</i>			(Pat.) Parmasto
Trechisporales	Hydnodontaceae		UBC	Trechispora	<i>farinacea</i>			(Pers.) Liberta
Trechisporales	Hydnodontaceae			Trechispora	<i>microspora</i>			(P. Karst.) Liberta
Trechisporales	Hydnodontaceae	DAVFP		Trechispora	<i>mollusca</i>			(Pers.) Liberta
Tremellales	Carcinomycetaceae		UBC	Syzygospora	<i>mycetophila</i>			(Peck) Ginns
Tremellales	Hyaloriaceae			Myxarium	<i>atratum</i>			(Peck) Ginns & M.N.L. Lefebvre
Tremellales	Hyaloriaceae	DAVFP	UBC	Myxarium	<i>nucleatum</i>			Wallr.
Tremellales	Tetragoniomycetaceae		UBC	Tetragoniomyces	<i>uliginosus</i>			(P. Karst.) Oberw. & Bandoni
Tremellales	Tremellaceae	DAVFP	UBC	Tremella	<i>aurantia</i>			Schwein.
Tremellales	Tremellaceae	DAVFP	UBC	Tremella	<i>encephala</i>			Willd.
Tremellales	Tremellaceae	DAVFP	UBC	Tremella	<i>foliacea</i>			Pers.
Tremellales	Tremellaceae		UBC	Tremella	<i>globispora</i>			D.A. Reid
Tremellales	Tremellaceae		UBC	Tremella	<i>mesenterella</i>			Bandoni & Ginns
Tremellales	Tremellaceae	DAVFP	UBC	Tremella	<i>mesenterica</i>			Retz.
Tremellales	Tremellaceae		UBC	Tremella	<i>moriformis</i>			Berk.
Tremellales	Tremellaceae		UBC	Tremella	<i>mycetophiloides</i>			Kobayasi
Tremellales	Tremellaceae		UBC	Tremella	<i>obscura</i>			(L.S. Olive) M.P. Christ.
Tremellales	Tremellaceae			Tremella	<i>polyporina</i>			D.A. Reid
Tremellales	Tremellaceae		UBC	Tremella	<i>subanomala</i>			Coker
Tremellales	Tremellaceae		UBC	Tremella	<i>subencephala</i>			Bandoni & Ginns
Ustilaginales	Ustilaginaceae			Ustilago	<i>maydis</i>			(DC.) Corda
Xylariales	Amphisphaeriaceae	DAVFP		Neohypodiscus	<i>cerebrinus</i>			(Fée) J.D. Rogers, Y.M. Ju & Læssøe
Xylariales	Clypeosphaeriaceae		UBC	Clypeosphaeria	<i>mamilana</i>			(Fr.) Lambotte
Xylariales	Diatrypaceae		UBC	Diatrype	<i>albopruinosa</i>			(Schwein.) Cooke
Xylariales	Diatrypaceae	DAVFP	UBC	Diatrype	<i>disciformis</i>			(Hoffm.) Fr.
Xylariales	Diatrypaceae	DAVFP	UBC	Diatrypella	<i>favacea</i>			(Fr.) Ces. & De Not.
Xylariales	Diatrypaceae	DAVFP	UBC	Eutypa	<i>flavovirens</i>			(Pers.) Tul. & C. Tul.
Xylariales	Hyponectriaceae		UBC	Charonectria	<i>sceptri</i>			(P. Karst.) Lowen
Xylariales	Xylariaceae	DAVFP		Annullohypoxylon	<i>multiforme</i>			(Fr.) Y.M. Ju, J.D. Rogers & H.M. Hsieh

TABLE 2 *Continued*

Order	Family	DAVFP	UBC	Genus	Species	Variety	Forma	Authorities (<i>Index Fungorum</i>)
Xylariales	Xylariaceae	DAVFP		<i>Biscogniauxia</i>	<i>bartholomaei</i>			(Peck) Lar. N. Vassiljeva
Xylariales	Xylariaceae	DAVFP		<i>Biscogniauxia</i>	<i>mediterranea</i>			(De Not.) Kuntze
Xylariales	Xylariaceae	DAVFP	UBC	<i>Daldinia</i>	<i>loculata</i>			(Lév.) Sacc.
Xylariales	Xylariaceae	DAVFP		<i>Entoleuca</i>	<i>mammata</i>			(Wahlenb.) J.D. Rogers & Y.M. Ju
Xylariales	Xylariaceae		UBC	<i>Hypoxylon</i>	<i>investiens</i>			(Schw.) Curt.
Xylariales	Xylariaceae		UBC	<i>Hypoxylon</i>	<i>rubiginosum</i>			(Pers.) Fr.
Xylariales	Xylariaceae	DAVFP	UBC	<i>Kretzschmaria</i>	<i>deusta</i>			(Hoffm.) P.M.D. Martin
Xylariales	Xylariaceae		UBC	<i>Nemania</i>	<i>aenea</i>			(Nitschke) Pouzar
Xylariales	Xylariaceae		UBC	<i>Nemania</i>	<i>serpens</i>			(Pers.) Gray
Xylariales	Xylariaceae		UBC	<i>Poronia</i>	<i>punctata</i>			(L.) Fr.
Xylariales	Xylariaceae		UBC	<i>Rosellinia</i>	<i>diathrausta</i>			(Rehm) L.E. Petrini
Xylariales	Xylariaceae	DAVFP	UBC	<i>Xylaria</i>	<i>hypoxylon</i>			(L.) Grev.
Xylariales	Xylariaceae		UBC	<i>Xylaria</i>	<i>polymorpha</i>			(Pers.) Grev.