

This index should be cited as:

IPCC, 2019: Index. In: Climate Change and Land: an IPCC special report on climate change, desertification, land degradation, sustainable land management, food security, and greenhouse gas fluxes in terrestrial ecosystems [P.R. Shukla, J. Skea, E. Calvo Buendia, V. Masson-Delmotte, H.-O. Pörtner, D. C. Roberts, P. Zhai, R. Slade, S. Connors, R. van Diemen, M. Ferrat, E. Haughey, S. Luz, S. Neogi, M. Pathak, J. Petzold, J. Portugal Pereira, P. Vyas, E. Huntley, K. Kissick, M. Belkacemi, J. Malley, (eds.)]. In press.

decision making approaches 721-723 soil management 470-471, 591-592 incorporating ILK 512, 747-748 supply-side measures 470-472, 593, 594 Note: * indicates the term also appears in the Glossary and n indicates a footnote. demand-side adaptation 439, 472-473 sustainable food systems 465-466 dietary changes 472-473 sustainable integrated agricultural systems Italicised page numbers denote tables, ecosystem-based 19, 282, 381, 468, 470, figures, associated captions and boxed *566–567*, 706–707 sustainable land management (SLM) 388, 465 material. Supplementary Material is listed FAQs 646 synergies and trade-offs 492, 493, 499-502, by section number, for example 5.SM.5.1, 6.SM.6.4.1 financing mechanisms 474, 711-712 686, 718 food system 439, 440, 441, 470-473, 513 transport and trade 471-472 future scenarios 13, 564, 565 urban green infrastructure (UGI) 391-393, 1.5°C pathway* 22-23, 32n, 195-199, 200-201, gender and 447-448 392, 563 governance 737–738, 5.SM.5.5 water management 471 373, 581, 686 incremental 466, 466, 467, 717, 747 adaptation pathways* 104, 721-722, 743 1.5°C warming indigenous and local knowledge 512, 746-748 adaptation potential 589-594, 609-610, 609, compared to 2°C 83, 137, 146, 256, 279, 295, institutional measures 473-475 611-617, 7.SM.7.1 362, 449, 683 knowledge gaps 513 agricultural response options 589-590, 590, 611 crop productivity 454, 680-681 and land tenure 751-752 demand management options 593, 593, 615 limiting to 22-23, 49, 55, 83, 138, 348, 373, 449 mitigation co-benefits and synergies 22, forest response options 590, 590, 612 benefits to coastal regions 372 102-103, 383, 391, 392 land management options 589-592, 611-615 and land-use change 136, 138, 373, 449 all/other ecosystems 591-592, 592, 614 with food security 448, 492, 493, 500, 507, risks 15-16, 67, 277, 449, 644, 675, 683, specifically for CDR 592, 592, 615 513-514 684, 730 near-term actions 33-34 risk management options 594, 594, 617 SSP scenarios 50, 67, 278, 675, 684-685, 730 planning 473, 474, 475 soil-based response options 591, 591, 613 2°C warming policies 27-29, 105-106, 509 supply management options 593, 594, 616 compared to 1.5°C 83, 137, 146, 256, 279, 295, 362, 449, 683 risk associated with 686 adaptive capacity* 16, 557, 717, 736-737, 753, *754* crop productivity 454 in shared socio-economic pathways (SSPs) limiting to 22, 49, 55, 348 13, 564, 565 by continent 5.SM.5.2 social learning and 749 corruption and 716 benefits to coastal regions 372 and land-use change 136, 373, 449 supply-side adaptation 470-472 culture and beliefs 470 synergies with mitigation 448, 492, 493, dryland areas 16, 753 pathways 22, 195, 197-199, 200-201 499-502, 507, 513-514 enhancing 22, 28, 104, 107, 701 risks 15-16, 683, 684 forested areas 103 technologies 475 SSP scenarios 50, 278, 684-686 transformational 360, 466-467, 466, 467, 717 indigenous people 470, 755 3°C warming urban areas 188, 391-393, 392, 505, 507, inequality and 716 pathways 22, 701 insurance and 594, 699 risks 15-16, 373, 644, 683, 684, 730 706-707 adaptation limits* 714-717 knowledge and 104, 755 SSP scenarios 50, 67, 278, 675, 685, 730 desertification 20, 252-253, 291 land tenure and 27 4 per 1000 initiative 387 land degradation 21, 348, 388 mitigation and 103 2030 Agenda for Sustainable adaptation options* 18-22, 24-26, 81, 589-594, oasis populations 301-302 Development* 388 721-722 pastoralists 22, 276, 448 adverse side effects 686, 718 in shared socio-economic pathways 13, 14, agriculture 460, 469, 470-471, 499-502, 92-93 589-590 smallholders 22 acceptability (of policy or system change)* agroecology 468-470, 469, 499-500 strengthening 286-288 490, 510, 698, 754 agroforestry 382, 383-384 sustainable sourcing and 578, 616 acclimation 201-202 barriers 79 to floods 701 acclimatisation* see acclimation transformational 466-467 biophysical 470-471 acidification 573-574 community involvement 403, 474-475, 562 vulnerable groups 104, 518, 691 ocean acidification 627n, 691 demand-side measures 472-473, 593 women 353, 448, 716, 717 soils 355, 357, 376, 399, 575 diversification 468-470, 469, 589 adaptive governance* 723, 737, 742-743, see also reduced pollution including early warning systems 475 743-745 acidification FAQs 107, 646, 755 inclusive 754 activity data* 160, 164 financial instruments 474, 475 indicators/institutional dimensions 753, 754 adaptation* 79, 80, 102-103, 138, 389, 558 flexible livelihoods 471 social-ecological systems 391 agriculture 280, 383, 512 food system 464-475, 467, 509, 513-514 adaptive institutions 736-737 autonomous 466, 512, 701 adaptive management 68, 351, 721, 723-725, gender and 718 barriers to 448, 470, 475, 513, 715, 715, 716, global potential 24-26 724, 745 717, 738 indigenous and local knowledge 469, 470, 512 adaptive risk management (ARM) 639 challenge 558, 559-561, 561, 564, 565 institutional 473-475 adverse side effects* 19, 609, 611-615, 625 co-benefits 102-103, 392 adaptation options 686, 718 migration 285, 380, 466, 683 community-based 474-475, 518, 566-567

reducing meat consumption 472-473

risk management 467-468, 594

region-specific 107, 469, 561-563, 591, 592

afforestation 374, 605, 612

biochar 399, 613

consequences of delay 644-645

costs 693, 711, 723

| bioenergy and BECCS 373–374, 581–582, 592, 615, 687 | GHG emissions 8–11, <i>10–11</i> , <i>82–83</i> , 133–134, 151, <i>154</i> , <i>156</i> | future pathways <i>30</i> , 195, <i>642</i> global 5.SM.5.5 |
|--|---|---|
| coastal protection measures 402–403 | gross CO ₂ flux 134, <i>152</i> , 157 | sustainable <i>481–482</i> , 501–502, <i>502–505</i> , |
| forest area expansion 97, 99, 100 | mitigation 199, 480 | 566–567, 583, 589 |
| of mitigation 138 | N ₂ O emissions/removals 8, 11, 133, 134, <i>151</i> , | agricultural land |
| on NCPs or SDGs 630 | 160–162, <i>161</i> , <i>163</i> | BVOC emissions 170 |
| peatland restoration/reduced conversion 614 | net anthropogenic emissions 8–11, 10–11, | CO ₂ emissions 376 |
| reducing deforestation and forest | 133–134, <i>151</i> | degradation <i>352</i> , 373, 376, 402 |
| degradation 562 | net CO ₂ flux 133–134, 152–153, <i>152</i> | global trends in land use 444 |
| reducing grassland conversion to cropland <i>611</i> | regional differences in emissions 155, 156 | intensive management 373 |
| reforestation and forest restoration 605, <i>612</i> | total net GHG emissions 11 | land use/cover change 642 |
| risk from 687–688 | Africa | see also croplands; pasture |
| AerChemMIP (Aerosol Chemistry Model | agricultural emissions 159 | agricultural productivity 379, 379, 603–604 |
| Intercomparison Project) 169 | charcoal production 375, 740–741 | impact of desertification and climate change |
| aerosols* 139, 166–170, 268–269, 269, 271, 293 | conflict 380 | 273, 276, 279 |
| carbonaceous aerosols <i>149</i> , 167–169, <i>573</i> | conservation agriculture 501 | livestock 454–458, 455 |
| deposition on snow 166, 269 | crop production 300–301, 452–453, 454, 682 | see also crop productivity; crop yields |
| fire emissions 149, 573, 683 | deforestation 185 | agricultural response options 100, 189, |
| net cooling effect of dust emissions 377 | desertification 263, 305 | 569–571, 610 |
| secondary organic aerosols (SOA) 166, 167, | drought 258–259, 276, 290–291, 682–683 | adaptation potential 589–590, <i>590</i> , <i>611</i> |
| 169, 170 | dryland areas 255, 682–683 | feasibility <i>619</i> , 6.SM.6.4.1 |
| transport 269, 271 | dryland population 256–258, <i>257</i> | impact on desertification 595, <i>595</i> , <i>611</i> |
| afforestation* 19, 385–386, 567, 572 | | • |
| adaptation potential 590, 590 | dust emissions 166, 167, 268–269 floods <i>744</i> | impact on food security 603–604, 604, 611 |
| · | | impact on land degradation 599, 600, 611 |
| adverse side effects 374, 605, 612 | food loss and waste 100–101, 682 | impact on NCP <i>628</i> , 6.SM.6.4.3 impact on SDGs <i>631</i> , 6.SM.6.4.3 |
| best practice 25 | food security 450, 465–466, 472 | • |
| CO ₂ emissions 45, 155 | Great Green Wall of the Sahara and the Sahel 296, <i>297</i> | mitigation potential 189, 583–584, <i>584</i> , <i>611</i> |
| combined with bioenergy and BECCS 637 | • | potential across land challenges 611 |
| compensatory afforestation 710 | Green Dam project in Algeria 295–296, 296 | sensitivity to climate change impacts 623 |
| defined 98 | invasive plants 262, 298 | synergies and trade-offs 733 |
| feasibility 620, 6.SM.6.4.1 | irrigation 180, 288–289 | agricultural services 286–287 |
| global potential 25 | land degradation 263, 375, 380 | agriculture |
| green walls/dams 294–296, 297 | land tenure 287, 750, <i>751</i> | adaptation and mitigation 103, 470–471, 733 |
| impact of delayed action 645 | Limpopo River basin 263, 305 | adaptation policies 473 |
| impact on desertification 596, 596 | oases 300–302, <i>300</i> , <i>302</i> | agricultural expansion 481–482 |
| impact on food security 605, 605 | pastoralists 276 | agronomic practices 381, 382–383 |
| impact on land degradation 374–375, 385–386, | poverty in dryland areas 257 | best practice 723 |
| 600, <i>600</i> | rainfall erosivity in Niger Basin 370 | climate-smart agriculture 474, 500, 563, |
| impact on NCP <i>628</i> , 6.SM.6.4.3 | rainfall patterns 176, 180, 186, 258, 305, | 565–566, <i>566–567</i> , 733, <i>751</i> , 5.SM.5.5 |
| impact on SDGs <i>631</i> , 6.SM.6.4.3 | 450, <i>451</i> | CO ₂ land-atmosphere exchange 376 |
| increasing 385–386 | river basin degradation 263, 305, 370 | conservation agriculture 100, 192, 281, 470, |
| interlinkages 636–637 | sustainable food systems 465–466 | 471, 500–501 |
| Karapìnar wind erosion area 293, 293 | traditional biomass 375 | controlled traffic farming 503 |
| mitigation potential 191, 196, 585, <i>585</i> , 637 | urbanisation 285 | dependency 5.SM.5.2 |
| policy instruments 726 | vegetation greening 263 | desertification and 273, 276, 279, 279–283 |
| potential across land challenges 610, 612 | water scarcity 301, 682–683 | diversification 468, 469, 504, 589 |
| risk of land degradation 374 | agreement* 4n, 26 | dryland areas 16, 257, 259 |
| sensitivity to climate change impacts 623–624 | agricultural commercialism 289 | emissions pricing 702, 703 |
| short-term static abatement costs 102 | agricultural diversification 567, 570 | energy crops 374 |
| side effects and trade-offs 97, 99 | adaptation potential 589, 590 | energy efficiency 579 |
| water balance 98 | feasibility 619, 6.SM.6.4.1 | extensification 511 |
| afforestation/reforestation 8–9, 191, 492 | impact on desertification 595, 595 | financing mechanisms 712 |
| future scenarios 198–199, 373 | impact on food security 604, 604 | flooding 147–148 |
| land type used 374–375 | impact on land degradation 599, 600 | GHG emissions 159, 160, <i>160</i> , <i>161</i> , 376, |
| mitigation potential 48, 49 | impact on NCP 628, 6.SM.6.4.3 | 475–478, 511, 702, <i>703</i> |
| AFOLU (agriculture, forestry and other land | impact on SDGs 631, 6.SM.6.4.3 | croplands and soils 159–160, 161, 162, 163 |
| use)* 8–11, 138, 151 | mitigation potential 584, 584 | 476, 47 <i>7</i> |
| CH ₄ emissions/removals 8, 11, 151, | policy instruments 726 | enteric fermentation 160, 189, 477 |
| 159–160, <i>160</i> | potential across land challenges 610, 611 | global trends 44 <i>4</i> , 445, 49 <i>6</i> |
| CO ₂ emissions/removals 8–9, 133–134, <i>151</i> , 152–155, <i>152</i> , <i>153</i> , <i>154</i> , <i>156</i> , 157 | sensitivity to climate change impacts 623 smallholders 640 | livestock 159, 16 <i>0</i> , 16 <i>1</i> , 162, 476, 477–478, 47 <i>8</i> |
| emissions 151, <i>151</i> , <i>152</i> , 157 | agricultural intensification 195, 197, <i>502</i> , <i>562</i> , 583 | rice cultivation 159, 16 <i>0</i> , 477 |
| food system emissions 10–11, 475–476 | adverse effects 252–253, 276, 291–292, 735 | see also AFOLU |

| GHG fluxes 376 | impact on food security 604, 604 | anthropogenic drivers |
|---|--|--|
| GHG mitigation 190, 480–486 | impact on land degradation 599, 600 | of coastal degradation 354, 402–403 |
| global status and trends 85–88, 87 | impact on NCP 628, 6.SM.6.4.3 | of desertification 251, 259-260, 264, 268 |
| Hindu-Kush Himalayan Region 469 | impact on SDGs 631, 6.SM.6.4.3 | interaction with climate change 259–260, 382 |
| impacts of climate change 373, 451–460, <i>461</i> | mitigation potential 189, 584, 584 | of land degradation 349, 354–355 |
| impacts of precipitation extremes 147–148 | policy instruments 726 | anthropogenic emissions* 8–9, <i>10–11</i> , 11, <i>41</i> , |
| improved efficiency 503 | potential across land challenges 609, 610, <i>611</i> | <i>44</i> , 45–46, 84, <i>151</i> , 152–155, 199, 349 |
| improved market access 286 | potential deployment area 633 | aerosols 166, 167, 168–169, 170 |
| indigenous and local knowledge (ILK) 283–284, | sensitivity to climate change impacts 623 | carbon dioxide (CO ₂) 152–155, <i>152</i> , <i>154</i> , |
| 381, 384, 747 | | |
| | agronomic response measures 381, 382–383, <i>382</i> | 156, 157 |
| institutional adaptation options 473 | | estimating 153–155, <i>154</i> , <i>163–164</i> |
| integrated agricultural systems 499–502, <i>504</i> | agropastoralists 257, 439, 455–456, 5.SM.5.1 | gross emissions 157 |
| intensification | air pollution 160, <i>187–188</i> , 590 | methane (CH ₄) 159–160, <i>160</i> |
| see agricultural intensification | from fire 683 | nitrous oxide (N ₂ O) 160–162, <i>161</i> |
| invasive plants impacts 298, 299 | indoor 288, 709, <i>740</i> | rapid reduction 34, 79 |
| land degradation 372, 376 | management <i>573–574</i> | regional trends 155, <i>156</i> |
| land use 82–83, 85–86, 87 | short-lived climate pollutants* 451, 586, 740 | separating from non-anthropogenic 151, 199 |
| large-scale land acquisition (LSLA) 91, 750, 751 | urban 187–188, 603, 691 | see also greenhouse gas emissions |
| maladaptation 734 | see also reduced pollution | anthropogenic removals* 8, 46, 152–155, |
| mitigation barriers 715, 716 | including acidification | 157, 188 |
| mixed farming 384, 500 | Alaska 743 | estimating 153–155, <i>154</i> |
| mountain agriculture 301, 469 | albedo* 139 | negative emissions technologies 348, 398, 399, |
| nitrogen fertilisation 159 | aerosol deposition and 166 | 441, 492 |
| no-till farming 292, 376, 383, 471, 686 | albedo-induced surface temperature | see also carbon dioxide removal (CDR) |
| oasis agriculture 300–301 | changes 172 | anthropogenic warming 133, 147, 175 |
| Pacific island communities <i>517</i> , 518 | croplands 181–182, <i>181</i> | anticipatory governance 724, 742 |
| | | |
| pastoralism 257, 276, 384 | deforestation and 177 | aquaculture 697 |
| perennial grains and SOC <i>392</i> , 393–395 | forest management 191–192 | adaptation options 471 |
| policies 286–287, 473, 482, 508, 697, 701–702, | forest vs. non-forest 98 | GHG emissions 162, 478 |
| <i>703</i> , 714 | impact of afforestation 374 | GHG mitigation 486–487 |
| precision agriculture 100, 503, 566–567 | impact of biochar 399 | impacts of climate change 459 |
| re-vegetation of saline land 283 | land cover changes 12, 172, 374 | AR5 see IPCC Fifth Assessment Report |
| research and development 697 | land degradation and surface albedo | Arabian Peninsula 258, 274 |
| resilience 591 | change 377 | oases 300–302, <i>300</i> |
| response options, mitigation potential 189 | radiative forcing from changes in 138 | Aral Sea 264, 293, 294 |
| rice cultivation 384 | seasonal vegetation change 139 | Arctic region |
| risk management 102 | snow-albedo feedback 178, 179, 183–184 | permafrost thaw 684, 689, 7.SM.7.1 |
| smallholder farming systems 459–460, | surface albedo change and feedbacks to climate | sea ice 179, 691 |
| 499–500, 593, 594, 697 | 182–184, 269–270 | soils 204 |
| smallholder plantations 397-398 | Algeria 263, 301 | vegetation increase 377, 456 |
| standards and certification schemes | Green Dam project 295–296, 296 | warming 168, 172, 362, 377, 564 |
| 707–709, <i>708</i> | Amazon | Argentina 265, 452, 481 |
| sustainable farming systems 381, 384, 465–466 | biodiversity 352 | arid ecosystems 252, 271, 595 |
| sustainable land management 100 | BVOC emissions 169 | aridity* 142 |
| synergies 731 | deforestation 106, <i>149</i> , 175, <i>185</i> , <i>481–482</i> | aridity index (AI) 254, 254, 260 |
| urban and peri-urban agriculture 188, 505, 507 | deforestation and malaria 691 | future projections 276–277 |
| vulnerability 5.SM.5.2 | drought 146 | Asia |
| water use 7.SM.7.1 | _ | |
| | drought induced fires 149, 155 | agricultural emissions 159 |
| see also AFOLU; agricultural response | global warming and local climate feedbacks 45, | black carbon emissions 168 |
| options; agroforestry; irrigation | 183, <i>183</i> | crop production and food security 452 |
| agriculture, forestry and other land use | land rights 106, 378 | deforestation and rainfall patterns 185 |
| see AFOLU | peatlands 397–398 | desertification and land degradation 263–264 |
| agrobiodiversity* 468 | REDD+ 709-710 | dryland areas 255 |
| agroecology* 381, 499–500, <i>566–567</i> | Amazon biome 481 | dryland populations 257, 257 |
| food systems and 468–470, 469 | ammonia (NH ₃) 376, 497, 5.SM.5.3 | floods 472, 744 |
| agroforestry* 280, 382, 383–384, 567, 570 | animal feed 276, 473, 485, 5.SM.5.3 | greening trend 263 |
| adaptation potential 589, 590 | anthromes* 279–280, 280, 558, 559 | Hindu-Kush Himalayan region 452 |
| carbon sequestration potential 485 | area exposed to land challenges 560 | invasive plants in Pakistan 299–300 |
| co-benefits 504 | defined 86 | land tenure 751 |
| feasibility 618, 619, 6.SM.6.4.1 | local response to land challenges 561–563 | monsoon rainfall 176 |
| and food systems 470, 485, <i>504</i> | overlapping land challenges 558, <i>560</i> , 561, <i>561</i> , | pastoral systems 456 |
| GHG mitigation 485, <i>485</i> | 561–563 | peatland degradation 397–398 |
| impact on desertification 595, 595 | anthropogenic* defining 155 | peatland fires 397 |
| | | p-canana co 331 |

| reforestation in South Korea 395–396 | to adaptation 448, 470, 475, 513, 715, 715, | impact of invasive plant species 297–300 |
|--|--|---|
| river basin degradation 263 | 716, 717, 738 | loss 19–20, 88, 263, 683 |
| soil erosion in Central Asia 293–294 | to addressing desertification 292 | risk to 691 |
| Sundarbans mangroves 400 | to addressing land degradation 55 | SLM practices and 306 |
| traditional biomass use and land | to community-based adaptation 475 | threatened hotspots 558, 559, 560, 562 |
| degradation 375 | to early warning systems 475 | trade-offs 730–731, 735 |
| see also China | to implementing policy response 28, 43, | biodiversity conservation 567, 575, 706–707 |
| atmosphere* 185–186 | 714–717 | adaptation potential 592, 592 |
| atmospheric CO ₂ 79, 84–85, 140, 171, 172, | to implementing SLM 28, 284, 389–391 | combined with bioenergy and BECCS 637 |
| 184, 254 | to integrated response options 618, 619–623, | feasibility 621, 6.SM.6.4.1 |
| changes in 7.SM.7.2 | 6.SM.6.4.1 | impact on desertification 597 |
| desertification feedbacks to climate 268, 269 | to mitigation 79, 188, 292, 513, 715–716 | impact on food security 606, 606 |
| effect of increasing levels 88, 144, 165 | to participation and decision making 717–718 | impact on land degradation 601, 601 |
| on crops 451–452, 453, 454, 458, 463–464 | to urban agriculture 188 | impact on NCP <i>628</i> , 6.SM.6.4.3 |
| on food quality 463–464 | baseline scenario* 195–196, 197, 564, <i>565</i> , 684 | impact on SDGs <i>631</i> , 6.SM.6.4.3 |
| on livestock 454–455, 45 <i>5</i> , 456 | baseline values 260, 350, 365 | mitigation potential 586, 587 |
| on soil organic carbon 134, 204 | baseline-and-credit schemes 703 | policy instruments 726 |
| on vegetation 79, 134, 144, 165, 202–203, | BECCS (bioenergy with carbon dioxide capture | potential across land challenges 614 |
| 251, 297, 362, 457, 463 | and storage)* 196, 198–199, 373, 492, | sensitivity to climate change impacts 624 |
| forestation and 179 | 494, 513–514 | bioenergy* 19, 288, 492, 494, 646 |
| impact on food security 5.SM.5.2 | large land-area need 19, 97 | agricultural and food waste streams 486, 741 |
| increase due to land cover change 172–173, | mitigation potential 49, 193, 201, 494 | alternative land use to livestock production 51 |
| 174, <i>174</i> | risks of 686–688, <i>687</i> | biomass supply 97, 193–194, 373–374, 375, |
| potential impact of mitigation 157 | see also bioenergy and BECCS | 386, <i>581</i> |
| regional warming due to increase 135, | behavioural change 95, 291, 390, 645 | competition for land 42, 53–54, 62, <i>99</i> , 607 |
| 172–173, <i>173</i> , 174, <i>174</i> | best practice 25, 391, 707, 723 | cropland <i>30–32</i> , <i>31–32</i> , 62, 194, 196, 199, |
| removal 133–134, 135–136, 157, 492, 494 | Biennial Transparency Reports 704 | <i>642–644</i> , 646 |
| see also CO₂ fertilisation | bio-economic farm model (BEFM) 460 | crops 97, 193–194, 373–374, 492, <i>576</i> , 646 |
| atmospheric inversions 164 | bioaerosols 168 | energy access 709 |
| attribution* | biochar* 100, <i>392</i> , 398–400, 492, <i>573</i> | GHG emissions 49, 193–194, 196, <i>583</i> |
| desertification 265–268 | adaptation potential 493, 591, 591 | global consumption 582 |
| land degradation 360, 362 | best practice 25 | governance 738–739 |
| soil erosion 682 | combined with other response options 374, 567 | impacts on land degradation 373–374 |
| of vegetation changes to human activity 266 | demand for land 19, 610 | land area required 19, 97, 687–688, <i>687</i> , <i>739</i> , |
| Australia | feasibility 620, 6.SM.6.4.1 | 7.SM.7.1, 7.SM.7.3 |
| climate change and crop production 452 | global potential 25 | modelled pathways 22–23, 30– <i>32</i> , 49, 97, |
| desertification 264 | impact on desertification 596, 596 | 373, 449 |
| dryland areas 255 | impact on food security 605, 606 | mitigation potential 193–194, 201 |
| dryland population 257 | impact on land degradation 374, 399–400, | potential scale 373 |
| mesoscale convective systems (MCS) 370 | 601, <i>601</i> | reducing/reversing land degradation 374–375 |
| monsoon rainfall 176 | impact on NCP 628, 6.SM.6.4.3 | risks due to 373–374, 686–688, <i>687</i> |
| autonomous adaptation* 466, 512, 701 | impact on SDGs 631, 6.SM.6.4.3 | risks under different SSPs 7.SM.7.1, 7.SM.7.3 |
| | mitigation potential 192–193, 399, 493, | short term net emissions 193–194 |
| | 585–586, <i>586</i> | socio-economic impacts 739 |
| В | mitigation, role in 398–399 | sustainability standards and certification 707, |
| - 116 14- | negative effects 399, 610 | <i>708</i> , 709 |
| Bangkok flood 472 | policy instruments 726 | synergistic outcomes 582 |
| Bangladesh 698, 744 | potential across land challenges 610, 613 | technology transfer 704 |
| barren lands <i>560</i> , 561, <i>561</i> | production 192, 398, 400, 605, 741 | trade-offs with SDGs 7.SM.7.1 |
| barriers 28, 34, 42 | sensitivity to climate change impacts 624 | traditional biomass 20, 288, 375, 709, 740–742 |
| economic 42, 618, <i>619–623</i> , <i>715</i> , 6.SM.6.4.1 | bioclimates 141 | bioenergy and BECCS 19, 193-194, 567, |
| environmental <i>619–623</i> , 6.SM.6.4.1 | biodiversity* 79 | <i>575–576, 580–583</i> |
| geophysical <i>619–623</i> , 6.SM.6.4.1 | agroecosystems 504 | adaptation potential 592, 592 |
| inequality as 716 | drylands 271–272, 278–279 | adverse side effects 581–582, 592, 615 |
| institutional 618, <i>619–623</i> , 715–716, <i>715</i> , 737, | forest 98–99, 352 | best practice 25, 707 |
| 738, 6.SM.6.4.1 | future scenarios 564, 565 | co-benefits <i>581–582</i> , 592, <i>615</i> |
| multiple 62 | green energy and 735 | feasibility 618, 621, 6.SM.6.4.1 |
| overcoming 34, 70, 103, 513, 717 | impact of bioenergy 97 | global potential 25–26 |
| region specific 292 | impact of climate change 404 | impact of delayed action 645 |
| socio-cultural 42, 618, <i>619–623</i> , <i>715</i> , | impact of desertification 263, 271–272, | impact on desertification 597, 597 |
| 6.SM.6.4.1 | 278–279 | impact on food security 607, 607 |
| technological barriers 62–63, 618, <i>619–623</i> , | impact of forest area expansion 98–99 | impact on land degradation 373, 601, 602 |
| <i>715</i> , 6.SM.6.4.1 | impact of grazing and fire regimes 281–282 | impact on NCP <i>628</i> , 6.SM.6.4.3 |

| impact on SDGs 631, 6.SM.6.4.3 | forest response options 191–192 | carbon dioxide (CO ₂)* 8–9, 10–11, 152–157 |
|---|--|---|
| interlinkages and interactions with other | global 172, 174–175, 177, 178, 179 | 4p1000 initiative 387 |
| response options 636–638, <i>636</i> , <i>637</i> | regional 172–173, 174, 175–176, 177–178, 179 | biogeochemical effects of land use change |
| inventory reporting 583 | seasonal 178–179 | 171–173, <i>173</i> , 174–175, <i>174</i> , <i>175</i> , |
| limiting 637–638 | warming 172, 174, 175, 177–178, 179, 197 | 176–177, <i>177</i> , 243, <i>243–245</i> |
| mitigation potential 193, <i>580</i> – <i>583</i> , 587, <i>587</i> , 637 | biophysical models 262, 364, 366 | CO ₂ equivalent emissions 151 |
| modelled pathways 22–23, 72–74, 97, 373, 494 | biotic degradation processes 355–356, 371–372 | cumulative emissions 243, 243–245 |
| mitigation scenarios 196–199, 58 <i>0–5</i> 83 | black carbon (BC)* 167, 168, 451, 591, 606, 740 | emission reduction and removal 195–197, |
| policy instruments 726 | blockchains 513 | 196, 485 |
| potential across land challenges 610, 615 | Bolivia 452 | emissions 79, <i>82–83</i> , 89, 133–134, 137, <i>151</i> |
| potential deployment area 633, 633 | bookkeeping/accounting models 9, 152–155, | due to deforestation 153, 176–177, 177, 476 |
| risks due to 686–688, 7.SM.7.1, 7.SM.7.3 | 154, 163 | due to land degradation 153, 376–377 |
| scale of deployment 62, 63, 67 | boreal forest 15, 179–180, 191 | due to land use change 195–196, 476 |
| sensitivity to climate change impacts 624 | climate related risks 7.SM.7.1 | fire emissions 149, 586 |
| biofuel* 288, 486, <i>580–583</i> | shift to woodland/shrubland 7.SM.7.1 | food system emissions 475–476, 477, 478 |
| crops 193–194, 283 | boreal regions 12 | fossil fuel emissions 153, 153 |
| governance 738–739 | area burned by fires 156 | peatland emissions 159, 397, 476, 477 |
| sustainability 708, 709 | BVOC emissions 169 | soil emissions 134, 203 transport emissions 478 |
| biogenic volatile organic compounds (BVOCs) 169–170 | climate feedbacks 182–183, <i>182</i> , <i>183</i> deforestation <i>177</i> , 179 | • |
| contribution to climate change 170 | evolution of natural vegetation 172 | estimating emissions 134, 153, 155 fluxes <i>87</i> , 88, <i>154</i> |
| decrease in emissions 192 | fires 148–149, 150 | AFOLU fluxes 8–9, 133–134, 151, 152–155, |
| future trends 170 | forest management 191–192 | 152, 153, 154, 156, 157 |
| oxidation 168, 169, 170 | forestation <i>177</i> , 179, 191 | anthropogenic land flux 8–9, 133–134, 151, |
| and tropospheric ozone 170 | peatlands 397, 398 | 154, 156, 163–164 |
| biogeochemical effects* 134–135, 136, <i>139</i> , <i>140</i> , | water use efficiency 165 | forest fluxes 154 |
| 173, 174, 175 | Botswana 287 | LULUCF fluxes 199–200, 200 |
| aerosols deposition and 166 | Brazil 482, 562, 582 | total net land-atmosphere flux 8, 133–134, |
| changes in anthropogenic land cover 243, | Bromus tectorum (Cheatgrass) 299 | 152–157, 15 <i>2</i> |
| 243–247 | Brossentia papyrifera (Paper Mulberry) 299 | gross emissions/removals 134, <i>152</i> , 157 |
| cooling 179 | brown carbon (BrC) 167, 168 | land cover change and 8–9, <i>10–11</i> , 133–134, |
| deforestation/forestation 98, 176–177, 178–180 | buffelgrass 299 | <i>151</i> , 172, 243, <i>243</i> – <i>245</i> |
| dynamics of soil organic carbon 203 | Burkina Faso 263 | land sink processes <i>153</i> , 155–156, 157 |
| forest response options 191–192 | burning embers diagrams 14, 680, 681, 685, 687, | negative emissions 135–136, 198–199 |
| global warming 172, 174–175, 177 | 7.SM.7.1–3 | net anthropogenic flux due to land cover change |
| regional warming 172–173 | bush encroachment see woody encroachment | 8–9, <i>10–11</i> , 133–134, <i>151</i> , <i>156</i> |
| warming 135, 176–177, 179 | business as usual (BAU)* 199, 200 | net emissions 6–7, 8, 154, 171 |
| biogeochemical models 158 | | net FOLU emissions 6–7 |
| biological soil crusts 356, 358 | 6 | net negative emissions 198 |
| biomass* 580-583 | C | non-AFOLU emissions 10-11, 151, 153, 155 |
| for bioenergy 19, 193–194 | Canada | permafrost release of 134, 184 |
| Biomass Production Efficiency (BPE) 368 | fire <i>149</i> , 684 | release from deep soil 203 |
| burning 162, 168, 169, 7.SM.7.1 | floods 744 | sequestration through forest area expansion 99 |
| burning emissions 162, 168, 169 | canopy cover 367, 368, 369 | sink 84, <i>87</i> , 172, 180, 182, 397 |
| feedstock 399, 605, 610 | cap and trade systems 702 | see also atmospheric CO2; carbon dioxide |
| field measurements 163 | capabilities 557–558 | removal (CDR); CO ₂ fertilisation |
| fuelwood 288 | capital markets 511 | carbon dioxide removal (CDR)* 135–136, |
| harvested 86, 351, 352 | carbohydrate dilution 463 | 492, 494 |
| potentials 581 | carbon balance 191, 193, 201–202 | future pathways 22–23 |
| resource management 739 | carbon budget* 485, 573 | increased need 645 |
| sustainability standards and certification | global carbon budget 157, 385 | land area needed for 373 |
| 707–709, <i>708</i> | carbon capture and storage (CCS)* 99, 373 | land management response options 97 |
| traditional biomass 20, 288, 375, 709, 740–742 | carbon cycle* 84 | mitigation pathways 196–197, <i>196</i> , 198–199 |
| water content 262 | future terrestrial carbon source/sink 137 | Paris Agreement 449 |
| biomes* 141, 279–280, 280 | impact of desertification 268 | potential scale 373 |
| Amazon biome <i>481</i> | impact of extreme rainfall 148 | reducing/reversing land degradation 374–375 |
| biome shifts 140, 371, 684, 7.SM.7.1 | impact of fire 149 | risk of land degradation 373–374 |
| biophysical effects* 135, 139, 173, 174, 175 | impact of heat extremes and drought 146 | sustainable forest management (SFM) |
| bioenergy deployment 194 | impact of land degradation 376 | and 386–387 |
| changes in anthropogenic land cover 135, 243, 243–247 | peatlands, wetlands and coastal habitats 193 | synergies and trade-offs 492, 493, 494 |
| 243–247 cooling 172–173, 174–175, 177, 178, 179 | rebound effect 157 | Carbon Disclosure Project 511 carbon footprint 479, 491, 505, 511 |
| deforestation/forestation <i>98</i> , 176–180 | wild animal management and 586 | carbon rootprint 479, 491, 503, 511 |
| aciolestation/1016station 30, 170-100 | | Carbon Intensity 102 |

| carbon monoxide (CO) 149 | New Zealand Emissions Trading Scheme | climate change* 7–8, 79–80, 133, <i>171</i> , 756 |
|---|---|---|
| carbon pools 84, 191, 368 | (ETS) <i>703</i> | amplification 172, 178, 377 |
| conservation of 191, 571 | oases in hyper-arid areas 300–302, 300, 302 | biogeochemical warming 172–173, 173, 174 |
| and erosion 376 | overlapping land challenges 561–563 | biophysical cooling 172–173, 173, 174–175, |
| permafrost 184 | pasture intensification 562 | 174, 175 |
| carbon price* 645, <i>694</i> , 701, 702, 753 | perennial grains and SOC 392, 393–395 | BVOC contribution to 170 |
| carbon rights 715, 716 | REDD+ in Amazon and India 709-711 | capacity to respond 80 |
| carbon sequestration* 18, 84, 281, 715 | reforestation 392, 395–397 | desertification and 251-252, 258-260 |
| agroforestry 485, 485 | saltwater intrusion 392, 401-402 | dust emissions and 167 |
| aquaculture 486–487 | soil and water conservation 561-562 | equity 446–447, <i>447–448</i> |
| coastal wetlands 193 | tropical cyclone damage 392, 400-401 | financial impacts and instruments for managing |
| compensation by albedo changes 377 | tropical forests restoration and resilience 562 | 712–713 |
| cropland soils 192, 483 | urban green infrastructure (UGI) 391–393, | fire and 148–150 |
| decrease 147 | 392, 563 | food security and 439–440 |
| dryland areas 271 | catastrophe (CAT) bonds 713 | future scenarios 564, 565 |
| forests 191, 385–386 | catastrophe risk pool 713 | gender and 104–105, 446–447, <i>447–448</i> |
| grasslands and rangelands 483 | cellular agriculture 487 | impacts see climate change impacts |
| grazing lands 192 | Cenchrus ciliaris L. (Buffelgrass) 299 | increasing risks and impacts 14–15, 15–17 |
| impact of fire 149 | Central America 265, 460, 518 | and indigenous food systems 469 |
| impact of heat extremes and drought 146, 147 | Central Asia 264, 293–294 | influence on land use 90–91 |
| land degradation 376 | Cerrados, Brazil <i>562</i> | land challenges and response options 553–555 |
| nitrogen deposition and 203 | certification schemes 602, 707–709, <i>708</i> | land degradation in the context of 347–348, |
| projected 278 | CFS (Committee on World Food Security) | 353–365 |
| carbon sink* 351, <i>352</i> , 368 | 5.SM.5.5 | land tenure and 749–750 |
| enhancing 388 | charcoal 375, <i>740–741</i> | observed change 82–83 |
| forests 21, 156, 180, 386 | cheatgrass (<i>Bromus tectorum</i>) 299 | reducing negative impacts 79 |
| future trends 137 | childhood stunting 445, 445, 446, 607 | risk management and decision making for |
| impacts of heat extremes and drought 146 | childhood wasting 445, 445, 446, 607 | sustainable development 675–677, 678 |
| importance of arid ecosystems 271 | Chile 265, 292 | risk transitions 14, 680–688, 7.SM.7.1–3 |
| land sink process 153, 155–157 | China | role of ILK in understanding 746–747 |
| loss of <i>689</i> | afforestation programmes 98, 294–295 | socio-economic challenges 81 |
| reversal 686 | crop production 452 | sustainable development pathways 678 |
| carbon stocks* 351, <i>352</i> | | upper atmosphere effects 185 |
| · | desertification and land degradation 263, | |
| desertification and 270, 271 | 294–295, 396, 603 | Climate Change Adaptation (CCA) 467 |
| forest carbon stocks 191, 351, 352, 367, | dust storms 294–295 | see also adaptation |
| 368–369, 385–387 | land degradation control policies 396–397 | climate change impacts 84–85, 89–90, 90, |
| modelling 201 | reforestation 396–397 | 623–624 |
| peatlands 397, 398 | rice cultivation 452 | agriculture 373, 451–460, 461, 623 |
| vulnerability to extreme events 147 | sand movement and railways 275 | crop production 8, 380, 451–454, 458–459, |
| carbon tax 68, 498, 510, 702, 714, 753 | Sloping Land Conversion Program 603 | 5.SM.5.2 |
| policy in SSPs 727 | citizen engagement 754 | livestock 276, 454–458, 455, 5.SM.5.2 |
| carbonaceous aerosols 149, 167–169, 573 | citizen science* 512, 748 | pastoral systems 276, 455–458, 5.SM.5.1 |
| cascading impacts 354, 376, 682, 690, 691, | civil society organisations (CSOs) 5.SM.5.5 | analysis methods 460 |
| 744, 755 | Clean Development Mechanism (CDM)* 704 | aquaculture 459 |
| cascading risks 15, 679 | climate* | aridity 142 |
| case studies | climate zone shifts 8, 15, 133, 140, 143, 205 | biodiversity 404, 624 |
| avoiding coastal maladaptation <i>392</i> , 402–403 | desertification feedbacks to 268–270, 269 | climate change impact-land management |
| biochar <i>392</i> , 398–400 | dust and 166–167 | interactions 351, <i>352</i> |
| climate change and soil erosion 292–294 | effect on land sink 155–156 | conflict 380–381 |
| climate smart villages in India 563 | future pathways 641–644 | desertification 7–8, 258–260 |
| conservation agriculture 561–562 | global impacts of land cover change 171–172, | direct effects on plant and animal biology 463 |
| degradation and management of peat soils 392, | 171, 172, 173, 174–175, 175, 182 | dust emissions and dust storms 167, 277 |
| 397–398 | impact of deforestation/forestation 176–180 | ecosystem services 404 |
| desertification 292–305 | impact of land condition changes 12, 134–135, | energy infrastructure 275 |
| flood and food security 743–745 | 171–186 | feedbacks to climate 12, 171–180, 182–185 |
| governance of biofuels and bioenergy 738–739 | local effects 180, 377 | food prices 460–462, 461, 494–497, 495, |
| green energy trade-offs with biodiversity | non-local and downwind effects 135, 180, | 685–686 |
| and ES <i>735</i> | 184–186, <i>185</i> | food security 7–8, 15, 142–143, 442, <i>443</i> , |
| green walls/dams 294–296, 297 | novel unprecedented climates 143 | 450–464, 519, 690 |
| integrated watershed management (IWM) | projections* <i>140</i> , 176, 184, 277 | food systems 89–90, 442, 443, 450–464 |
| 302–305, <i>303</i> , <i>304</i> | regional see regional climate | forests 367–368, 371–372 |
| interlinkages between land challenges 561–563 | seasonal 173, 178, 179, <i>572</i> | gender and 274, 5.SM.5.1 |
| invasive plant species 297–300, 298 | <i>see also</i> climate system | human health 274, 691, 5.SM.5.1 |

| invasive plants 297–298 | climate pathways 641–644 | re-vegetation of saline land with halophytes 283 |
|---|--|---|
| on land 140–148 | climate policies 27, 68, 639, <i>678</i> | REDD+ and adaptation 590 |
| land degradation 351, 360–363, 367–368, | and corruption 716 | reducing deforestation and forest |
| 369–373 | measurable indicators 725 | degradation <i>562</i> |
| land ecosystems 84–85, 143–144 | policy integration 103 | reducing reliance on traditional biomass 375 |
| on land use 462 | scenarios consistent with Paris Agreement 642 | reducing urban sprawl 594 |
| local and regional impacts of land cover change | climate-resilient pathways* 678 | responses to land degradation 381 |
| 135, <i>182</i> | climate services* 52, 288, 493, 513 | risk-sharing instruments 588–589 |
| migration 380-381 | climate shocks 143, 379, 513, 514–515, <i>515</i> | of Sustainable Development Goals 730-731 |
| oases 300–302 | climate-smart agriculture (CSA)* 474, 500, 563, | sustainable forest management (SFM) 351-352 |
| peatland degradation 397–398 | 565–566, <i>566–567</i> , 733, <i>751</i> , 5.SM.5.5 | sustainable intensification 501 |
| pests and diseases 458 | climate-smart forestry 585 | sustainable land management 21, 403 |
| pollinators 458–459 | climate-smart villages (CSV) 563 | urban agriculture 505, 507 |
| poverty 259, 272–273, 279 | climate system* 5, 6–7 | coastal communities, risks to 372–373, 400, |
| on rangelands 372, 454–456 | aerosols and 166–170 | 7.SM.7.2 |
| regionally distributed 143 | assessing land processes in 91–92 | coastal degradation 402, 7.SM.7.1, 7.SM.7.2 |
| sensitivity of integrated response options | consequences of land-based adaptation and | impact of tropical cyclones 400 |
| 623–624 | mitigation 47–49, 189–195 | saltwater intrusion 401–402 |
| short lived climate forcers 167, 169 | future scenarios 92–93, <i>93–96</i> , 195–201 | coastal erosion 8, 354, <i>356</i> , 370, 372–373 |
| soil erosion 360, 361–362, 363, 624 | land and 83, 84–85, 90, 137–138 | climate related risks 7.SM.7.1 |
| terrestrial biogeochemical cycles 157 | land forcing and feedbacks 46–47, 139–140, | exceeding limits to adaptation 21 |
| urban areas 186, 447, 752 | 171–186 | result of sea walls 402–403 |
| | | |
| water resources 205, 274 | see also land-climate interactions | under different SSPs 7.SM.7.1 |
| climate extreme (extreme weather or climate | climate targets* 49, 195–201, <i>641–644</i> | wetlands and 372 |
| event)* 16, 133, 144–148, <i>688</i> | climate variability* 140, 278 | coastal flooding 402–403, 592, 692, 7.SM.7.1, |
| and conflict 518, 690 | CO ₂ land sink and 155 | 7.SM.7.2 |
| drylands 259 | fire upsurges 149 | coastal maladaptation 392, 402–403 |
| financial impacts and instruments for managing | and food security 450–451, 464 | coastal wetlands |
| 712–713 | impacts on land 140–148, 205 | see restoration and reduced conversion |
| and fire <i>149</i> | impacts on livelihoods 516, <i>517</i> , 518 | of coastal wetlands |
| food system and security 142–143, 450–451, <i>451</i> , | migration and 516–518, <i>517</i> | coffee crop 372, 383, 460 |
| 464, 500, 514–515, <i>515</i> , <i>516</i> , 5.SM.5.2 | clouds 166, 168, 169, 177, 377 | collective action* 284, 640, 745, 748–749 |
| frequency and intensity 133, 145, 147 | CMIP (Coupled Model Intercomparison Project)* | Committee on World Food Security (CFS) |
| historical land cover change impacts 174 | carbon and nitrogen cycle feedbacks 157 | 5.SM.5.5 |
| and migration 516, <i>517</i> , 518, 690–691 | CMIP6 global emissions pathways 168, 170 | commodity markets 515, <i>515</i> , <i>516</i> |
| policies responses 699–701, 714 | desertification projections 277–278 | commodity-based systems 465 |
| precipitation extremes 12, 15, 147–148, 302, | dust emissions 167 | community-based adaptation (CBA) 474–475, |
| 361, 7.SM.7.1 | CO ₂ equivalent emissions* 151 | 518, <i>566–567</i> |
| resilience to 28, 285, 500, 513 | CO ₂ fertilisation 134, 155, 165 , 202–203, 266, 362 | community-based disaster risk management 580 |
| soil moisture and 135, 184 | crops 451-452, 454, 463-464 | community forest land 710–711, 752 |
| spatial and temporal scales 145 | in drylands 251, 262, <i>267</i> | community forestry 385, 720 |
| temperature extremes 12, 145-147, 174, 176, | and fire risk 683, 684 | compensatory afforestation 710 |
| 179, 362, <i>516</i> , <i>563</i> | greening trends 144, 266, 267 | competition for land 90-91, 100, 373, 610, 689 |
| urban areas 186–187 | increased CO ₂ removals 8, 155, 165, 202 | afforestation 610 |
| vulnerability and exposure to 133, 138 | and nutritional quality 455, 463-464 | bioenergy 42, 53-54, 62, 99 |
| see also extreme weather events | and rangeland productivity 455, 455, 457 | bioenergy and BECCS 581–582, 607 |
| climate feedbacks* 138, 140 | co-benefits* 18–19, 80, 392, 609, 625 | food systems 449, <i>502</i> |
| boreal regions 182–183, <i>183</i> | agroforestry 383, 485, 504 | land-based CDR 492, 494, 687–688 |
| BVOCs and 169, 170 | of biochar 399 | land-based response options 18–19, 24–26, 97 |
| from desertification 12, 268–270, 269, 382 | bioenergy 374, 492, 581-582, 592, 739 | compound events 144, 146 |
| from high latitude land surface changes | carbon dioxide removal (CDR) 374, 492 | comprehensive risk management 712, 721, 724 |
| 183–184 | dietary change 22, 510 | conditional probabilistic futures 94 |
| from land degradation 375–377 | disaster risk management 588 | Conferences of the Parties (COPs)* 473 |
| permafrost carbon feedbacks 183, 184 | ecosystem-based adaptation 706 | confidence* 4n, 24–26, 91, 92 |
| surface albedo changes 182–184 | forest area expansion 99, 100 | conflict 89, 150, 275, 380–381, 445, 518, 690 |
| vegetation greening 172 | integrated response options 627, 633 | Congo Basin 353, 397 |
| wind and solar energy installations 288 | integrated response options and SDGs 630 | congress weed 298 |
| climate finance 34, 387, 711–713, 716 | integrated water management 589–590 | conservation agriculture 100, 192, 281, 470, 471, |
| climate governance* 90–91, 104, 737–738, <i>748</i> | land management 633 | 500–501, <i>566–567</i> |
| climate impact models 513 | mitigation 138 | case study <i>561–562</i> |
| climate models* 147, 173, 174–176, 174, 176, | mitigation and adaptation 19–20, 21 | risk associated with 686 |
| | , | |

policy design 28

see also CMIP; Earth system models

| | | 406 720 |
|---|--|---|
| consumption 106 | impact of extreme weather and climate 143, | customary norms 106, 720 |
| grain 605 | 464, 690 | cyclones see tropical cyclones |
| contingency finance 712–713 | increasing 605, 606, 607 | Czech Republic 453 |
| controlled traffic farming 503 | low altitudes 680–681, 681 | |
| convection* 139, 180, 205 | projected 453 | D |
| cooperation mechanisms 704–705 | risks from climate change 680–681, <i>681</i> , 685, | D |
| coping capacity* 388 | 7.SM.7.1 | dairy systems 483 |
| corporate social responsibility 106 | under different SSPs 7.SM.7.1 | dams and dam-building 734, 735 |
| corruption 716, 750 | warming temperatures and 5.SM.5.2 | data sources 91–92 |
| cost-benefit analysis (CBA)* 96, 693, 694, 721 | croplands 22, 79, 561–562, 633 | date palms 300-301 |
| reforestation 396 | acidification 355 | decarbonisation* 97, 675 |
| sustainable land management (SLM) 381–382 | albedo 181–182, <i>181</i> | decentralised governance 287 |
| cost-effectiveness* 102, <i>693</i> , 707, 721, 723 | biochar biomass production 605 | decision making 68, 70, 638–639, <i>678</i> , |
| costs 692–694, 711–713 | bioenergy cropland <i>31–32</i> , 62, 194, 196, 199, | 719–725, <i>726</i> |
| of action 693, 723 | <i>642–644</i> , 646 | adaptive management 723–725, 724 |
| of delayed action 102, 348, 644–645 | current land use 79, 85–86, 85 | cost-benefit analysis 96 |
| of drought 290 | dryland areas 254, 256 | economic approaches 721 |
| of flooding 744, 7.SM.7.1 | expansion <i>562</i> , 595, 602, 603, 604 | effectiveness 28–29 |
| of inaction 102, 298, 644–645, <i>693</i> | GHG emissions 476, 477 | FAQs 755–756 |
| of integrated response options 24–26, 618, | N ₂ O emissions 134, 162, 181–182, 476, 477 | formal/informal 720 |
| <i>619–623</i> , 6.SM.6.4.1 | GHG mitigation 22, 483 | futures analysis 93, 96 |
| of land degradation 692–693 | global trends 86, 87 | in global models 96 |
| of mitigation 102 | impact of urban expansion 603 | human-environment interactions 360 |
| of SLM technologies 285 | integrated crop-soil-water management | indigenous and local knowledge (ILK) 747–748 |
| social cost of carbon (SCC) 102, <i>694</i> , 702 | 280–281 | 3 |
| of soil erosion 682 | land tenure 287 | knowledge gaps 755 |
| of wildfires 683 | mitigation potential 189 | participation 754 |
| Coupled Model Intercomparison Project* | nitrogen addition to soils 134, 162, 163 | performance indicators 725 |
| see CMIP | overlapping land challenges <i>560</i> , 561, <i>561</i> , 633 | precautionary approach 96 |
| cover crops 181–182, 192, 376, 471 | projected land use change 30–32, 461, 462 | problem structuring 720–721 |
| crisis management 290, 700 | reduction in 197 | response to key challenges 103 |
| CRISPR systems 513 | regional and local temperature change 194 | synergies and trade-offs 725, 726, 730–734 |
| crop insurance <i>580</i> , 588–589, 594, 599, 603, | smallholders 751 | tools 721–723, 722, 734 |
| 608, 699 | soil carbon sequestration 192, 483 | under uncertainty <i>96</i> , <i>693</i> , 719, 721–723, <i>722</i> |
| see also risk sharing instruments | soil erosion 293, 294, 596 | deforestation* 79, 368, <i>562</i> |
| crop-livestock integration 384, 485–486, <i>504</i> | soil organic carbon 393–395 | and agricultural expansion 481 |
| crop models 380, 453–454, <i>453</i> | see also improved cropland | agricultural expansion 481–482 |
| crop production | management; reduced grassland | albedo impacts 377 |
| adaptation options 470–471 | conversion to cropland | boreal regions 177, 179 |
| crop suitability 454 | crops 79, 84–85 | BVOCs emissions 170 |
| economic mitigation potential 486 | agronomic practices 382–383 | CO ₂ emissions 8–9, 153, 155, 176–177, |
| fruit and vegetables 454 | bioenergy 97, 193–194, 373–374, 492, <i>576</i> , 646 | <i>177</i> , 476 |
| GHG mitigation 483, 486 | biofuel 193–194, 283, <i>739</i> | community-managed forests 385 |
| global trends 444 | cover crops 181–182, 192, 376, 471 | definition 155 |
| impacts of climate change 8, 380, 451–454, | diversification 468, 469, 589 | drivers 367 |
| 458–459, 5.SM.5.2 | genetics 513 | emissions estimates 45, 385–386 |
| improved crop management 493 | indigenous 469 | emissions reduction 388 |
| land area suitable for 454 | loss 606, <i>606</i> | and fire 149 |
| | | historical land cover change impacts 170, 174 |
| projected impacts 453–454 | nutrient quality 463 | impact on climate 12, 176–180 |
| sustainable intensification 481–482 | oasis areas 300–301 | imported deforestation 707, 709 |
| technical mitigation potential 483 | perennial 194, 383, <i>392</i> , 393–395, 485 | and land tenure 749, 752 |
| see also crops; rice cultivation | perennial grains <i>392</i> , 393–395 | mangroves 402 |
| crop productivity 273, 366, 373, 518 | pests and diseases 458 | mitigation potential 189–191 |
| assessing climate change impacts 380 | pollinators 458–459 | and net forest area increase 98 |
| changes for 1.5°C and 2.0°C 279, 454, 680–681 | reduced nutritional value 7.SM.7.2 | non-local and downwind rainfall effects |
| saline lands 283 | suitability 372, 454 | 185–186, <i>185</i> |
| temperature and crop suitability 300–301 | viability under climate change 301 | physical effects 377 |
| see also crop yields | see also local seeds | REDD+ 385–386, 709–710 |
| crop yields 362–363, 379–380, 500 | cross-level integration 738 | reducing/halting 100, 385–386, 388, |
| closing yield gaps 466, 501, 603 | cross-sectorial integration 738 | 481–482, 562 |
| global trends 444, 451–452 | cultural policy instruments 106 | seasonal impacts 178, 179, 179–180 |
| impact of climate change 8, 5.SM.5.2 | cultural values 470 | simultaneous cooling and warming response |
| | cultured meat (CM) 199, 487 | 176–177 |
| | | |

Index soil N2O emissions 162 and spread of malaria 691 temperate regions 177, 178-179 tropical regions 177-178, 177, 385-386, 562 see also reduced deforestation and forest degradation delayed action 34, 67, 102, 348, 554, 644-645 deliberative governance* 745 deltas 372-373, 401-402 demand management response options 101-102, 195, 577, 610 adaptation potential 493, 593, 593 delayed action 645 feasibility 618, 622, 6.SM.6.4.1 impact on desertification 598, 598 impact on food security 607, 607 impact on land degradation 602, 602 impact on NCP 629, 6.SM.6.4.3 impact on SDGs 632, 6.SM.6.4.3 mitigation potential 190, 191, 195, 493, 587, 588 policy instruments 698, 726 potential across land challenges 615 sensitivity to climate change impacts 624 uncertainties in potentials 5.SM.5.3 demand-side adaptation 439, 472-473 demand-side management 101-102, 195, 493, 698 demand-side mitigation options 487-491 dense settlements 560, 561, 561, 563, 633 see also urban areas desertification* 5, 6-7, 7, 50-52, 89, 249-343, 558, 689 adaptation limits 20, 252-253, 291 addressing 19-20, 255-256, 279-305 barriers to 292 costs of 285 potential for 24-26, 595-599, 609-610, 60*9*, 61*1–6*1*7* afforestation/reforestation programmes 294-296, 297 anthropogenic drivers 251, 259-260, 264, 268 assessing 260-265 attribution methods 265-268 biodiversity and 263, 271-272, 278-279 case studies 266-268, 292-305 challenge 559, 560, 561, 564, 565 climate related risks 7.SM.7.1, 7.SM.7.3 defined 4n, 107, 254 desertification syndrome vs. drylands development 260 detection and assessment methods 255, 260-262 difference from land degradation 107, 254 drivers 251, 258-260, 264, 268, 382 ecosystem services and 270-271, 278-279 FAQs 107, 306, 646 feedbacks to climate 12, 268-270, 269, 382 financing mechanisms 712

| impact of climate change 7–8, 258–260 impact of integrated response options 19–20, |
|---|
| 595–599, <i>611–617</i> |
| impact of risk management 598–599, <i>599</i> , <i>617</i> |
| impacts of 270–276, 278–279 |
| indicators of 255 |
| knowledge gaps 305–306 |
| local case studies 266–268 |
| location-specific trends 263–265 |
| maladaptation 291–292 |
| migration and 295 |
| near-term action 33–34 |
| on-the-ground actions 279–283, 280 |
| policy responses 285–289, 290–291, 696, |
| 705–706 |
| previous IPCC and related reports 256 |
| processes 258–259 |
| regional scale 263–265, 277 |
| research and development investment 287–288 |
| risks from climate change 681, 682–683 |
| under different SSPs 684, 685, 7.SM.7.1, |
| 7.SM.7.3 |
| SLM practices 255–256, 279–283 |
| adoption of 283–284, 285–288 |
| socio-economic impacts of 272–276, 279 |
| socio-economic response 283–285, 288–289 |
| soil erosion and 292–294, 596 |
| technologies 285, 287–288 |
| urban response options 188 |
| detection and attribution* 91, 5.SM.5.2 |
| developing countries 372, 390, 512, 618, 701 |
| agriculture 384, 697, 699 |
| citizen engagement 754 |
| deforestation 368, 369, 385 |
| dryland populations 257–258 |
| early warning systems 91, 253, 290 |
| emissions 186, 704, 709 |
| energy sources 288, 375, 494 |
| finance 387, 701, 711–712, 713 |
| floods 744 |
| food loss and waste 100–101, 440, 490, 577 |
| food security 465, 468, 472, 697 food systems 593, 604, 605 |
| 1000 SVSTEMS 593, 604, 605 |
| - |
| GHGI reporting 164 |
| GHGI reporting <i>164</i> land tenure 749–750, <i>751–752</i> |
| GHGI reporting 164 land tenure 749–750, 751–752 large-scale land acquisitions 91, 750 |
| GHGI reporting <i>164</i> land tenure 749–750, <i>751–752</i> large-scale land acquisitions 91, 750 livelihoods 378–379, 608 |
| GHGI reporting 164 land tenure 749–750, 751–752 large-scale land acquisitions 91, 750 livelihoods 378–379, 608 NDCs 199, 704 |
| GHGI reporting 164 land tenure 749–750, 751–752 large-scale land acquisitions 91, 750 livelihoods 378–379, 608 NDCs 199, 704 poverty 53, 257–258, 290, 378–379 |
| GHGI reporting <i>164</i> land tenure 749–750, <i>751–752</i> large-scale land acquisitions 91, 750 livelihoods 378–379, 608 NDCs 199, 704 poverty 53, 257–258, <i>290</i> , 378–379 risk sharing 699 |
| GHGI reporting 164 land tenure 749–750, 751–752 large-scale land acquisitions 91, 750 livelihoods 378–379, 608 NDCs 199, 704 poverty 53, 257–258, 290, 378–379 risk sharing 699 social protection systems 699 |
| GHGI reporting 164 land tenure 749–750, 751–752 large-scale land acquisitions 91, 750 livelihoods 378–379, 608 NDCs 199, 704 poverty 53, 257–258, 290, 378–379 risk sharing 699 social protection systems 699 technology transfer 68, 704 |
| GHGI reporting 164 land tenure 749–750, 751–752 large-scale land acquisitions 91, 750 livelihoods 378–379, 608 NDCs 199, 704 poverty 53, 257–258, 290, 378–379 risk sharing 699 social protection systems 699 technology transfer 68, 704 urbanisation 186, 603 |
| GHGI reporting 164 land tenure 749–750, 751–752 large-scale land acquisitions 91, 750 livelihoods 378–379, 608 NDCs 199, 704 poverty 53, 257–258, 290, 378–379 risk sharing 699 social protection systems 699 technology transfer 68, 704 urbanisation 186, 603 vulnerability 449, 452, 573 |
| GHGI reporting 164 land tenure 749–750, 751–752 large-scale land acquisitions 91, 750 livelihoods 378–379, 608 NDCs 199, 704 poverty 53, 257–258, 290, 378–379 risk sharing 699 social protection systems 699 technology transfer 68, 704 urbanisation 186, 603 vulnerability 449, 452, 573 women 285, 718 |
| GHGI reporting 164 land tenure 749–750, 751–752 large-scale land acquisitions 91, 750 livelihoods 378–379, 608 NDCs 199, 704 poverty 53, 257–258, 290, 378–379 risk sharing 699 social protection systems 699 technology transfer 68, 704 urbanisation 186, 603 vulnerability 449, 452, 573 women 285, 718 see also REDD+ |
| GHGI reporting 164 land tenure 749–750, 751–752 large-scale land acquisitions 91, 750 livelihoods 378–379, 608 NDCs 199, 704 poverty 53, 257–258, 290, 378–379 risk sharing 699 social protection systems 699 technology transfer 68, 704 urbanisation 186, 603 vulnerability 449, 452, 573 women 285, 718 see also REDD+ development pathways* 16, 756 |
| GHGI reporting 164 land tenure 749–750, 751–752 large-scale land acquisitions 91, 750 livelihoods 378–379, 608 NDCs 199, 704 poverty 53, 257–258, 290, 378–379 risk sharing 699 social protection systems 699 technology transfer 68, 704 urbanisation 186, 603 vulnerability 449, 452, 573 women 285, 718 see also REDD+ |

addressing climate change 22, 519

changing see dietary change

cultured meat (CM) 487

```
dietary diversity 468, 469
   dietary patterns 101
   GHG emissions for different diets 479-480
   and health 497-499, 498
   indigenous communities 106
   insect-based diets 490
   local produce 491
   low GHG emission diets 497-499
   mitigation potential 195, 487-489, 488
   near-term action 34
   and poverty 442
   reducing meat consumption 489, 498-499,
           5.SM.5.3, 5.SM.5.4
   rural diets 605
   sensitivity to climate change impacts 624
   sustainable 497-499
   traditional 469
   urban diets 505
dietary change 101, 195, 196, 469, 490, 497-499,
       567, 577
   adaptation potential 593, 593
   co-benefits 510
   combined with bioenergy and BECCS 637
   feasibility 622, 6.SM.6.4.1
   impact on desertification 598, 598
   impact on food security 607, 607
   impact on land degradation 602, 602
   impact on NCP 629, 6.SM.6.4.3
   impact on SDGs 632, 6.SM.6.4.3
   interlinkages 636
   mitigation potential 487-489, 488, 587, 588
   policy instruments 726
   potential across land challenges 609, 610, 615
   sensitivity to climate change impacts 624
   socio-cultural barriers 618
   technical mitigation potential uncertainties
           5.SM.5.3
direct aerosol effect 169, 170, 192
disaster risk management (DRM) 567, 580,
       744-745
   adaptation potential 594, 594
   feasibility 623, 6.SM.6.4.1
   impact on desertification 598, 599
   impact on food security 608, 609
   impact on land degradation 603, 603
   impact on NCP 629, 6.SM.6.4.3
   impact on SDGs 632, 6.SM.6.4.3
   mitigation potential 588
   policy instruments 726
   potential across land challenges 610, 617
   sensitivity to climate change impacts 624
disaster risk reduction (DRR) 33, 396, 467,
       474-475, 744
discount rates* 694
diseases see human health; pests and diseases
disruptive technology 511
diurnal temperature 178, 179, 180, 186-187
diversification
   agricultural production systems 504
   crop diversification 468, 469, 589
   dietary diversity 468
   economic 285, 288-289
   energy supply 20
```

fire and 149, 259, 597, 597

future projections 276-279

hotspots 292

future scenarios 564, 565, 634, 635

global scale 255, 260-262, 599

| food system 22, 468–470, 469 | tipping points 645 | PES schemes 105, 287, 706-707, 733 |
|--|---|---|
| intensively managed systems 504 | vulnerability and risk of desertification | risk to 691 |
| livestock production systems 589 | 277–278, 645 | SLM practices and 306 |
| see also agricultural diversification; | water scarcity 681, 682–683, 684, 685, 7.SM.7.1 | synergies and trade-offs 730, 731, 731, 735 |
| livelihood diversification | dryland populations 16, 89, 255–256, <i>257</i> | valuing 5, 79, 81, 350, <i>692–694</i> |
| downwind effects 135, 184–186, <i>185</i> | anthropogenic drivers of desertification | ecosystems* |
| drainage* 89, 355 | 259–260 | changes in distribution 172, 182 |
| peatlands 160, 397–398 | vulnerability and resilience 256–258 | climate-driven changes 143–144, 355 |
| wetlands 193 | dust 166–167, 268–269, <i>269</i> , 377, 683 | climate-related risks 680-688, 688-689 |
| drought* 7, <i>82–</i> 83, 145–147, 276 | dust mass path (DMP) 167 | health and resilience 592 |
| adaptation measures 686 | dust storms 7, 268, 271, 275, 682 | impact on climate 84 |
| climate related risks 7.SM.7.1 | combating 20, 283, 294–295 | impacts of bioenergy crop deployment |
| conflict and 516, 518 | health effects 274 | 687–688, <i>687</i> |
| costs 290 | impacts of climate change 277 | impacts of climate change 7–8, 84–85, 270–272 |
| defined 254 | dynamic adaptation pathways 721–722 | impacts of desertification 270–272 |
| and desertification 265 | Dynamic Global Vegetation Models (DGVMs) | impacts of land degradation 88–89, 354–356 |
| drivers of 258–259, 266 | 153, <i>154</i> , 155, 156–157, <i>156</i> , <i>163</i> | implications of forest area increase 98–99 |
| Dust Bowl-type 514–515 | temperature response to land cover change | land ecosystems 79, 84–85 |
| early warning systems (EWS) 475, 594, 598, 608 | <i>173</i> , 175 | land management response options 97 |
| fires <i>149</i> | | managed/unmanaged <i>139–140</i> , 172, 191, 203, |
| food security and 450, 451, 464, 516, 690 | _ | 270–272, 356 |
| frequency and intensity 15 | E | management 747 |
| impact on food security 5.SM.5.2 | early warning systems (EWS)* 91–92, 102, 475, | models <i>95</i> , 266 |
| impact on land 146–147 | 598, 700 | plant composition changes 355 |
| inter-annual variability 145–146 | effectiveness 594 | resilience 146, 147, 265 |
| livestock and 457–458 | food security related 91–92, 594, 608 | restoration 707 |
| maladaptation 734 | near-term actions 33 | risk of delayed action 34 |
| migration and 276, 285, 518 | sand and dust storms 288 | vulnerability to irreversibility 645 |
| policy responses to 290–291, 714 | Earth system models (ESMs)* 95, 140, 163 | EDGAR |
| projections 144, 277–278 | soil and plant processes 201–204 | see Emissions Database for Global |
| risks and risk management 290–291, | sources of uncertainty 144, 156–157, 201–202 | Atmospheric Research |
| 682–683, 700 | temperature response to land cover change 175 | education 286, 512 |
| soil moisture and 184 | underestimating emissions 168 | Egypt 301, 302 |
| trends 145–146 | East Asia 168, <i>176</i> , 395–396 | El Niño-Southern Oscillation (ENSO)* 146, 149, |
| vegetation response 202 drought risk mitigation 290–291 | see also China | 305, 361, 397, 450 |
| dryland areas 5, <i>6</i> – <i>7</i> , 7, 16, 89 | ecological cascades* 251 | elemental carbon (EC) 167-168 elite capture 716 |
| adaptive capacity 16, 753 | ecological fiscal transfer (EFT) 711 | emergent risks <i>678</i> , 679 |
| addressing desertification 279–284, 286–288 | economic barriers 618, 619–623, 715, 6.SM.6.4.1 | emissions |
| agriculture 16, 257, 259 | economic decision making approaches 721 | aerosols 166, 168–169 |
| biodiversity 271–272, 278–279, 735 | economic diversification 285, 288–289 | emissions pricing 702, 703 |
| classification 254, 255 | economic growth 644–645 | estimating 9, 152–155, <i>154</i> , <i>156</i> , <i>163–164</i> |
| climate-driven changes in aridity 142 | economic health costs 510 | fugitive emissions 159 |
| delineating in increasing CO ₂ environment 254 | economic mitigation potential 483, 486, 489 | knowledge gaps 513 |
| drivers of vegetation change 265–268, <i>267</i> | economic policy instruments 105-106 | land sector net emissions 8–11, 10–11 |
| economic diversification 285, 288–289 | economics 692-694 | net negative 198, 580 |
| ecosystem services 270–271 | ecosystem-based adaptation (EbA) 19, 282, 381, | net reductions needed to limit global warming to |
| expansion 278 | 468, 470, <i>566–567</i> , 706–707 | 2°C or 1.5°C 197–199 |
| food demand 259 | ecosystem services (ES)* 79, 625-626 | peatland 159–160 |
| food security 8 | aquatic 733–734 | policies 701–705 |
| future projections 277–279 | cultural 353 | regional differences 155, <i>156</i> |
| geographic distribution 254–255, 254, 255 | drylands 270–271 | short-lived climate forcers (SLCF) 166–167, 168, |
| impacts of climate change 142, 278–279 | forest area expansion 99 | 169, 170 |
| indigenous and local knowledge (ILK) 284, 747 | green energy and 735 | soil carbon and microbial processes 201 |
| land degradation 262 | human-environment interactions 360 | urban areas 186 |
| land tenure 753 | impact of afforestation and reforestation 97 | see also AFOLU; anthropogenic emissions; |
| land use/cover 254–255, 256, 257 | impact of bioenergy crop deployment 97, | greenhouse gas emissions |
| livelihoods 257–258, 304 | 687–688, <i>687</i> | Emissions Database for Global Atmospheric |
| near-term actions 33–34 | impact of climate change 404 | Research (EDGAR) 160, 160, 161 |
| poverty 257, 259, 260 | impact of invasive plant species 297–300 | Emissions Trading System (ETS) 702, 703, 753 |
| precipitation 258, 262, 265, 278 | market-based policy instruments 105 | enabling conditions* 27–29, 103–106, 558, |
| renewable energy 735 | near-term actions and 33–34 | 638–640 |
| soil erosion 258, 259, 278 | non-material 81 | coordinated action 554, 640 |

food security related adaptation 467 Eurasia 172-173, 174 synthetic nitrogen 160, 162, 476, 477 food system policies 27-28, 440, 507-512 FIES see Food Insecurity Experience Scale Europe land management responses 633 agricultural emissions 159 financial policy instruments 105-106, 474, 698, policy effectiveness 713-714 black carbon emissions 168 710-711 for REDD+ 385 risk management 467-468, 700-701 crop production and climate change 453 end-use/market integration 738 cropland albedo 181 financing mechanisms 34, 387, 475, 711-713 energy access 20, 709, 741 desertification 264 fire 133, 148-150 energy demand 731 dryland areas 255, 264 area burnt 148-149, 150, 156, 168, 683, energy infrastructure 275 dryland population 257 7.SM.7.1 energy services 740 food safety 463 biomass burning 162, 168, 169 climate change and fire regimes 149-150, energy use forestation 179 **European Union (EU)** see improved energy use in food systems 683-684 enhanced urban food systems 567, 578 damage 606, 681, 683-684 emissions 753 adaptation potential 593 mitigation and adaptation 737-738 desertification and 149, 259 feasibility 622, 6.SM.6.4.1 Renewable Energy Directive (EU-RED) 709 emissions 149, 162, 168, 169, 270, 376, 397, impact on desertification 598 eutrophication 358 573, 7.SM.7.1 fire weather season length 14, 45, 149-150, impact on food security 608, 608 evaporation* 362 impact on land degradation 602 evapotranspiration* 98, 137, 177, 178 7 SM 7 1 impact on NCP 629, 6.SM.6.4.3 and soil moisture content 362 forests 149, 372, 700 impact on SDGs 632, 6.SM.6.4.3 tropical regions 183 frequency 382, 7.SM.7.1 policy instruments 726 EVI (Enhanced Vegetation Index) 363 future projections 149-150 potential across land challenges 616 expanded policies 508-510, 509, 5.SM.5.5 impact of invasive plant species 297, 299 sensitivity to climate change impacts 624 expert judgement 680, 722, 7.SM.7.1 increased burning 359 Enhanced Vegetation Index (EVI) 363 explicit nitrogen stress 453, 454 land degradation 149, 376 enhanced weathering* of minerals 194, 567, 575 exploratory scenario analysis 93-94 management see fire management exposure* 680, 683, 684-686, 688, 688-689, 745 adaptation potential 592 peatlands 149, 397, 398 feasibility 621, 6.SM.6.4.1 communities and infrastructure 691, 692 rangeland management 281-282 impact on desertification 597 in different SSPs 684-686, 730 regimes 149-150, 376, 683-684, 700 impact on food security 607, 607 to fire 7.SM.7.1 risk management 700 impact on land degradation 601, 602 to flood 7.SM.7.1 risks 149-150, 593, 681, 683-684, 7.SM.7.1 impact on NCP 628, 6.SM.6.4.3 extension 695, 697, 719 societal impacts 397, 683 impact on SDGs 631, 6.SM.6.4.3 externalities 694 fire management 280, 281-282, 567, 573 mitigation potential 587, 587 extreme weather events* 85, 144 adaptation potential 591, 592 potential across land challenges 610, 615 adaptive governance and 742-743 feasibility 621, 6.SM.6.4.1 and crop yields 102, 143, 459-460, 516, sensitivity to climate change impacts 624 forests 700 ensemble (models)* 150, 262, 267, 278 681-682 impact on desertification 597, 597 enteric contamination 462-463 early warning systems 475 impact on food security 606, 606 enteric fermentation 160, 189, 477, 484 food systems and security 459-460, 462, 465 impact on land degradation 601, 601 environmental barriers 619-623, 6.SM.6.4.1 food prices and markets 514-515, 515, 516 impact on NCP 628, 6.SM.6.4.3 environmental risk 275-276 food supply stability 15, 147-148, 464, impact on SDGs 631, 6.SM.6.4.3 equality* 514-515, 682 interlinkages 636-637 infrastructure vulnerability 692 in decision making 754 mitigation potential 586, 587 enhancing gender equality 70 insurance 594, 699-700, 712 policy instruments 726 impacts on gender equality 274 and land tenure 751 potential across land challenges 609, 614 inequality as barrier to climate action 716 and poverty 259, 272, 306 potential deployment area 633, 633 see also gender equality; inequality and smallholders 459-460 sensitivity to climate change impacts 624 equity* 42-43, 68, 717-719 fisheries 471, 478, 5.SM.5.2 see also climate extreme climate change and food system 58, 446-447, flexitarian diet 488, 489, 498, 510 447-448 floodplains 752 floods* 147-148, 358 in decision making 638-639 see also gender equity Bangkok flood 472 Fakara region, Niger 263 erosion 258, 259, 263, 264, 265 coastal flooding 402-403, 592, 692, 7.SM.7.1, famine early warning systems 594, 608, 700 gully erosion 302, 303, 304, 359, 7.SM.7.1 FAOSTAT emissions data 151, 153, 154, 156, 157, 7.SM.7.2 and precipitation 361-362, 370-371, 682 costs 744, 7.SM.7.1 160, 160, 161, **164**, 200 see also coastal erosion; soil erosion; fisheries management 471 FAQ see frequently asked questions water erosion; wind erosion farmer-led innovations 284 food safety and human health 462-463 ES see ecosystem services feasibility* 618, 619-623, 6.SM.6.4.1 governance indicators 753 Ethiopia impact on food security 743-745, 5.SM.5.2 feedstock 19, 605, 610 drought 450, 451 impact of peatlands 592 fertiliser 6-7, 79, 86, 500 increased likelihood 371 invasive plants 298 CO₂ fertilisation effect 202-203, 262, 362 Tigray region croplands 561-562 insurance 701, 744 N2O fluxes 160, 161, 162, 163 work-for-insurance programmes 699 land degradation and GHGs 377 nitrogen fertilisation 134, 159, 203 Eucalyptus camaldulensis 299 Limpopo River basin 305 overfertilisation 357

| policies 714, <i>744</i> | food production 606, 697 | impact of risk management options 608, 609 |
|--|--|--|
| recurring episodes 355 | and bioenergy deployment 7.SM.7.1 | incorporating ILK in decision making 747–748 |
| risk management 700–701 | building resilience into 466 | incremental adaptation 467 |
| risks 685 | climate drivers relevant to 450–451 | integrated approaches 492 |
| under different SSPs 7.SM.7.1 | risks to in dryland areas 684, 685 | knowledge gaps and key research areas |
| food access 15, <i>443</i> , 513, 514, 697–698 | transformative change 465–466 | 513–514 |
| gender and <i>447</i> | see also increased food productivity | links to SDGs <i>506</i> , 507 |
| impact of climate change 443, 460–462, 461, 690 | food quality 463–464 | migration and 516–518, <i>517</i> |
| impact of climate drivers 5.SM.5.2 | food safety 462–463, 472 | mitigation 443 |
| and poverty 446 | food security* 20, 56–59, 79–80, 81, 89–90, | mobilising knowledge 512 |
| risks to 685, 7.SM.7.1 | 437–550, 441, 443, 558 | near-term action 33–34 |
| under different SSPs 7.SM.7.1 | adaptation <i>443</i> , 472, 475 | as outcome of food system 442 |
| Food and Agriculture Organization of the UN | adaptation options 467 | policies 474, 696–698, <i>696</i> |
| (FAO) 83, 473–474 | assessing 442, 446 | polities 474, 696–696, 696 pollinators, role of 458–459 |
| food aid 607 | case studies 561, 563 | potential for addressing 24–26, 603–608, 609, |
| food availability 443, 472, 513–514 | challenge 88, <i>559</i> , <i>560</i> , 561 | 610, <i>611–617</i> |
| crop production 451–454 | climate drivers relevant to 450–451, 5.SM.5.2 | prevalence of undernourishment (PoU) 464 |
| • • | | - |
| gender and 447 | climate related risks 7.SM.7.1, 7.SM.7.3 | protein availability 463 |
| global trends 444, 445 | co-benefits with agroforestry GHG mitigation 485 | risk management 467–468, 475, 608 |
| impact of climate change 15, 443, 450, | community-based adaptation (CBA) 474–475 | risks from bioenergy and BECCS 687–688 |
| 451–460 | conflict and 518 | risks from climate change 680–682, 681 |
| impact of climate drivers 450, 5.SM.5.2 | defined 4n, 89, 442 | under different SSPs 685–686, 68 <i>5</i> , |
| livestock production 454–458, 455 | detection and attribution methods 5.SM.5.2 | 7.SM.7.1, 7.SM.7.3 |
| policies 697 | dietary diversity 468 | spatial distribution of food insecurity 446 |
| risks to <i>685</i> , 7.SM.7.1 | early warning systems 475 | status and trends 445–446, 445 |
| seasonal supply shocks 467 | ecosystem-based adaptation (EbA) 468, 470 | sustainable intensification 501–502, 507 |
| under different SSPs 7.SM.7.1 | enabling conditions for adaptation 467 | synergies with adaptation and mitigation 448 |
| food demand <i>6</i> , <i>82–83</i> , 259 | equity and 446–447, 447–448 | synergies and trade-offs 29, 492, 494, 730, 731 |
| projected increase 88, 502–505 | extreme climate events 464–465 | temporal scales 738 |
| food-energy-water nexus 466, 514 | FAQs 646 | trade policies 508 |
| food insecurity 508 | financial resources 475 | and traditional biomass use 741 |
| assessing 442, 446 | floods and 743–745 | transformational change in food systems |
| defining 442 | food aid 464 | 466–467, <i>467</i> |
| future scenarios 564, 565 | food loss and waste 490–491, 507 | urban areas 188, 449, 505, 507, 607 |
| migration and 516–518, <i>517</i> | food prices 446, 447, 460–462, 461, 494–497, 495 | see also food insecurity |
| spatial distribution 446 | spikes 515–516, 51 <i>5</i> , 51 <i>6</i> | food sovereignty 508, 608 |
| status and trends 445–446, <i>445</i> | food safety and quality 462–464 | food stability 443, 479, 513, 514, 593, 607 |
| see also food security* | four pillars | gender and 447 |
| Food Insecurity Experience Scale (FIES) 442, 446 | see food access; food availability; | impact of climate change 443, 464, 682, 690 |
| food loss and waste* 5, 100-102, 195, 473, | food stability; food utilisation | impact of climate drivers 5.SM.5.2 |
| 490–491 | framing and context 441-450 | risks to 7.SM.7.1 |
| demand-side 101-102, 195 | future challenges 514–518 | food supply 5, 697 |
| education 512 | future scenarios 450, 634, 635 | instability 681, 682 |
| GHG emissions 476, 490–491 | gendered approach to climate change impacts | risks to 7.SM.7.1 |
| policy response 510 | 446, <i>447–448</i> , 456, 5.SM.5.1 | stability 15, 685 |
| reduction 22, 498, 507, 512 | global initiatives 473–474 | food system* 15–16, 56–59, 60, 89–90, 90, 443 |
| reduction and use of 485–486 | governance 5.SM.5.5 | adaptation challenges 464-465 |
| SDGs and 507 | health and 447, 450, 462-463 | adaptation options 21-22, 443, 449, 464-475, |
| supply-side 100–101 | hidden hunger 442, 445–446 | 513–514 |
| see also reduced food waste (consumer or | Hindu-Kush Himalayan Region 469 | agroecology 468–470, 469 |
| retailer); reduced post-harvest losses | hunger, risk of 460–462, 461, 495, 685–686, | capacity building and education 512 |
| food prices 15, 510, 605, 7.SM.7.1 | 7.SM.7.1 | climate change response options 448–449 |
| controls 607 | impact of climate change 7-8, 15, 142-143, | climate drivers important to 450–451 |
| impact of climate change 460–462, 461, | 442, <i>443</i> , 450–464, 519, 690 | culture and beliefs 470 |
| 685–686 | impact of climate drivers 5.SM.5.2 | defined 8n |
| impact of climate drivers 5.SM.5.2 | impact of desertification 272, 273 | demand-side adaptation 472-473, 513-514 |
| impact of large-based CDR 492, 494 | impact of integrated response options 24–26, | demand-side mitigation 487–491, 513–514 |
| shocks 508 | 603–608, <i>609</i> , 610, <i>611–617</i> | detection and attribution methods of climate |
| spikes 514–515, <i>515</i> , <i>516</i> , 593, 682 | impact of land-based CDR and bioenergy 492, | change impacts 5.SM.5.2 |
| stability 607 | 494, 607, <i>607</i> , <i>615</i> , 687–688 | dietary preferences and consumer choice 489 |
| taxes 698 | impact of land degradation 379–380 | diversification 22, 468–470, <i>469</i> |
| food processing 478–479 | impact of land grabbing 91, 750 | economic health costs 510 |
| see also improved food processing and retailing | impact of land-use change 461, 462 | enabling conditions 27–28, 440, 507–512 |
| | _ | - |

expanded policies 508-510, 509, 5.SM.5.5 forest certification schemes 585, 602 effect on temperature variation 174 food security as an outcome of 442 forest conservation instruments 709-711 emissions contributions 368 food supply and required food 444 forest degradation 367-369 fire 149, 372, 700 future projections 479-480, 5.SM.5.2 albedo impacts 377 fire management 700 gender and equity 58, 446-447, 447-448 charcoal production 375 food from 605 GHG emissions 8, 10-11, 11, 475-480, 476, defined 350 global change and mitigation scenarios 197 477, 478, 513, 519 emissions 385-386 global trends in tree-cover 86-88, 87 global system 8, 10-11, 11 local land users 353 growth rates 386 global trends 444, 445 reducing 189-191, 385-386, 388, 562 harvest 386-387 governance 507, 5.SM.5.5 traditional biomass use 740-741 hydrological cycle 371 impacts of climate change 367-368, 371-372 impact on climate change 475-480 see also reduced deforestation impacts of flooding 148 impact of climate change 450-464 and forest degradation impact of climate extremes 465, 514-515, impacts of heat extremes and drought 146 forest dieback 371-372, 683, 688 515, 516 forest governance 715-716 land degradation 89 indigenous food systems 469 forest management 368-369, 567, 571 land management response options 97 institutional measures 473-475, 512 adaptation potential 590, 590 land productivity trends 366, 367 integrated agricultural systems 499-502, 504 feasibility 620, 6.SM.6.4.1 land sink and 156 interlinkages 441 illegal logging 716 land tenure 749, 752 impact on desertification 595-596, 596 large-scale conversion non-forest to forest land investment and insurance 511 impact on food security 604, 605 98-100 Just Transitions to sustainability 511 knowledge gaps 511, 513-514 impact on land degradation 600, 600 managed forest for bioenergy 194 land competition 449, 502 impact on NCP 628, 6.SM.6.4.3 managed forest CO₂ emissions 9, 155 local system 608 impact on SDGs 631, 6.SM.6.4.3 net area increase 98 markets and trade 80, 472, 508, 511 mitigation potential 189-192, 584-585, 585 plant water transport 202 mitigation 21-22, 443, 449, 480-491, 513 policy instruments 726 productive capacity 368-369 mitigation potential 449 potential across land challenges 610, 612 projected land use change 30-32, 461, 642 mobilising knowledge 512 potential deployment area 633 regrowth 352, 353 Paris Agreement and 449 rice cultivation 384 restoration 98, 191, 733 secondary organic aerosols (SOA) 169 policy responses 27-28, 474, 507-510, 509 water balance 371 acceptable to the public 490, 510, 698 forest mitigation 715-716, 733 sequestration potential 99 forest productivity 351-352, 352, 353 agriculture and trade 508 water balance 98 health related 510 climate related risks 7.SM.7.1 wildfires 372 previous reports 448-449, 450 forest response options 100, 189-192, 571-572 see also reforestation and forest restoration; processing 472, 508 adaptation potential 590, 590, 612 sustainable forest management formal institutions 720, 747 production feasibility 620, 6.SM.6.4.1 see crop production; livestock fossil fuels* impact on desertification 595-596, 596, 612 impact on food security 604-605, 605, 612 emissions 153, 153, 168 production systems projected emissions 480 impact on land degradation 600, 600, 612 reducing use of 486 response options related to 21-22, 492, 493 impact on NCP 628, 6.SM.6.4.3 subsidies 701 risk management 467-468 impact on SDGs 631, 6.SM.6.4.3 framing and context 40-43, 77-129 scenario analysis 93-94 mitigation potential 584-585, 585, 612 dealing with uncertainties 91-93, 96 enabling response to key challenges 103-106 in SSPs 13 policy instruments 726 potential across land challenges 610, 612 interdisciplinary nature of SRCCL 106 supply chains 491, 513 supply-side adaptation 470-472, 513-514 sensitivity to climate change impacts 623-624 key challenges related to land use change supply-side mitigation 480-487, 484, 513-514 synergies and trade-offs 733 88-96 sustainable 465-466, 502-505 of land and climate issues 745-746 forestation synergies and trade-offs 492, 493, 494, climate impacts 176-180 objectives and scope 81-84 513-514, 733-734, 5.SM.5.5 combined forestation and irrigation 185, 185 previous reports 83 seasonal impacts 178-179, 179-180 transformational change 449 response options 96-103, 97 transport and storage 471-472 see also afforestation; reforestation frequently asked questions (FAQs) urban areas 505, 507 forests* 6,85 1.1 What are the approaches to study value chain management 100-102 adaptive capacity 103 the interactions between land vulnerability to climate change 680-682, 681 albedo 191-192 and climate? 107 see also enhanced urban food systems biodiversity 98-99, 352 1.2 How region-specific are the impacts food utilisation 443, 513-514, 7.SM.7.2 biogeochemical and biophysical processes 98 of different land-based adaptation gender and 447 BVOC emissions 169, 192 and mitigation options? 107 impact of climate change 443, 462-464 carbon stocks 351, 352 1.3 What is the difference between impact of climate drivers 5.SM.5.2 certification schemes 352-353, 707-709, 708 desertification and land degradation risks to 7.SM.7.1 community-managed forests 385 and where are they happening? 107 cover change and climate feedbacks 12, 2.1 How does climate change affect land use forest carbon density 395, 396 forest carbon sink 21, 156, 180, 386 176-180, 185 and land cover? 205 forest carbon stocks 21, 351, 352, 367, 368-369, current land use 85-86, 85 2.2 How do the land and land use contribute to 385-387 dryland areas 254, 256 climate change? 205

| 2.3 How does climate change affect water | glaciers* 294 | projected <i>13</i> , 675 |
|---|--|--|
| resources? 205 | GLASOD (Global Assessment of Human-induced | risk as a function of 680, 681 |
| 3.1 How does climate change affect | Soil Degradation) 261 | governance* 28–29, 638, <i>679</i> , 736–754, 5.SM.5.5 |
| desertification? 306 | global climate models (GCMs)* 173, 174–175, | adaptation 471, 474 |
| 3.2 How can climate change induced | 176, 276–278 | of biochar 400 |
| desertification be avoided, reduced | Global Commission on Adaptation 474 | of biofuels and bioenergy 738–739 |
| or reversed? 306 | Global Drought Early Warning System | capacity 743 |
| 3.3 How do sustainable land management | (GDEWS) 598 global emissions pathways 168, 170 | climate change 5.SM.5.5 |
| practices affect ecosystem services and biodiversity? 306 | Global Environmental Facility (GEF) 387, | climate policy integration 103 combating desertification and dust storms 295 |
| 4.1 How do climate change and land | 388, 390 | coordination 80 |
| degradation interact with land use? 404 | Global Fire Emissions Database v.4 (GFED4s) | decentralised 287 |
| 4.2 How does climate change affect land-related | 148, 149 | definitions 679, 736 |
| ecosystem services and biodiversity? 404 | global land cover map 297 | disaster risk response 744–745 |
| 5.1 How does climate change affect | global land system 82–83,87 | enabling response to key challenges 103–104 |
| food security? 519 | current patterns in land use/cover 85-86, 85 | experimentation 736, 742 |
| 5.2 How can changing diets help address | future trends 88, <i>93–96</i> | FAQs 755–756 |
| climate change? 519 | past and ongoing trends 86–88 | food systems and security 507, 5.SM.5.5 |
| 6.1 What types of land-based options can | status and dynamics 79, 84–88 | forest governance 709–711, 715–716 |
| help mitigate and adapt to climate | global mean surface air temperature* see GSAT | global experimentalist 5.SM.5.5 |
| change? 646 | global mean surface temperature* see GMST | hybrid forms 737, 739 |
| 6.2 Which land-based mitigation measures could affect desertification land | global warming* 7–8, 140–142, 362 afforestation/reforestation and 49, 191 | implementing sustainable land management 353 inclusive 80, 754 |
| degradation or food security? 646 | consequences of 44–45, 133, 140, 205, 277 | indicators of adaptive governance 753, 754 |
| 6.2 What is the role of bioenergy in climate | climate feedbacks 136, 182–184, 183 | institutions 736–737, 5.SM.5.5 |
| change mitigation, and what are its | climate variability changes 140 | integrated 737–738, 5.SM.5.5 |
| challenges? 646 | climate/weather extremes 144–148, | integrated watershed management (IWM) |
| 7.1 How can ILK inform land-based mitigation | 361–362, 464 | 304, 305 |
| and adaptation options? 755 | for crop yields 451–454 | land governance 90-91, 374-375 |
| 7.2 What are the main barriers to and | for ecosystems 143-144, 251, 683 | land tenure 749–753, 751–752 |
| opportunities for land-based responses | for fire regimes 149–150, 683–684 | levels and modes 737–738 |
| to climate change? 756 | for food systems and security 142–143, | market-based policies 105 |
| futures analysis 80, 93–96 | 451–460, 463 | modes 104 |
| | hydrological changes 684 | participation 745–746, 748–749, <i>748</i> , 753 |
| | increased emissions 376–377 | participatory governance 391, 743, 745–746 |
| G | land cover and productivity changes 182–183, 183 | policy instruments 105–106 |
| GCM | for land degradation 347, 360–362 | polycentric approach 104, <i>578</i> , 737, 738, 5.SM.5.5 |
| see general circulation models; | for livestock systems 454, 456, 458 | for sustainable development 737–738, 754 |
| global climate models | for soil 184, 258 | temporal scales 738 |
| GDEWS (Global Drought Early Warning | deforestation/forestation and 177–178, 179 | uncertainty, responding to 742–743 |
| System) 598 | delayed action 34 | windows of opportunity 694–695, 756 |
| GEF (Global Environmental Facility) 387, 388, 390 | dryland water scarcity and 682–683 | see also policies |
| gender equality 274, 631–632, 717 | land cover change and 12, 47, 135, 171–172, | government effectiveness (GE) 638, 639 |
| land use and land management 286 | 174–175, 205 | graduation approach 697, 698 |
| and response option implementation 639 | net emissions reductions needed to limit | Grain for Green Program (GFGP) 396 |
| women's empowerment 29, 70, 286, 448, 488, | to 2°C or 1.5°C 197–199, 686 | grasslands 281–283, 494 |
| 639, 718–719 | Paris Agreement 81, 449, 480, 492, 701 | dryland areas 254–255, 256 |
| gender equity* 80, 104–105 conservation agriculture 501 | regional climate change feedbacks 136, 182, <i>183</i> reversing after temperature overshoot 701 | impact of flooding 148 increased plant diversity <i>504</i> |
| dryland areas 257–258 | risk and 14–15, 15–17, 138, 251, 682, 683–686, | multi-species 504 |
| food security and climate change 446, 447–448 | 7.SM.7.1–3 | N ₂ O emissions 162 |
| women's empowerment policies 286 | socio-economic pathways and 684–686 | productivity trends 366 |
| gender inclusive approaches 446, 447–448, 456, | vulnerable populations 278, 459–460, 464, | projected land use change 461 |
| 717–719, 5.SM.5.1 | 682–686, 691–692 | soil compaction 596 |
| gender inequality 353, 639, 716, 717–718 | see also 1.5°C warming; 2°C warming; | see also reduced grassland conversion |
| general circulation models (GCMs) 147, 370 | 3°C warming; climate change | to cropland |
| geophysical barriers 619-623, 6.SM.6.4.1 | Global Warming Potential (GWP) 11n, 151n | grazing land* |
| GFED4s (Global Fire Emissions Database v.4) | GMST (global mean surface temperature)* 6, 7, | current land use 85–86, 85 |
| 148, 149 | 133, 140–142, <i>141</i> , 142 | dryland areas 254–255, 257 |
| GFGP (Grain for Green Program) 396 | impacts at different temperatures 680–686, | N ₂ O emissions 162 |
| GHGI see greenhouse gas inventories gilir balik cultivation 384 | 681, 685 impacts of 7.SM.7.1–3 | past and ongoing trends 86, 87 see also improved grazing land management |
| giiii balik calavaattii 304 | mipacis of 7.3Mi.7.1-3 | see also improved grazing land management |

| grazing practices <i>280</i> , 281–282, 355, 376, | CO ₂ 8–9, 152–157 | impact on food system and security 516 |
|---|---|---|
| 5.SM.5.3 | gross emissions/removals 152, 157 | soil moisture and 135, 184 |
| Greece 453 | N ₂ O 160–162, 163 | hidden hunger 442, 445–446, <i>469</i> |
| green infrastructure* | total net flux of CO ₂ 8, 152 | high latitude regions |
| see urban green infrastructure | bioenergy and BECCS 583 | aquaculture 697 |
| Green Revolution 469 | and climate change mitigation 701–702 | crop yields 680–681, 7.SM.7.1 |
| green walls/dams 294–296, <i>297</i> | desertification and 270 | land surface changes and climate feedbacks |
| greenhouse gas(GHG)* 81, 137, 205 | estimation methods and approaches 9, 134, | 183–184 |
| impact of desertification 270 | 152–155, <i>154</i> , <i>156</i> , <i>163–164</i> | see also boreal regions |
| impact of land degradation 376–377 | forest CO ₂ fluxes 154 | Hindu-Kush Himalayan Region 452, 469 |
| see also carbon dioxide (CO ₂); methane (CH ₄); | future trends 200 | hotspots |
| nitrous oxide (N ₂ O); ozone (O ₃) | GHGI reporting 164 | desertification 292 |
| greenhouse gas emissions $6-7$, 137, 139, 140, 376 | GHGIs vs. global model estimates 134, 153, | GHG emissions 397 |
| agricultural 159, 160, <i>160</i> , <i>161</i> , 376, 475–478, | 154, 155 | land degradation 365 |
| 511, 702, <i>703</i> | impact of extreme rainfall on carbon fluxes 148 | - |
| | · | threatened biodiversity 558, 559, 560, 562 |
| croplands and soils 159–160, 161, 162, 163, | land use effects 151, 151, 152–153, 159–160 | human activity |
| 476, 477 | LULUCF CO ₂ fluxes 199–200, 200 | and fire 148 |
| enteric fermentation 160, 189, 477 | managed/unmanaged lands 133–134, <i>139</i> , 152, | interaction with land system 360 |
| global trends 444, 445, 496 | 152, 154, 155, 164 | land degradation and 349, 367 |
| livestock 159, 160, 161, 162, 476, 477–478, | plant processes 201 | vegetation changes attributed to 266 |
| 478, 5.SM.5.3 | policies <i>696</i> , 701–705 | Human Appropriation of Net Primary |
| rice cultivation 159, 16 <i>0,</i> 47 <i>7</i> | greenhouse gas inventories (GHGIs) 9, 153–155, | Production (HANPP) 87 |
| see also AFOLU | <i>156</i> , 513 | human barriers to adaptation 715 |
| anthropogenic see anthropogenic emissions | country reporting 164 | human behaviour* 722 |
| aquaculture and fisheries 478 | vs. global model estimates 134, 153, <i>154</i> , 155 | as consumers 101–102, 105 |
| bioenergy emissions 194, 196 | greenhouse gas removal (GGR)* 188 | and decision making 720 |
| by food type 513 | gross primary production (GPP) 146 | diet and lifestyle change 101, 618 |
| calculating estimates 152–153 | groundwater | modelling 96 |
| CO ₂ equivalent (CO ₂ -eq) emissions 151 | depletion/exhaustion 271, 689 | human behavioural change* 105, 618, 722 |
| deforestation 176–177, 385–386, 388 | irrigation 584, 686, 734 | Human Development Index (HDI) 633, 634, |
| desertification and 270 | oasis areas 301 | 5.SM.5.2 |
| diet type and 479-480, 497-499, 513, 5.SM.5.4 | over-extraction 271, 289 | human footprint 367 |
| fire emissions <i>149</i> , 162, 270, 376, 397, <i>573</i> , | saltwater intrusion 401–402 | human health |
| 7.SM.7.1 | vegetation and 268 | and air pollution 288, 451, 691 |
| food system 475–480, <i>476</i> , <i>477</i> , <i>478</i> , | groundwater stress 558 | childhood stunting 445, <i>445</i> , 446, 607 |
| 490–491, 519 | anthrome area exposed to 560 | childhood wasting 445, 445, 446, 607 |
| forest degradation 385–386, 388 | case studies 561–562, 563 | diet and 497–499, 498, 5.SM.5.4 |
| global meat consumption 5.SM.5.4 | global distribution 559 | economic costs 510 |
| · | _ | |
| hotspots 397 | growing season 144, 182 growth dilution 463 | extreme temperatures 187, 447, 563 |
| impact of delayed action 34 | 3 | food safety 462–463 |
| indirect land use change (iLUC) 194, 199 | GSAT (global mean surface air temperature)* | gender and climate change impacts 5.SM.5.1 |
| land degradation processes 376–377 | land-to-climate feedbacks 182–184, 182, 183 | impact of climate change 274, 462–463, 691 |
| mitigation pathways 195–196, <i>196</i> , | response to land cover change 171–173, 172, | impact of dust storms 274 |
| 197–199, <i>197</i> | <i>173</i> , 174–175, <i>175</i> | impact of food aid 464 |
| non-AFOLU 10–11, 151 | large-scale deforestation/forestation | impact of lack of clean water 402 |
| over-consumption of food 490 | 177–180, 177, 243, 246–247 | infectious disease 590, 691 |
| peatland drainage and management 397, 398 | gully erosion 302, 303, <i>304</i> , 359, 7.SM.7.1 | invasive plants 298, 299 |
| permafrost thawing 134, 137, 184 | | malnutrition 442, 445–446, <i>445</i> |
| rapid reduction 34, 79 | Н | micronutrient deficiency 442, 445–446 |
| rebound effect 477–478 | | nutrition-related risks to 7.SM.7.2 |
| reducing with biochar 398–399 | habitat degradation 685, 7.SM.7.1 | obesity/overweight <i>444</i> , 445, <i>445</i> , 446 |
| reducing by dietary change 497–499 | Hadley circulation 277 | plant allergy 298, 299 |
| reducing with novel technologies 485–486 | halophytes 283 | policies 28, 510 |
| regional differences 155, 156, 158 | HANPP (Human Appropriation of Net Primary | respiratory disease 298, 299, 691 |
| soil emissions 134, 137, 184, 398–399, 476 | Production) 87 | traditional biomass use 375, 740 |
| spatial distribution 477, 478 | hazards* 688, <i>732</i> , <i>745</i> | undernourishment 442 |
| traditional biomass use 375, 740 | moral hazard 686–687 | and urban sprawl 594 |
| transport emissions 478-479 | non-climatic 7.SM.7.1 | urbanisation 187–188 |
| greenhouse gas fluxes 133–134 | policy response 688–689, 714, 726 | human systems* |
| anthropogenic land CO ₂ flux 8–9, 154 | see also reduced landslides | climate-related risks 680–688, 688–689 |
| between land and atmosphere 151–165, | and natural hazards | communities and infrastructure 691–692 |
| 163–165 | health see human health | consequences of climate-land change 690-695 |
| CH4 157-160 158 160 | heatwayes* 7 15 133 1/5 1/6 362 | Hungary 453 |

| hunger 460–462, 461, 495, 685–686 | impact on desertification 595, 595 | increased food productivity 566, 569, 697 |
|---|---|--|
| hidden hunger 442, 445–446 | impact on food security 603, 604 | adaptation potential 589, 590 |
| population at risk of 7.SM.7.1 | impact on land degradation 599, 600 | combined with bioenergy and BECCS 637 |
| hurricanes 7.SM.7.1 | impact on NCP 628, 6.SM.6.4.3 | feasibility 619, 6.SM.6.4.1 |
| hydrological cycle* 205 | impact on SDGs 631, 6.SM.6.4.3 | impact on desertification 595, 595 |
| BVOC emissions and 169 | mitigation potential 583, 584 | impact on food security 603, 604 |
| feedback to climate 138 | policy instruments 726 | impact on land degradation 599, 600 |
| intensification 147, 360–362, 370–371 | potential across land challenges 609, 610, 611 | impact on NCP 628, 6.SM.6.4.3 |
| response to deforestation 175–176 | potential deployment area 633 | impact on SDGs 631, 6.SM.6.4.3 |
| role of forests 371 | improved energy use in food systems 567, 579 | interlinkages 636 |
| hydrological systems 355, 377 | adaptation potential 593, 594 | mitigation potential 583, 584 |
| hydroxyl radical (OH) 158-159, 169, 170 | feasibility 622, 6.SM.6.4.1 | policy instruments 726 |
| hyper-arid areas 254, 255, 256, 257 | impact on desertification 598 | potential across land challenges 609, 610, 611 |
| infrastructure 275 | impact on food security 608, 608 | potential deployment area 633 |
| oases 300–302 | impact on land degradation 602 | sensitivity to climate change impacts 623 |
| | impact on NCP <i>629</i> , 6.SM.6.4.3 | increased soil organic carbon content 382–383 |
| 1 | impact on SDGs <i>632</i> , 6.SM.6.4.3 | 567, 572 |
| I | mitigation potential 588, 588 | adaptation potential 591, <i>591</i> |
| ice-free land area 5, 6-7, 558, 560, 633 | policy instruments 726 | feasibility 620, 6.SM.6.4.1 |
| at risk of land degradation 365, 367 | potential across land challenges 610, 616 | impact on desertification 596, 596 |
| overlapping challenges <i>560</i> , 561 | sensitivity to climate change impacts 624 | impact on food security 605, 606 |
| ILK see indigenous and local knowledge | improved food processing and retailing 188, | impact on land degradation 600, 601 |
| impacts* | 491, 567, 579 | impact on NCP <i>628</i> , 6.SM.6.4.3 |
| at different global mean surface temperatures | adaptation potential 593, 594 | impact on SDGs 631, 6.SM.6.4.3 |
| 680-686, 681, 685, 7.SM.7.1-3 | feasibility 622, 6.SM.6.4.1 | mitigation potential 585, 586 |
| of BVOCs on climate 169, 170 | impact on feed sequity 608 | policy instruments 726 |
| of climate change see climate change impacts | impact on food security 608, 608 | potential across land challenges 609, 610, 613 |
| of climate variability | impact on land degradation 602 impact on NCP <i>629</i> , 6.SM.6.4.3 | potential deployment area 633, 633 sensitivity to climate change impacts 624 |
| on land 140-148, 205 | • | |
| on livelihoods 516, 517, 518 | impact on SDGs 632, 6.SM.6.4.3 mitigation potential 588, 588 | incremental adaptation* 466, 466, 467, 717, 747 India |
| of compound events 144, 146 | policy instruments 726 | climate smart villages (CSV) 563 |
| of deforestation/forestation on climate 176–180 | potential across land challenges 610, <i>616</i> | crop production 452 |
| of delayed action 34 | sensitivity to climate change impacts 624 | integrated watershed management (IWM) |
| of desertification 270–276, 278–279 | improved grazing land management 566, 570 | 304–305 |
| of extreme weather and climate 143, | adaptation potential 589, 590 | irrigation 180, 185–186 |
| 144–148, <i>145</i> | feasibility <i>619</i> , 6.SM.6.4.1 | monsoon <i>176</i> , 180 |
| precipitation extremes 147–148 | impact on desertification 595, <i>595</i> | net forest area increase 98 |
| temperature extremes 145–147 | impact on food security 604, 604 | REDD+ 710–711 |
| of flooding 147–148 | impact on land degradation 599, 600 | indicators 753, <i>754</i> |
| of food systems on climate change 89–90, 90, | impact on NCP <i>628</i> , 6.SM.6.4.3 | indigenous* and local knowledge* (ILK) 104, |
| 475–480 | impact on SDGs <i>631</i> , 6.SM.6.4.3 | 746, <i>746–748</i> |
| of heat extremes and drought | mitigation potential 583–584, 584 | adaptation decision making 474 |
| on food system and security 516 | potential across land challenges 609, 611 | addressing desertification 283–284 |
| on land 146–147 | potential deployment area 633 | addressing land degradation 384–385 |
| of historical anthropogenic land cover change | sensitivity to climate change impacts 623 | agricultural practices 29 |
| 171–174, <i>172, 173, 174</i> of increased atmospheric CO ₂ 144 | improved livestock management 493, 566, 570, | decision making 720 |
| knowledge gaps 513 | 5.SM.5.3 | dryland areas 258, 284 |
| | adaptation potential 589, 590 | food storage 472 |
| of land-based CDR and bioenergy 492, 494 of land cover change on climate 135, 171–182, | combined with bioenergy and BECCS 637 | food systems and security 512 |
| 243, <i>243–247</i> | costs 102, 619 | informing mitigation and adaptations options 755 |
| of land degradation on climate change | feasibility 619, 6.SM.6.4.1 | mitigation and adaptation strategies 470 |
| 375–377, <i>382</i> | impact on desertification 595, 595 | response option implementation 638 |
| of land use and land cover 86–88, 87 | impact on food security 604, 604 | supply side adaptation 471, 472 |
| regional 84, <i>94</i> | impact on land degradation 599, 600 | urbanisation 289 |
| of short-lived climate forcers 166, 167–168, | impact on NCP 628, 6.SM.6.4.3 | indigenous food systems 469, 738 |
| 169, 170 | impact on SDGs 631, 6.SM.6.4.3 | indigenous peoples 27, 28–29, 43, 62, 80, |
| imported deforestation 707, 709 | interlinkages 636 | 746–748 |
| improved cropland management 565, 566, 569 | mitigation potential 584, 584 | adaptive capacity 470, 755 |
| adaptation potential 589, 590 | potential across land challenges 609, 611 | land rights 91, 106, 749–750 |
| combined with bioenergy and BECCS 637 | potential deployment area 633 | stakeholder involvement and decision making |
| feasibility <i>619</i> , 6.SM.6.4.1 | sensitivity to climate change impacts 623 | 104, 638, 640, <i>710</i> , 720 |
| future scenarios 634, 635 | inclusive governance 80 | indirect aerosol effect 169, 170, 192 |

| indirect land-use change (iLUC) 54, 194, 199 | FAQs 646 | desertification, land degradation, food security |
|---|---|---|
| Indonesia 385, 474, <i>562</i> , 588 | feasibility 618, <i>619–623</i> | and GHG fluxes 551–672 |
| mangrove deforestation 402, 487 | framing within social-ecological systems (SES) | land, water, energy and food sectors 743–745 |
| peatlands 397–398 | 556–558, <i>557</i> | migration, conflict and climate change 380–381 |
| Indus delta 401–402 | future scenarios 634, <i>635</i> IAMs and non-IAMs studies 634–638, <i>635</i> , <i>636</i> , | poverty, land degradation and climate change 378–379, <i>379</i> |
| inequality* barrier to climate action 716 | 6.SM.6.5.4 | of SDGs <i>506</i> , 507 |
| gender 353, 639, 716, 717–718 | impact on NCP 627, 628–629, 6.SM.6.4.3 | see also integrated response options |
| and land degradation 347 | impact on NCT 627, 626–629, 6.5M.6.4.3 | intra-linkages of SDGs 506, 507 |
| in land use and management 353 | implementation 18, 633–645 | invasive species 358, 707 |
| and maladaptation 474 | challenges 638–640 | invertebrates 355 |
| reduced 631–632 | coordination 640 | plants 259, 262, 297–300, <i>298</i> , 355 |
| social 481, <i>744</i> , 754 | stakeholder involvement 638–639 | invasive species/encroachment management |
| in SSPs <i>13</i> , 92–93 | interactions and interlinkages 636–638, 636, 637 | 567, 574 |
| of water management benefits 304, 305 | knowledge gaps 638 | adaptation potential 591 |
| wealth and power 716 | land management based | feasibility <i>621</i> , 6.SM.6.4.1 |
| informal institutions 720, 747 | see land management response options | impact on desertification 597 |
| infrastructure | mapped from SR15 <i>568</i> , 569 | impact on food security 606 |
| areas <i>85</i> , 86 | overarching frameworks 565–566, <i>566–567</i> | impact on land degradation 601 |
| coastal 7.SM.7.2 | overlapping challenges 609–610, 633 | impact on NCP <i>628</i> , 6.SM.6.4.3 |
| green infrastructure 735 | potential 583–610, <i>609</i> , <i>611–617</i> | impact on SDGs 631, 6.SM.6.4.3 |
| risks to 275, 684, 691–692 | for addressing desertification 595–599 | mitigation potential 586 |
| insect-based diets 490 | for addressing food security 603–608, 609 | policy instruments 726 |
| institutional barriers 618, 619-623, 715-716, | for addressing land degradation 599-603 | potential across land challenges 614 |
| 715, 737, 738, 6.SM.6.4.1 | for delivering adaptation 589–594, 609–610 | sensitivity to climate change impacts 624 |
| institutional capacity* 33 | for delivering mitigation 583–589, 609–610 | investment 33–34, 645 |
| institutional dimensions 753, 754 | global contribution 24–26 | crop expansion 602 |
| institutions* 507, 640, 5.SM.5.5 | potential deployment area 633, 633, 634 | food system 511 |
| adaptation measures 473–475 | risk management based | irrigation 288–289 |
| adaptive 736–737 | see risk management response options | land degradation responses 381–382 |
| based on ILK 747 | sensitivity to climate change impacts 623–624 | land restoration programmes 396 |
| building adaptive and mitigative capacity | size of negative/positive impact 609–610, 609, | research and development 287–288 |
| 736–737 | 611–617 | sustainable land management (SLM) 285, 387, |
| decision making 720 | synergies and trade-offs 627, 636–637 | 390, 391 |
| local 287 | value chain management based | IPBES Land Degradation and Restoration |
| insurance 102, 467, 511, 700, 712 | see demand management response options; | Assessment report 256, 259, 388, 746 |
| crop insurance <i>580</i> , 588–589, 594, 599, 603, | supply management response options | IPCC Fifth Assessment Report (AR5) |
| 608, 699 | integrated soil fertility management 383 | desertification 256 |
| flood insurance 701, 744 | integrated water management 567, 571 | ecosystem change 143, 371 |
| social protection policies 699 | adaptation potential 589–590, 590 | food system 448–449, 450 |
| see also risk sharing instruments | combined with bioenergy and BECCS 637 | indigenous and local knowledge 746 |
| integrated agricultural systems 499–502, 504 | feasibility 619, 6.SM.6.4.1 | land aerosols emission 166 |
| integrated assessment models (IAMs)* 95, 163, | impact on desertification 595, 595 | land degradation 350 |
| 195, <i>641</i> , <i>643</i> | impact on food security 604, 604 | land-climate interactions 137–138 |
| bioenergy and BECCS 30, 581, 582 | impact on Iand degradation 599, 600 | maladaptation 734 |
| integrated response options 634–638, <i>635</i> , <i>636</i> , 6.SM.6.5.4 | impact on NCP 628, 6.SM.6.4.3 impact on SDGs 631, 6.SM.6.4.3 | precipitation 361 risk 679 |
| socioeconomic development, mitigation | mitigation potential 584, 584 | IPCC Special Report on Climate Change |
| responses and land 30, 32 | policy instruments 726 | and Land (SRCCL) |
| integrated catchment management 561–562 | potential across land challenges 611 | interdisciplinary nature 106 |
| integrated coastal zone management 566–567 | sensitivity to climate change impacts 623 | objectives and scope 81–84, 83 |
| integrated crop-soil-water management | integrated watershed management (IWM) | overview 84 |
| 280–281, <i>280</i> | 302–305, <i>303</i> , <i>304</i> | IPCC Special Report on Emission Scenarios |
| integrated landscape management 566–567 | intercropping 280–281, 384, <i>504</i> | (SRES) 175 |
| integrated response options* 18–19, 61–63, | interdisciplinary work 106, 268, 514 | IPCC Special Report on Extreme Events (SREX) |
| 63–66, 551–672, 565–569, <i>566</i> | interlinkages 61–66 | 83, 351 |
| adverse side effects 627, 628–629, 630, | adaptive governance 743–745 | IPCC Special Report on Global Warming of 1.5°C |
| 631–632, 633 | between integrated response options 636–638, | (SR15) 83, 362 |
| barriers to implementation 618, <i>619–623</i> , 638, | 636, 637 | bioenergy and CDR 373 |
| 6.SM.6.4.1 | between land challenges 551–672 | crop productivity changes 454 |
| co-benefits 627, 628-629, 630, 631-632, 633 | between land challenges and local response | desertification 256 |
| delayed action 554, 644–645 | 561–563 | food security 449 |
| enabling conditions 554, 558, 633 | | indigenous and local knowledge 746 |

| land-climate interactions 137 | human use 5, 6–7 | land-based GHGs 137 |
|---|---|---|
| precipitation 361 | impact of delayed action 34 | land-based water cycle changes 137, 202 |
| risk 679 | land-climate interactions 107 | land-climate feedbacks 149, 182–184, 182, 183 |
| IPCC Special Report on Land Use, Land-Use | natural response to human induced environmental | land cover change and impacts on climate |
| Change and Forestry (SR-LULUCF) | change 8–9, <i>10–11</i> , <i>151</i> , <i>154</i> | 171–176, 205 |
| 350–351 | warming <i>6</i> , 7–8, 140–142 | amplifying/dampening climate changes |
| Iran 264, 278, 402, 460, 470 | land abandonment 518 | 182–184, 18 <i>2</i> , 18 <i>3</i> |
| irreversibility* 69, 645, 681, 685, 687 | land-atmosphere exchanges, and fire 149 | deforestation/forestation 176–180 |
| irrigation 86, 254, 595, 731 | land-atmosphere feedback loops 268 | global climate 171–172, 17 <i>1</i> , 17 <i>2</i> , 17 <i>3</i> , |
| combined forestation and irrigation 185, 185 | land-based mitigation 752, 756 | 174–175, 17 <i>5</i> |
| development and investment 288–289 | barriers to 715–716 | regional climate 171, 172–174, 17 <i>4</i> , |
| downwind and non-local climate effects | land challenges* 558–565, <i>561–563</i> , <i>565</i> , | 175–176, 17 <i>6</i> |
| 185–186, <i>185</i> | 642–644 | urbanisation 18 <i>6–1</i> 8 <i>8</i> |
| excessive water use and soil erosion 293, 294 | consequences of delayed action 554, 644–645 | land management impacts 180–182, 181 |
| groundwater extraction 401, 402, <i>563</i> , 686, 734 | future scenarios 564, <i>565</i> | land processes underlying 139–140 |
| impacts on climate 180, 181 | historic and local response to 561–563 | plant and soil processes 201–204 |
| integrated crop-soil-water management 280 | impact of bionenergy and BECCS 580–583 | previous IPCC and other reports 137–138 |
| land and water rights 749, 750 | interaction with response options 638 | regional variations 191–192 |
| oasis agriculture 301 | local 633 | response options effect on climate 188–201 |
| risks of 686 | overarching frameworks for addressing | mitigation pathways 195–199, 196, 197, 198 |
| isoprene epoxydiol-derived SOA (IEPOX-SOA) 169 | 565–566, <i>566–567</i> , 600 | SLCFs emissions and impacts 166–170 |
| IWM see integrated watershed management | overlapping 558, <i>560</i> , 561, <i>561</i> , <i>561–563</i> , 633, | warming response 194 |
| Tim see megratea watershea management | 633, 634 | land cover* 79, 84–88, <i>297</i> |
| | policy responses 27–29 | biophysical climate interactions 135, 139 |
| J | response options | climate feedbacks 135, 182–184, <i>182</i> , <i>183</i> |
| Jordan, Badia region 302–304 | see integrated response options | dryland areas 254–255, 256 |
| Just Transitions 511 | spatial distribution 558, 559 | impact of climate change 205 |
| sust irunsitions 311 | land-climate interactions 5, 44–49, 131–248, | impact of precipitation extremes 147–148 |
| | 625–626 | remote sensing 367, 368 |
| K | albedo and land use change 138, 177 | land cover change* 12, 85–88, 171, 369 |
| | biogeochemical interactions 140, 176–177, 177 | and albedo 12, 181–182, 183–184, 374 |
| Karapìnar, Turkey 292–293, <i>293</i> | biogeochemical warming 172–173, 17 <i>3</i> , | and BVOC emission 170 |
| Kenya 263, 380, 384, <i>448</i> , 460 | 174–175, 17 <i>4</i> , 17 <i>5</i> , 176–177 | due to global warming 182–183 |
| agricultural commercialisation 289 | GHG fluxes 151–162, 163–165 | impact on climate 135, 171–176, 243, <i>243–247</i> |
| pastoral systems 287, 457 | regional 172 | deforestation/forestation 176–180 |
| knowledge gaps | biophysical interactions 139, 177, 177 | land management changes 180–182 |
| desertification 305–306 | biophysical interactions 755, 177, 777 biophysical cooling 172–173, 173, 174–175, | net anthropogenic CO ₂ flux 151 |
| dust storms 277 | 174, 175 | non-local and downwind effects 135, |
| emissions 513 | biophysical warming 174, 175 | 184–186, <i>185</i> |
| food system and security 511, 513–514 | regional 172–173, 174, 175 | pathways <i>30–32</i> , 195–199, <i>197</i> , <i>642–644</i> |
| integrated response options 638 | climate variability/change and impacts on land | • • |
| interlinkages 755 | 1, 133, 140–148, 205 | 345–436, 558, <i>689</i> |
| land degradation 403–404 | changes in aridity 142 | adaptation limits 388 |
| risk management and decision making for | changes in terrestrial ecosystems 143–144 | addressing 21, 381–403 |
| sustainable development 755 | climate extremes 138, 143, 144–148, 145 | barriers to SLM implementation 389–391 |
| traditional biomass 741–742 | food security 142–143 | local responses 561–563 |
| knowledge transfer 33, 512 | global land surface air temperature | near-term action 33–34 |
| | 140–142, 141, 142 | on-the-ground actions 381–384 |
| | heavy precipitation 137, 147–148 | potential for 24–26, 599–603, 609–610, |
| L | soil carbon response to warming 203–204 | 60 <i>9</i> , 61 <i>1</i> – <i>6</i> 1 <i>7</i> |
| La Niña 146, <i>149</i> , 305, 591 | temperature extremes, heatwaves and | agricultural land 373, 376 |
| land* 40–43 | drought 145–147 | assessment approaches 363–367 |
| area required for bioenergy 687–688, 687, 739, | thermal response of plant and ecosystem | attribution 360, 362, 363, 404 |
| 7.SM.7.1, 7.SM.7.3 | production 201–202 | case studies 391–403, 392, 561–563 |
| climate drivers of form and function 140 | water transport 202 | challenge 559, 560, 561, 564, 565 |
| and climate policies 678 | cooling response 177, 194 | and climate change 5, 7–8, 353–365, <i>356–359</i> |
| • | ES/NCP concepts <i>625–626</i> | climate-change-related drivers 359 |
| climate-related extremes 133, 138 CO ₂ source and sink 8 | FAQs 107, 205 | complex linkages 360, 362–363 |
| | future terrestrial carbon source/sink 137 | direct impacts 360–362, 367–368, 369–373 |
| competing demand 373, 449, 470, 492, 494, <i>502</i> | hydrological feedback to climate 138 | indirect impacts 360–362, 367–368, 369–373 |
| contribution to climate change 205 | land area precipitation change 137 | land management interactions 351, 352 |
| defined 4n, 349 | land-based climate change adaptation and | climate-induced vegetation change 361, |
| demand for 750, 756 | mitigation 138 | 367–368, 371–372 |
| grazing value 272 | minganon 130 | 301-300, 311-312 |

| coastal areas 372–373, 392, 400–403, 401 | land governance 90-91, 374-375 | returns from 285 |
|--|---|---|
| costs 692–693 | land grabbing 91, 750, <i>751</i> | see also restoration and reduced conversion |
| defined 4n, 88, 107, 254, 349–350 | land management* | of coastal wetlands; restoration and |
| difference from desertification 107, 254 | ecosystems and climate change 84 | reduced conversion of peatlands |
| diverging and conflicting views 349, 350, 365, 404 | futures analysis and decision making 80 | land rights 29, 353, 709–711 |
| drivers 354, 359–360, 360, 361, 382 | gender inequality 353 | barrier to climate action 715 |
| dust emissions 377 | GHG emissions 79, 81 | land sharing 502–505 |
| FAQs 107, 646 | impacts on climate 180–182 | land sink 84, 154, 165 |
| feedbacks on climate 356–359, 375–377, 382 | informed by ILK 755 | process <i>153</i> , 155–157 |
| financing mechanisms 712 | interactions with climate change impacts 351, 352 | land sparing 488, 489, 502–505, 636 |
| and fire 149 | non-local and downwind effects 184–186, 185 | land surface air temperature* see LSAT |
| future scenarios 564, 565, 634, 635 | protected areas 100 | land surface models 202 |
| global status and trends 365–369, <i>559</i> | soil erosion and projected rainfall 371 | land system models 634–638, <i>635</i> , <i>636</i> |
| hotspots 365 | land management response options <i>97</i> , 100, | land systems |
| human activity and 349, 367 | 189–193, <i>611–615</i> | global 79, 84–88 |
| impact on food security 379–380, 604 | agriculture see agricultural response options | human interactions with 360 |
| impact on greenhouse gases (GHGs) 376–377 | all/other ecosystems 573–575, 614 | risks from climate change 133, 680–686, <i>681</i> |
| impact on migration and conflict 380–381 | adaptation potential 591–592, 592, 614 | land tenure 27, 695, 749–753, 751–752 |
| impact on migration and commet 300 301 impact on poverty and livelihoods 377–379 | feasibility 621, 6.SM.6.4.1 | barrier to climate action 715 |
| impact of bioenergy and CDR technologies | impact on desertification 597, 597, 614 | forest rights 710–711 |
| 373–375, 601–602, <i>602</i> , <i>615</i> | impact on desertification 337, 337, 014 | indigenous and community land rights 106, |
| | | 709–711 |
| impacts of integrated response options | impact on land degradation 601, 601, 614 | |
| 599–603, 609–610, <i>609</i> , <i>611–617</i> | impact on NCP 628, 6.5M.6.4.3 | land grabbing 91, 750, <i>751</i> |
| indigenous and local knowledge (ILK) 384–385 | impact on SDGs 631, 6.SM.6.4.3 | security 287, 383, 719 |
| intensified land use and 502, 505 | mitigation potential 586, 587, 614 | land use* 5, 6–7, 79 |
| knowledge gaps 403–404 | policy instruments 726 | anthromes and land challenges 558, 559–560, |
| land degradation neutrality (LDN) 20, 27, 52, | potential across land challenges 614 | 561, <i>561–563</i> |
| 387–388, 705–706, <i>705</i> | sensitivity to climate change impacts 624 | BVOC emissions 135, 170 |
| and land tenure 752 | co-benefits 633 | carbon dioxide (CO ₂) emissions 133–134, |
| local communities and 353 | for CO ₂ removal 97, 575–576, 580–583, 610 | 135–136, 151–157 |
| mapping with biophysical models 262 | adaptation potential 592, 592 | and climate change 84–85, 133, 134–135, 205, |
| physical effects 377 | feasibility 621, 6.SM.6.4.1 | 404, 462 |
| policy responses 27, 387–388, <i>696</i> , 705–711, <i>705</i> | impact on desertification 597, 597 | and desertification 89 |
| previous reports 350–351, 388 | impact on food security 607, 607 | dietary habits and 79–80, 472–473, 487–489 |
| processes 354–356, <i>356–359</i> , 369–373 | impact on land degradation 601–602, 602 | dryland areas 254–255, <i>256</i> , 257 |
| projections 369–373 | impact on NCP 6.SM.6.4.3 | FAQs 205, 404 |
| recovery rates 359 | impact on SDGs 631, 6.SM.6.4.3 | and food loss and waste 490–491 |
| resilience 388–389 | mitigation potential 587, 587 | food system 79–80, 90, 472–473, 487–489 |
| risks from bioenergy and land-based CDR | policy instruments 726 | future pathways 22–23, <i>30–32</i> , 88, <i>93–96</i> , 195, |
| 373–374 | potential across land challenges 615 | 373, <i>641–644</i> |
| risks from climate change 369–373, 681, 682, | risks of 686–688, 687 | GHG fluxes 8–9, 79, 81, 84, 133–134, 135–136, |
| 683–684, 7.SM.7.1, 7.SM.7.3 | sensitivity to climate change impacts 624 | 151–162, <i>163–165</i> |
| under different SSPs 684–685, 685, | demand for land 18–19, 24–26, 97 | global patterns 6, 79, 82, 84–88, 85, 87, |
| 7.SM.7.1, 7.SM.7.3 | feasibility 618, <i>619–621</i> , 6.SM.6.4.1 | 559–560 |
| seminatural ecosystems 376 | forests see forest response options | integrated landscape initiatives 738 |
| socio-economic drivers 359–360 | global potential 24–26 | intensity 82–83, 86, 502–505 |
| socio-economic impacts of 377–381 | impact on NCP 627, 628, 6.SM.6.4.3 | and land degradation 88–89, 404 |
| soil carbon loss 381 | impact on SDGs 631, 6.SM.6.4.3 | methane (CH ₄) emissions 84, 133-134, 136, |
| surface albedo change 377 | implementation 633 | <i>151</i> , 159–160, <i>160</i> |
| thresholds 389 | mitigation potential 190, 586, 587, 587 | mitigation response options 79, 97, 98–100, |
| traditional biomass use 375, 740-741 | policy instruments 726 | 100, 135–136, 373–374, 487–489, |
| uncertainty in risk assessment 369 | potential across land challenges 611–615 | 641–644 |
| urban areas 186, 188 | potential deployment area 633, 633 | nitrous oxide (N2O) emissions 133-134, 136, |
| water erosion risk 370–371 | sensitivity to climate change impacts 624 | <i>151</i> , 160–162, <i>161</i> , <i>163</i> |
| see also desertification; forest degradation | soils see soil-based response options | observations 91–92 |
| land degradation neutrality (LDN)* 387–388, | land ownership see land tenure | policies and governance 737–738, 738–739, |
| 566, <i>705</i> , 705–706 | land pathways 30–32, 641–644 | 748–749, <i>751–752</i> |
| achieving targets 294, 296, 305 | land productivity 182–183, 183, 365, 366, 367 | pressures and impacts 87 |
| concept 350 | land rehabilitation* 351 | rotational 157 |
| framework elements 286 | land resources 79, 80, 104–105 | suitability for CDR 374 |
| policies promoting 20, 27, 52 | land restoration* 33–34, 294–295, 351, 396 | transition from livestock production 511 |
| in SSPs 727 | financing mechanisms 712 | uncertainties related to 91–93, 96 |

Karapìnar wind erosion area 293, 293

Land Degradation Neutrality Fund 712

| land-use change (LUC)* 5, 6 | impact of peatland degradation 397–398 | impact on NCP 629, 6.SM.6.4.3 |
|---|--|--|
| assessing 91 | impact of vegetation degradation 683 | impact on SDGs 632, 6.SM.6.4.3 |
| biodiversity losses 88 | and migration 690–691 | mitigation potential 588 |
| bioenergy expansion 739 | near-term actions 33–34 | potential across land challenges 610, 617 |
| BVOC emissions 170 | oasis populations 301 | sensitivity to climate change impacts 624 |
| carbonaceous aerosols emissions 168 | Pacific island communities 517 | smallholders 640 |
| climate drivers 93 | pastoral 457–458 | lock-in* 645 |
| CO ₂ emissions 10–11, 195–196, 198 | risks to 683, 684, <i>685</i> | logging practices 351–352, 353, 376 |
| competition for land 90–91 | safety nets 380 | illegal 716 |
| drivers 79, <i>93</i> , 373 | synergies and trade-offs 5.SM.5.3 | NFPP policy in China 396 |
| impact on climate 138 | women's <i>717–718</i> | long-term projections 94 |
| impact on food systems and security 461, 462, 514 | see also livelihood diversification | low-carbon economies 713 |
| key challenges 88–96 | livestock | low latitude regions 67, 372 |
| large-scale CDR 19, 492, 494 | enteric fermentation <i>160</i> , 189, 477, <i>484</i> | aquaculture 697 |
| large-scale conversion non-forest to forest land | feed 276, 444, 456–457, 473, 485, 5.SM.5.3 | crop yields 143, 680–681, <i>681</i> |
| 98–100 | genetics 513 | drought trends 146 |
| measuring and monitoring 33 | GHG emissions 22, 477–478, 478, 5.SM.5.3 | low-regret measures 83 |
| projected <i>30–32</i> , 196–197, <i>197</i> , <i>461</i> , 462, <i>642</i> | reduction methods 486, 5.SM.5.3 | LSAT (land surface air temperature)* 7, 133, |
| regional variation 462 | higher temperatures and 455, 455, 456 | 140–142, <i>141, 142</i> |
| response options and 18–19, 22–23, <i>25–26</i> , 188 | impact of climate change 276, 454–458, <i>455</i> , | changes in annual mean 177, 186–187 |
| socio-economic drivers 79, 93 | 5.SM.5.2 | and desertification 251 |
| soil N ₂ O emissions 162 | manure and N ₂ O emissions 11, 162, 376, 477, | extremes 174, 176 |
| urbanisation 186 | 478, 5.SM.5.3 | and land sink 155 |
| land use land cover change (LULCC) 174, 176 | meat production and dietary consumption 473, | land-to-climate feedbacks 182–184, 182, 183 |
| land use, land-use change and forestry | 479–480, 487–490, 604, 5.SM.5.4 | observed mean 6, 7, 44 |
| (LULUCF)* 154, 199–200, 200 | methane (CH ₄) emissions 79, 134, 159, | regional temperature changes 172–174, 174, |
| land-use zoning 706 | 477–478, 486 | 175, 177–180, <i>177</i> |
| landscape approaches 505 | pests and diseases 456, 457, 458 | response to land cover change 135, 171, |
| landscape integration 738 | see also improved livestock management | 172–174, 184–185 |
| landscape transformations 756 | livestock production systems | large-scale deforestation/forestation |
| landslides 370, 7.SM.7.1 | adaptation options 22, 471 | 177–180, 177 |
| see also reduced landslides and natural hazards | crop-livestock integration 384, 485–486, 504 | response to land management change 180 |
| large-scale land acquisition (LSLA) 91, 750, 751 | current land use 85–86 | cropland albedo 181–182, 18 <i>1</i> |
| Latin America and Caribbean 159, 751 | dairy systems 483 | irrigation 180, 18 <i>1</i> |
| leakage* 702 | diversification 589 | response to urbanisation 186–187 |
| learning 736–737 | economic mitigation potential 483, 486 | seasonal changes 172–174, 174, 182–183 |
| legal instruments 105, 701 | GHG emissions 159, 160, 161, 162, 476, | and soil moisture 145, 184 |
| lifecycle analysis/assessment (LCA)* 490, 721 | 477–478, 478 | LSLA see large-scale land acquisition |
| likelihood* 4n, 92, 363 | grazing and fire management 281–283 | LUC see land-use change |
| Limpopo River basin 263, 305 | impacts of climate change 454–458, 455 | LULCC see land use land cover change |
| livelihood diversification 285, 471, 567, 579 | intensive and localised herding 302 | LULUCF see land use, land-use change and forestry |
| adaptation potential 594, 594 | migratory livestock systems 257, 293 | |
| feasibility 623, 6.SM.6.4.1 | mitigation strategies 22, 483, 484, 485–486, | M |
| impact on desertification 598, 599 | 5.SM.5.3 past and ongoing trends <i>86,87</i> | IVI |
| impact on food security 608, 609 | past and origing trends 86, 87 peatlands 606 | maladaptation/maladapative actions* 103, 734 |
| impact on land degradation 603, 603 impact on NCP 629, 6.SM.6.4.3 | productivity 454–458, <i>455</i> | avoiding coastal maladaptation 392, 402–403 |
| impact on NCF 029, 6.3M.6.4.3 | smallholder systems 459–460 | flood insurance 701 |
| mitigation potential 588 | sustainable intensification 481–482 | inequalities and 474 |
| policy instruments 726 | technical mitigation potential 483, 484, | to desertification 20, 291–292 |
| potential across land challenges 610, <i>617</i> | 485–486 | Malawi 289, <i>582</i> , <i>744</i> |
| sensitivity to climate change impacts 624 | transition away from 511 | malnutrition* 607 |
| livelihoods* 5, 79 | see also livestock; pastoralists | climate change and food quality 463-464 |
| and agricultural productivity 604 | Local Adaptation Plan of Action (LAPA) 474 | climate related risks to nutrition 7.SM.7.1 |
| climate stressors 690–691 | local institutions 287 | defining 442 |
| coastal 7.SM.7.2 | local knowledge* | food prices and 495, 497 |
| dryland areas 257–258, 304, 684, <i>685</i> | see indigenous and local knowledge | gendered approach to health and nutrition |
| food systems and security 90, 5.SM.5.2 | local seeds 468, 567, 579 | 5.SM.5.1 |
| gender and climate change impacts 5.SM.5.1 | adaptation potential 594, 594 | global trends 445–446, 445 |
| impact of climate variability/extremes 516, | feasibility 623, 6.SM.6.4.1 | Hindu-Kush Himalayan Region 469 |
| 517, 518 | impact on desertification 598, 599 | protein deficiency 463–464 |
| impact of climate-related land degradation | impact on descrimention 350, 355 | risk of hunger 685–686 |
| 377–379, 380, 388 | impact on land degradation 603, 603 | managed forest* 155, <i>164</i> , 191, 194, <i>562</i> |
| | | |

impact on land degradation 603, 603

| managed land* 133–134, 139, 152, 152, 154, 155, | erosion and projected rainfall 302, 362, 370 | mineral dust see dust |
|---|---|--|
| <i>164</i> , 194 | fire risk 69, 684 | mitigation (of climate change)* 80, 138, |
| management of supply chains 567, 578 | water scarcity 682, 683 | <i>642–644</i> , 646 |
| adaptation potential 593, 594 | megadroughts* 145, <i>145</i> | adaptation co-benefits and synergies 22, |
| feasibility <i>622</i> , 6.SM.6.4.1 | mesoscale convective systems (MCS) 370 | 102–103, 383, 391, <i>392</i> |
| impact on desertification 598 | mesquite 298, 299 | with food security 448, 492, 493, 500, 507, |
| impact on food security 607–608, 608 | metal toxicity 357 | 513–514 |
| impact on land degradation 602 | methane (CH ₄)* 157–160, <i>158</i> , <i>160</i> , 366–367, | agriculture 181–182, 281, 282 |
| impact on NCP <i>629</i> , 6.SM.6.4.3 | 451, <i>703</i> | barriers for <i>188</i> , 292, 513 |
| impact on SDGs <i>632</i> , 6.SM.6.4.3 | AFOLU emissions 8–11, <i>10–11</i> | co-benefits 102–103 |
| institutional barriers 618, 6.SM.6.4.1 | agricultural emissions <i>6–7</i> , 84, <i>160</i> , 195, 196, 476 | costs 102 |
| mitigation potential 588 | enteric fermentation 160, 189, 477 | decision making approaches 721–723 |
| policy instruments 726 | livestock 79, 134, 159, 477–478, 486 | demand-side mitigation 487–491, 513–514 |
| potential across land challenges 610, 616 | rice cultivation 11, 79, 134, 159, 160, 476, 477 | dietary changes 472–473 |
| sensitivity to climate change impacts 624 | anthropogenic emissions 134, <i>151</i> | financing mechanisms 711–712 |
| management of urban sprawl 567, 579 | atmospheric lifetime 169, 170, 192 | food system 21–22, 101, <i>443</i> , 449, 480–491, |
| adaptation potential 594, 594 | atmospheric trends 157–159 | 513–514 |
| feasibility 623, 6.SM.6.4.1 | emissions from flooded soil 398 | food system interlinkages 441 |
| impact on desertification 598, 599 | emissions from peatlands 159–160, 476, <i>477</i> , 586 | future scenarios 13, 564, 565 |
| impact on deseronication 398, 399 | emissions from permafrost thawing 137, 184 | governance 737–738, 5.SM.5.5 |
| • | emissions from wetlands 157–158, 159 | - |
| impact on land degradation 603, 603 | fire emissions 149 | green walls/dams programmes 294–296 |
| impact on NCP <i>629</i> , 6.5M.6.4.3 | | and greenhouse gas fluxes 157, 701–702 |
| impact on SDGs 632, 6.SM.6.4.3 | globally averaged atmospheric concentration | impact on food prices 494–497, 495 |
| mitigation potential 588 | 11, 157 | integrated pathways 195–199 |
| policy instruments 726 | land degradation and 376, 377 | knowledge gaps 513 |
| potential across land challenges 617 | land use effects 159–160, 195, 196 | and land tenure 751–752 |
| sensitivity to climate change impacts 624 | mitigation options 486 | market-led response 105 |
| mangroves 193, 400, 401, 401 | non-AFOLU emissions 10–11, 151 | near-term actions 33–34 |
| climate related risks 7.SM.7.1 | projected emissions 195–196, 196, 198, 199 | policies 27–28, <i>509</i> , <i>696</i> , 701–702, 714 |
| deforestation 402, 487, 590 | Mexico | renewable/green energy and transport 735 |
| manure 160, 161, 162, 189 | agriculture 402, 460, 518 | risk associated with 686–688, 689 |
| GHG emissions 477, 478 | drylands 265, 402 | supply-side mitigation 101, 480–487, 484, |
| green manure cover crops 181–182, 192, 376, 471 | invasive plants 299 | 513–514 |
| management 483, 484, 5.SM.5.3 | livelihoods 447, 603 | synergies with adaptation and food security 448 |
| marginal abatement cost curves (MACCs) 102 | migration 285, 518 | mitigation failure 686–687 |
| market access 286 | salinisation of agricultural land 402 | mitigation measures* 19, 695 |
| market-based instruments 105, 702, 703, 725 | microfinance services (MFS) 475 | barriers to 715–716 |
| market failure* 508 | microinsurance 712 | gender inclusive approach 43, 717–719 |
| material substitution 567, 577 | micrometeorological flux measurements 164 | mitigation options* 18–23, 24–26, 81, 135–136, |
| adaptation potential 593 | micronutrient deficiency 442, 445–446, 463–464 | 188–199, 583–589 |
| feasibility 622, 6.SM.6.4.1 | mid latitudes | adverse side effects 687–688, 718 |
| impact on desertification 598 | bioenergy crops 194 | agriculture 480–486, 583–584 |
| impact on food security 607, 607 | crop yields 7.SM.7.1 | agroforestry 383, 485, <i>485</i> |
| impact on land degradation 602, 602 | forests 368 | in aquaculture 486–487 |
| impact on NCP 629, 6.SM.6.4.3 | impact of deforestation 174, 179 | barriers 79 |
| impact on SDGs 632, 6.SM.6.4.3 | precipitation 137 | biochar 100, 398–400 |
| mitigation potential 587, 588 | snow cover 184 | cellular agriculture and cultured meat 487 |
| policy instruments 726 | Middle East 264, 292–293, 293, 302–304 | demand management 101–102, 587 |
| potential across land challenges 615 | migration* 16, 285, 690–691 | dietary change 487–490, <i>488</i> , 497–499 |
| sensitivity to climate change impacts 624 | adaptation strategy 285, 380, 388, 683 | estimating costs 102 |
| mean global annual temperature 177–178 | climate change and 259 | FAQs 107, 646, 755 |
| measurement, reporting and verification | desertification and 380–381 | food system 480-491, 509, 513-514 |
| (MRV)* 29 | dryland areas 259 | forest-based <i>99–100</i> , 584–585 |
| meat consumption 489, 498-499, 5.SM.5.3, | due to long-term deterioration in habitability | global potential 24–26 |
| 5.SM.5.4 | 690, 691 | impact on land degradation 373-375 |
| Mechanized Micro Rainwater Harvesting | environmental risk response 275–276 | land management 586-587 |
| (MIRWH) 303–304, 303 | food security and 516–518, 517 | land use 79, 97, 98-100, 100, 373-374, |
| 'Mediterranean' diet 488, 489, 497, 498 | impact on biodiversity 691 | 487–489, <i>641–644</i> |
| Mediterranean region | of labour 289 | land-demanding 34, 79, 97, 98–100, 196–197 |
| crop yields 56 | land degradation and 380-381 | region-specific impacts 107 |
| desertification 264, 682 | Pacific region <i>517</i> , 518 | renewable energy 288, 486 |
| drought 15, 45, 146, 682 | Millennium Ecosystem Assessment (MA) | risk management options 102, 588–589 |
| drylands 264, 277, 278–279 | 625–626 | shortening supply chains 491 |

| soil management 100, 382–383, 483, 585–586 | multi-level governance* 391, /3/–/38, /42 | agricultural emissions <i>6</i> , 79, 84, 134, 195, 476, |
|--|--|--|
| supply management 100–101, 588 | multi-level policy instruments 695–696, 696 | 478, 5.SM.5.3 |
| sustainable intensification 481–482, 501–502, | multi-species grasslands 504 | anthropogenic emissions 134, 151 |
| 502–505 | multiple policy pathways 510 | aquaculture emissions 478 |
| urban green infrastructure (UGI) 188, 392–393 | mycotoxins 462, 463 | atmospheric trends 160–162, 161 |
| urban and per-urban agriculture* 505, 507 | | cropland emissions 134, 181–182 |
| see also REDD+ | | data sources 160–161 |
| mitigation pathways* 34, 195–199, 196, 197, 198 | N | fertilizer application and 134, 181–182, 476, 47 |
| archetypes 198–199, <i>198</i> | | fire emissions 149 |
| assumptions 195 | National Adaptation Plans (NAPs) 387, 473 | food system emissions 478, 479 |
| economics of 102 | National Adaptation Programs of Action | grazing land emissions 134 |
| from the food system 480 | (NAPAs) 473 | land degradation and 376, 377 |
| GHG mitigation in croplands and soils 483 | National Forest Protection Program (NFPP) 396 | land use effects 162, 163 |
| linking socioeconomic development and land | Nationally Determined Contributions (NDCs)* | livestock system emissions 134, 478, 5.SM.5.3 |
| use 30–32 | 81, 199–201, <i>200</i> , 387, <i>562</i> | non-AFOLU emissions 10–11, 151 |
| mitigation potential 189, <i>190</i> , 193–195, 201, | agricultural adaptation and mitigation 449 | projected emissions 195, 196, <i>196</i> , 198, 199 |
| 583–589, 609–610, <i>609</i> , 610, <i>611–617</i> | CO ₂ mitigation potential 199–200, 200 | soil emissions 134, 192, 193, 398 |
| | food systems 449 | sources 160–161 |
| agricultural response options 189, 190, 483, | land-use sectors 704–705 | |
| 583–584, <i>584</i> , <i>611</i> | LULUCF contribution 200, 200 | no-till farming 292, 376, 383, 471, 686 |
| combined land response options 636–637 | traditional biomass use 375 | non-governmental organisations (NGOs) 737 |
| demand management options 191, 195, 587, | natural capital accounting 511 | non-local effects 184–186, 185 |
| 588, 615 | natural disasters 590, 592, 699, 743–745 | Normalised Difference Vegetation Index |
| dietary mitigation potential 487–490, 488, | and food security 518, 743–744 | see NDVI |
| 497–499 | and migration 276, 518 | normative scenarios 94 |
| economic potential 189, 483, 486, 489 | _ | North America |
| of food systems 449, 487–491, 497–499 | planning 738, 744 | agricultural emissions 159 |
| forest response options 189–192, 584–585, | see also landslides; tropical cyclones | BVOC emissions 169 |
| 585, 612 | natural grasslands 85, 86 | desertification 265 |
| land management options 583–587, 611–615 | natural land 30–32 | dryland areas 255, 257, 265 |
| all/other ecosystems 193, 586, 587, 614 | natural resource management 287 | dust emissions 167 |
| specifically for CDR 193–194, 587, 587, 615 | Nature-Based Solutions 381, 391, 403, <i>566–567</i> | floods 744 |
| risk management 588–589, <i>589</i> , <i>617</i> | NCP (Nature's Contributions to People) | historical land cover change effects 172-173, |
| soil-based response options 192–193, 483, | 500–501, <i>625–626</i> | 174 |
| 585–586, <i>586</i> , <i>613</i> | impacts of integrated response options 627, | invasive plants 259, 299 |
| supply management options 490–491, 588, | <i>628–629</i> , 6.SM.6.4.3 | monsoon rainfall <i>176</i> |
| 588, 616 | urban areas 603 | rangelands 372 |
| uncertainties 489–490, 5.SM.5.3 | NDVI (Normalised Difference Vegetation Index) | Northern Ireland 370–371 |
| mitigation scenarios* 95, 634, 635 | 261–262, <i>261</i> , 363 , 365 | novel technologies 485–486, 513–514 |
| bioenergy and BECCS in 580–583 | as proxy for NPP 363 | NOx concentrations 169, 170 |
| 3, | near-term action 33–34, 554–555, 644–645 | • |
| forest area expansion 99–100 | costs vs. benefits 102 | NPP (net primary production/productivity) 5, |
| with large land requirements 19, 97 | pathways 198–199 | 86, 87, 140, 363–364 |
| mitigation strategies 197–199 | negative emissions* 135–136, 374, 386, 387, 686 | livestock production systems 456 |
| integrating cultural beliefs and ILK 470 | see also carbon dioxide removal (CDR) | NDVI as proxy for 363 |
| Karapìnar wind erosion area 293 | negative emissions technologies* 348, 398, 399, | of rangelands 456, 457 |
| livestock mitigation strategies 5.SM.5.3 | 441, 492 | relationship with rainfall 363–364 |
| novel technologies 485–486 | neglected and underutilised species (NUS) 469 | nutrient depletion 355 |
| mixed farming 384, 500 | Nepal 469, 474 | nutrition 5.SM.5.1, 7.SM.7.1 |
| models | • | nutrition transition* 480, 489, 505 |
| evaluation and testing 95–96 | net negative emissions* 198, 580 | |
| futures analysis 80, 93–96 | net primary production/productivity see NPP | 0 |
| uncertainties 92–93 | net-zero emissions* 703 | 0 |
| see also specific types of model | nexus approach 103, 514, 731, 739 | oases 300–302, <i>300</i> , <i>302</i> |
| Moderate Resolution Imaging | NFPP (National Forest Protection Program) 396 | obesity/overweight 5, 6–7, 444, 445, 445, 446, |
| Spectroradiometer (MODIS) 363 | NGOs (non-governmental organisations) 737 | 510 |
| monitoring, reporting and verification (MRV) | Niger Basin 370 | global trends <i>444</i> , 445, 446 |
| 702, 703 | Nigeria 452–453 | ocean acidification* 627 <i>n</i> , 691 |
| monsoons 176, <i>176</i> , 277 | nitrogen addition to soils 134, 159, 162, <i>163</i> , 203 | |
| moral hazard 686–687 | emissions 162, 476, 477 | off-site feedbacks 269 |
| Morocco 263, 284 | nitrogen cycle 202–203 | Okavango Basin 263, 397 |
| | nitrous oxide (N₂O)* 160−162, 161, 163, | Oman 300, 301 |
| drought and conflict 518 | 366–367, <i>703</i> | on-the-ground actions |
| oases 300, 300, 301 | AFOLU emissions 8–11, 10–11 | addressing desertification 279–283, 280 |
| mountain regions 185, 294, 301, 452, 469, 591 | · | addressing land degradation 381–384 |
| multi-criteria decision making 721 | | organic agriculture 566–567 |

| organic carbon (OC) 167–168 | defined 93 | customary norms 106 |
|---|--|---|
| out-migration 259, 276, 285, 518 | future pathways for climate and land use | for decentralised resource management 287 |
| over-consumption (of food) 490 | <i>641–644</i> global emissions 168, 170 | delayed action and 645 |
| over-exploitation of land resources 79 over-extraction of groundwater 271, 289 | integrated pathways for climate change | development 742 drivers of desertification 259–260 |
| overarching frameworks 565–566, <i>566–567</i> , 600 | mitigation 195–199 | for economic diversification 288–289 |
| food security 5.SM.5.5 | land pathways 30–32, 641–644 | economic and financial instruments 105–106, |
| Owena River Basin 263 | least cost pathway 195 | 474, 698, <i>710–711</i> , 711–713 |
| ozone (O ₃)* 135, 451, <i>573</i> – <i>574</i> , 691 | linking socioeconomic development, mitigation | effectiveness 699 |
| BVOC emissions and 169, 170, 192 | responses and land 30–32 | enabling environment 508–510, 713–714 |
| pollution management <i>573–574</i> , 591, 606 | multiple policy pathways 510 | expanded policies 508–510, <i>509</i> , 5.SM.5.5 |
| , | near-term action 198–199 | for food security 474, 696–698, <i>696</i> , <i>719</i> |
| D. | policy pathways 640, 742–743 | food system policies 27–28, 474, 507–510, <i>509</i> , |
| P | representative agricultural pathways 460 | 5.SM.5.5 |
| Pacific region 255, 517, 518 | sustainable development pathways 678 | forest conservation instruments 709–711 |
| Pakistan 299–300, 452, 744 | see also mitigation pathways; RCPs; SSPs | gender-inclusive approaches 718–719 |
| palm oil 398, 562, 588, 624, 741 | pathways analysis 94, 95 | health related 28, 510 |
| Paris Agreement* 81, 199–201 | payment for ecosystem services see PES | for improvement of IWM 305 |
| cooperation mechanisms 704–705 | payment for environmental services see PES | incorporating ILK 258 |
| food systems in NDCs 449 | peatlands* 397–398 | integration 737–738 |
| global initiatives for food security 473, 474 | carbon balance 193 | for investment in R&D 287–288 |
| performance indicators 725 | carbon stored in 355, 397, 398 | land tenure 287, 709–711, 719, 751–752, 753 |
| Parthenium hysterophorus (Congress weed) | climate change and 193 | legal and regulatory instruments 105 |
| 298 | degradation 89, 355, 397–398, 476 | maladaptation 734 |
| participatory governance* 391, 743, 745–746 | emissions 153, 159–160, 397, 476, <i>477</i> | market-based instruments 702, 703 |
| particulate matter 591 | fire <i>149</i> , 153, 397, 398 | mitigation policies 27–28, 509, 696, 701–702, 714 |
| pastoralists/pastoral systems 8, 257, 384 | management 159–160, <i>392</i> , 398 | multi-level policy instruments 695–696, 696 |
| adaptive capacity 22, 276, 448 | methane fluxes 159–160 | multiple policy pathways 510 |
| agropastoralists 257, 439, 455–456, 5.SM.5.1 | sustainable management 100 | policy and planning scenarios 94 |
| bush encroachment 282–283 | see also restoration and reduced conversion | response to climate-related extremes |
| community-based natural resource | of peatlands | 699–701, 714 |
| management 287 | perennial crops 194, 383, 392, 393–395, 485 | response to desertification 258, 285–288 |
| drought and 276, 457–458 | perennial grains 383, 392, 393–395 | response to drought 290–291, 714 |
| fire management 281–282 | performance indicators 725, 742, 743 | response to GHC flying 701 705 714 |
| gender and climate change impacts 5.SM.5.1 | peri-urban areas* 135, <i>188</i> , 505, 507 permafrost* 184, <i>357</i> , <i>382</i> | response to GHG fluxes 701–705, 714 response to land degradation 27, 387–388, |
| grazing management 281–283, 604, 623 impacts of climate change 276, 455–458, | climate feedbacks 183, 184 | 396–397, <i>696</i> , 705–711, <i>705</i> |
| 5.SM.5.1 | release of CO ₂ 134, 184 | response to land-climate-society interaction |
| impacts of desertification 276 | release of methane (CH ₄) 134, 137, 184 | hazards 688–689 |
| institutions based on ILK 747 | risks due to degradation <i>681</i> , 684, <i>689</i> , | rights-based instruments 106 |
| land tenure 749, 751 | 7.SM.7.1 | risk management 467–468, 700–701 |
| risks to 276 | soil carbon loss 8, 134, 184 | in shared socio-economic pathways 641–644 |
| traditional practices 284 | thaw-related ground instability 21, 684 | social and cultural instruments 106 |
| vulnerability 257, 439, 454–456, 458 | PES (payment for ecosystem/environmental | for social protection 696–697, 698–699, 716 |
| pasture* | services) 105, 287, 706–707, 733 | standards and certification 707–709, 708, 739 |
| conversion for energy crops 373 | pests and diseases 8, 358, 457, 458 | for sustainable development 288–289 |
| current global extent 85 | phenomics-assisted breeding 513 | for sustainable land management 27–29, 258, |
| dryland areas 254–255 | phosphorus cycle 202–203 | 285–289, <i>696</i> , 723 |
| intensification 562 | PICS (Purdue Improved Crop Storage) 472 | synergies and trade-offs 725, 726, 730–734 |
| intensive 6–7 | planetary boundaries transgression 7.SM.7.1 | timescales 695 |
| N ₂ O emissions 134, 162 | plant diversity 201, 504 | windows of opportunity 694-695 |
| past and ongoing trends 86, 87 | policies 27–29, 80, 640, 695–717, <i>726</i> | policy goals 566 |
| projected land use change 30–32 | acceptability 490, 510, 698, 754 | policy lags 645 |
| reduction in 196–197, 494 | agricultural 286–287, 473, 482, 508, 697, | policy nudges 722 |
| pathways* 16–17, <i>94</i> , 737 | 701–702, <i>703</i> , 714 | policy pathways 640, 742–743 |
| 1.5°C pathway 22–23, 32 <i>n</i> , 195–199, 200–201, | barriers to implementation 714–717 | pollinators 458–459, 606 |
| 373, <i>581</i> , 686 | for biofuels and bioenergy 738–739 | pollution 357 |
| 2°C pathway 22, 195, 197–199, 200–201 | for climate extremes 699–701, 714 | see also air pollution |
| 3°C pathway 22, 701 | climate policies 27, 68, 103, 639, <i>642</i> , <i>678</i> , 716 | polycentric governance 104, <i>578</i> , 737, 738, |
| adaptation pathways 104, 721–722, 743 | coherence 713–714, 730, 734, <i>739</i> | 5.SM.5.5 |
| archetypes 198–199, 198 | coordination 28, 390, 739 | population distribution 558, 560 |
| climate pathways 641–644 | cost and timing of action 723 | population growth 5, 88, 301, <i>517</i> , 692 |
| climate-resilient pathways 678 | cross-sector policies 104 | in SSPs <i>13, 14,</i> 16 |

climate-resilient pathways 678

| urban areas 186 | prevalence of undernourishment (PoU) 464 | SLCF emissions 169 |
|--|--|---|
| pore volume loss 354–355 | primary biological aerosol particles (PBAP) | real options analysis 721 |
| portfolio analysis 721 | see bioaerosols | recycling 512 |
| portfolio response 695 | primary production* 201-202 | REDD+ (Reducing Emissions from Deforestation |
| potential evapotranspiration (PET) 276-277 | private net benefits 695 | and Forest Degradation*) 385–386, 388, |
| poverty* | Prosopis juliflora (Mesquite) 298, 299 | 704, <i>709–711</i> |
| agroforestry adoption 384 | protected areas 100 | corruption risk 716 |
| climate change and 259, 279, 691-692 | public net benefits 695 | and land tenure 751, 752 |
| climate change and food security 446–447 climate change-poverty linkages 378–379, <i>379</i> | public policy organisations 105–106 Purdue Improved Crop Storage (PICS) 472 | reduced deforestation and forest degradation 385–386, 567, 571 |
| and diet 442, 446 | ruruue iiipioveu crop storage (Fies) 472 | adaptation potential 590, 590 |
| in dryland areas 257, 259, 260, 279 ecosystem services and 730 | R | combined with bioenergy and BECCS 637 feasibility 620, 6.SM.6.4.1 |
| impacts of climate-related land degradation | radiation | impact on desertification 595-596, 596 |
| 377–379 | aerosol interaction 166–167, 168 | impact on food security 604, 605 |
| impacts of desertification 259, 272–273, 279 | aerosol scattering 166, 167–168, 169, 170 | impact on land degradation 600, 600 |
| land degradation-poverty linkages 378–379, 379 | interactions with dust 166–167 | impact on NCP 628, 6.SM.6.4.3 |
| projected 279 | radiation absorption, aerosols 166, 167, 168 | impact on SDGs 631, 6.SM.6.4.3 |
| reduction 289 | radiative forcing* | mitigation potential 21, 585, 585 |
| social protection policies 698-699 | BVOC emissions and 170 | policy instruments 726 |
| and traditional biomass use 741-742 | carbonaceous aerosols and 168 | potential across land challenges 610, 612 |
| poverty eradication* 19, 20, 27, 33, 640 | changes in albedo induced by land | potential deployment area 633 |
| power dynamics 638 | use change 138 | sensitivity to climate change impacts 624 |
| precautionary principle 723 | direct aerosol effect 169, 170, 192 | reduced food waste (consumer or retailer) |
| precipitation | dryland areas 270 | 100–102, <i>567</i> , <i>577</i> |
| adaptation technologies 475 | dust emissions and 167 | adaptation potential 593, 593 |
| anomalies 451 | indirect aerosol effect 169, 170, 192 | combined with bioenergy and BECCS 637 |
| and carbon sequestration 271 | net positive response to historic land cover | feasibility <i>622</i> , 6.SM.6.4.1 |
| change in rainfall patterns 137, 147, 369–370 | change 172 | impact on desertification 598, 598 |
| food and livelihood security 516, 518 | rain use efficiency (RUE) 265, 266, 363–364 | impact on food security 607, 607 |
| dryland areas 258, 262, 265, 271 | rainfall see precipitation | impact on land degradation 602, 602 |
| enhanced by irrigation 180, 181 | rainwater harvesting (RWH) 280, 281 | impact on NCP <i>629</i> , 6.SM.6.4.3 |
| and erosion 361–362, 370–371, 682 | range expansion 143, 462 | impact on SDGs <i>632</i> , 6.SM.6.4.3 |
| extreme rainfall events 12, 15, 137, 147–148, | rangelands 494, <i>562</i> , <i>633</i> | mitigation potential 587, 588 |
| 302, 361, 369–371, 7.SM.7.1 | Badia region, Jordan 302–304 | policy instruments 726 |
| extreme snowfall 147 | composition 456 | potential across land challenges 609, 610, <i>615</i> |
| impact on food security 5.SM.5.2 | degradation rate 276 | sensitivity to climate change impacts 624 |
| impacts of precipitation extremes on different | fire management 281, 282 | reduced grassland conversion to cropland 567, |
| land cover types 147–148 | floods 744 | <i>570</i> , 588–589 |
| increased frequency and intensity 7, 137, | grazing practices 281–282, 376 | adaptation potential 589 |
| 147–148, 360–362, 369–371 | impact of climate change 372, 454–456 | combined with bioenergy and BECCS 637 |
| intensity 7, 147, 360–362, 369–371 | integrated watershed management (IWM) | feasibility <i>619</i> , 6.SM.6.4.1 |
| land cover changes and 174, 175–176, <i>176</i> | 302–304 | impact on desertification 595, 595 |
| land cover induced changes 176 | land tenure-climate change interactions <i>751</i> | impact on food security 604, 604 |
| mesoscale convective systems (MCS) 370 | N ₂ O emissions 162 | impact on land degradation 599, 600 |
| monsoon areas 176, <i>176</i> | overlapping land challenges <i>560</i> , 561, <i>561</i> , 633 | impact on NCP <i>628</i> , 6.SM.6.4.3 |
| and net primary production (NPP) 363–364 | productivity trends 366 | impact on SDGs <i>631</i> , 6.SM.6.4.3 |
| non-local and downwind rainfall effects | selective grazing 355 | mitigation potential 584, <i>584</i> |
| 185–186, <i>185</i> | soil compaction reduction 596 | policy instruments 726 |
| projected 278, 302, 305, 360–362, 370–371 | soil erosion 293 | potential across land challenges 610, <i>611</i> |
| monsoon rainfall 175–176, 176 | sustainable management 281–282, 284 | potential deployment area 633 |
| rainfall patterns and deforestation/forestation | RAPs (representative agricultural pathways) 460 | sensitivity to climate change impacts 623 |
| 178, 179 | RCPs (representative concentration pathways)* | reduced landslides and natural hazards 567, |
| rainfall and SST anomalies 258–259, 266 | 92, 93, 680 | 573, 726 |
| Sahel rainfall 258, 377, 450, 451 | combined with SSPs 13, 30–32 | adaptation potential 591, 592 |
| snow 147, 178, 179, 183–184, 361 | desertification projections 276–277 | feasibility 621, 6.SM.6.4.1 |
| tropical regions 183 | forestation impacts 179 | impact on desertification 597, 597 |
| under different SSPs 7.SM.7.1 | GHG emissions and removals 195–197, 196 | impact on food security 606, 606 |
| urbanisation 187 | land cover change scenarios 30–32, 173, | impact on land degradation 601, 601 |
| variation and effect on livestock 455 | 174–176, <i>175</i> , <i>176</i> | impact on NCP 628, 6.SM.6.4.3 |
| and vegetation variability 183, 265–266, 361, <i>451</i> | mitigation scenarios 195–199 | impact on SDGs 631, 6.SM.6.4.3 |
| precision agriculture 100, 503, 566-567 | RCP1.9 mitigation pathway 198–199, 198 | mitigation potential 586, 587 |
| precursors* 139, 166, 167–168, 169, 170 | RCP2.6 mitigation pathway 198, 198 | policy instruments 726 |

potential across land challenges 610, 614 potential across land challenges 609, 613 representative concentration pathways see RCPs sensitivity to climate change impacts 624 sensitivity to climate change impacts 624 residual risks 291 reduced pollution including acidification 567, Reducing Emissions from Deforestation and residual trends see RESTREND method *573–574*, 586 Forest Degradation* see REDD+ resilience* 103, 105-106, 388-389 of agriculture 280, 591 adaptation potential 591, 592 reforestation* combined with bioenergy and BECCS 637 case studies 392, 395-397 aguaculture 471 feasibility 621, 6.SM.6.4.1 defined 98 building via agroecology 499-500 impact on desertification 597, 597 green walls/dams 294-296, 297 of crop production systems 591 impact on food security 606, 606 implications 98-99 dryland populations 256-258, 284, 285 impact on land degradation 600, 601 mitigation potential 191 ecosystem resilience 265 impact on NCP 628, 6.SM.6.4.3 mitigation scenarios 99-100 food systems 468, 469, 591 reducing/reversing land degradation 374-375, investing in 723 impact on SDGs 631, 6.SM.6.4.3 395-397 mitigation potential 586, 587 mountain communities 469 risk of land degradation 374 policy instruments 726 pastoral communities 276 potential across land challenges 614 side effects and trade-offs 97, 99, 100 socio-ecological 106, 706, 736-737 sensitivity to climate change impacts 624 water balance 98 sustainable food systems 465-466 reforestation and forest restoration 567, 571 reduced post-harvest losses 100-101, 567, 577 to climate-related land degradation 378 to extreme climate events 28, 500, 513 adaptation potential 593, 593 adaptation potential 590, 590 feasibility 622, 6.SM.6.4.1 adverse side effects 605, 612 to land degradation 388-389 respiration* 201-202, 204 impact on desertification 598, 598 best practice 25 impact on food security 607, 607 combined with bioenergy and BECCS 637 response options 18-23, 24-26, 96-103, 97 impact on land degradation 602, 602 feasibility 620, 6.SM.6.4.1 addressing desertification 279-292, 595-599 impact on NCP 629, 6.SM.6.4.3 global potential 25 addressing food security 603-608, 609 impact on SDGs 632, 6.SM.6.4.3 impact on desertification 596, 596 addressing land degradation 381-388, 599-603 mitigation potential 587, 588 impact on food security 605, 605 barriers to 556, 756, 6.SM.6.4.1 policy instruments 726 impact on land degradation 600, 600 climate consequences 135-136, 188-201 potential across land challenges 609, 610, 615 impact on NCP 628, 6.SM.6.4.3 community approaches 640 sensitivity to climate change impacts 624 impact on SDGs 631, 6.SM.6.4.3 competition for land 18-19, 24-26, 97 reduced soil compaction 567, 573, 596 mitigation potential 585, 585 demand management 101-102, 190, 191, 195 policy instruments 726 enabling 103-106, 554, 558, 633 adaptation potential 591, 591 feasibility 620, 6.SM.6.4.1 potential across land challenges 610, 612 food system 21-22, 449, 492, 493 impact on desertification 596, 596 potential deployment area 633 increased demand for land conversion 19 impact on food security 605, 606 sensitivity to climate change impacts and land-use change 18-19, 22-23, 25-26, 188 impact on land degradation 601 623-624, 624 with large land-area need 19, 97 regional climate 12, 47, 53, 94, 107, 139-140, impact on NCP 628, 6.SM.6.4.3 locally appropriate 384-385 166, 182-186, 182, 183, 205 mitigation potential 189-193, 190, 194-195 impact on SDGs 631, 6.SM.6.4.3 impacts of aerosols 166-167, 168, 268, 377 opportunities 756 mitigation potential 585, 586 policy instruments 726 impacts of bioenergy deployment 194 Paris Agreement and 199-201 potential across land challenges 613 impacts of land cover change 171, 172-174, reduced demand for land conversion 18-19 sensitivity to climate change impacts 624 *174*, 175–176, *176*, 179, *572* regional variation in mitigation benefits 194 reduced soil erosion 280-281, 292-294, 567, 572 impacts of land degradation 377 risks arising from 686-688 role of ILK 746-747 regional climate models (RCMs) 147, 276-277, 278 adaptation potential 591, 591 feasibility 620, 6.SM.6.4.1 regulatory policy instruments 105 socio-economic co-benefits 33-34 impact on desertification 596, 596 remote sensing 33, 52, 56 and sustainable development 18, 627, 630, impact on food security 605, 606 assessing desertification 253, 261-262, 631-632, 6.SM.6.4.3 impact on land degradation 600, 601 263-264 upscaling 33, 554-555, 738, 756 assessing land carbon fluxes 153, 155, impact on NCP 628, 6.SM.6.4.3 urban 188 impact on SDGs 631, 6.SM.6.4.3 163-164, 165 see also integrated response options; land mitigation potential 585, 586 assessing land degradation 348, 363-364, management response options; policies; risk management response options; policy instruments 726 365, 367 potential across land challenges 613 crop production 452 value chain management sensitivity to climate change impacts 624 dust emissions 167, 683 restoration and reduced conversion of coastal reduced soil salinisation 283, 567, 573 early warning systems 475, 513 wetlands 400-401, 401, 567, 574 adaptation potential 591, 591 estimating CO₂ emissions 153, 163 adaptation potential 592, 592 feasibility 620, 6.SM.6.4.1 forest loss 86, 153, 155, 367-368 feasibility 621, 6.SM.6.4.1 impact on desertification 596, 596 greening and browning 7, 143-144, 265-266 impact on desertification 597 impact on food security 605, 606 limitations 7n, 91, 262 impact on food security 606, 606 impact on land degradation 600, 601 mangroves 402 impact on land degradation 601, 601 impact on NCP 628, 6.SM.6.4.3 monitoring risks to food security 475, 513 impact on NCP 628, 6.SM.6.4.3 vegetation indices 143-144, 165, 265-266, 558 impact on SDGs 631, 6.SM.6.4.3 impact on SDGs 631, 6.SM.6.4.3 renewable energy 287-288, 289, 709, 735 mitigation potential 193, 586, 587 mitigation potential 585, 586 policy instruments 726 see also bioenergy policy instruments 726

representative agricultural pathways (RAPs) 460

potential across land challenges 610, 614

potential deployment area 633 related to land degradation 684-685, 685, transition of land use for 511 sensitivity to climate change impacts 624 7.SM.7.1, 7.SM.7.3 see also livestock restoration and reduced conversion of SSPs and 16-17, 7.SM.7.1 rural areas peatlands 159-160, 398, 557, 567, 574 SSPs and level of climate related risk autonomous adaptation 466 benefits of land-based response options 756 adaptation potential 592, 592 684-686, 685 feasibility 621, 6.SM.6.4.1 climate change and food security 446-447 to biodiversity and ecosystem services 691 impact on desertification 597 to communities and infrastructure 691-692 drought 518 impact on food security 606, 606 to crop yields 362-363 sustainability of rural communities 502 impact on land degradation 601, 601 to humans 691 traditional biomass use 740 impact on NCP 628, 6.SM.6.4.3 to land systems from climate change vulnerability 449 680-686, *681* **RUSLE (Revised Universal Soil Loss Equation)** 364 impact on SDGs 631, 6.SM.6.4.3 mitigation potential 193, 586, 587 to where and how people live 690-692 Russia 264 policy instruments 726 transitions 14, 680-688, 7.SM.7.1-3 potential across land challenges 610, 614 see also decision making S potential deployment area 633 risk assessment* 369, 471, 680-688 sensitivity to climate change impacts 624 risk management* 67-74, 97, 102, 678, 695 safety nets 459, 510, 697, 698-699, 744 **RESTREND method** 262, 265, 363-364 adaptation options 467-468 access to UGI 392 reversibility comprehensive 712, 721, 724 sagebrush ecosystems 299 impact of delayed action 34, 645 food systems 467-468 Sahara 288, 296, 297 integrated response options 618, 619-623, land management in terms of 33 Sahel region 263, 268, 276, 452 6.SM.6.4.1 policy instruments 105-106, 699-701 Great Green Wall initiative 296, 297 of trade-offs 730 proactive 744 rainfall 180, 258, 377, 450, 451 Revised Universal Soil Loss Equation (RUSLE) 364 risk management response options 19,97, 102, saline soils* 258, 283 rewetting* 193, 377 579-580 salinisation 355, 357 rice cultivation 384, 452, 476, 477, 584 adaptation potential 594, 594 of oasis areas 301 methane (CH₄) emissions 159, 160, 476, 477 delayed action 645 of river basins 263, 264 reducing emissions 189 feasibility 618, 623, 6.SM.6.4.1 saltwater intrusion 392, 401-402 rights based policy instruments 106 global potential 24 saltwater lakes 402 impact on desertification 598-599, 599 **Rio Conventions** 387 sand aerosols 268-269, 269 risk* 14, 15-17, 673-692, 678, 7.SM.7.1-3 impact on food security 608, 609 sand dunes 265, 277 adaptive governance of 742 impact on land degradation 603, 603 impact on infrastructure 275 impact on NCP 629, 6.SM.6.4.3 categories 680 preventing movement 293, 293 climate-related 696 impact on SDGs 632, 6.SM.6.4.3 stabilisation 283 current levels 15 mitigation potential 588-589, 589 sand storms 268, 283 definition 91, 679, 680 policy instruments 726 satellite observations see remote sensing drought risk mitigation 290-291 potential across land challenges 610, 617 saturation of integrated response options 618, fire 148-150 sensitivity to climate change impacts 624 619-623 from adverse side-effects 687-688 risk perception* 515 Saudi Arabia 264, 275, 300, 300 from changes in land processes 14 risk sharing instruments 567, 580, 699, 712 savannah 86, 265, 270, 562 from climate change responses 374, 686-688 adaptation potential 594, 594 burning 133, 162, 168 from disrupted ecosystems and species 691 feasibility 623, 6.SM.6.4.1 grazing and fire management 281-282, 700 from land-climate-society hazards 688, impact on desertification 599, 599 woody encroachment 270, 282-283, 355, 456 688-689, 732 impact on food security 608, 609 SCC see social cost of carbon future risk of desertification 277-278 impact on land degradation 603, 603 scenario analysis 722 of hunger 685-686 impact on NCP 629, 6.SM.6.4.3 scenario storyline* 93, 94 increasing with warming 14-15, 15 impact on SDGs 632, 6.SM.6.4.3 scenarios* 34, 88, 93-96 of land degradation from bioenergy and CDR 374 mitigation potential 588-589, 589 alternative diets in 487-489, 488 of land degradation under climate change 363 policy instruments 726 baseline scenario 195-196, 197, 564, 565, 684 layering approaches 712 potential across land challenges 617 exploratory scenario analysis 93-94 of mitigation failure 686-687 sensitivity to climate change impacts 624 futures analysis 80, 564 monitoring 475 river basin degradation 263, 264 integrated response options in 634, 635 of natural disasters 699 rivers 697, 731 land challenges in 564, 565 near-term action and 34 climate related risks 7.SM.7.1 land cover changes in 174-176 policy responses 695-717 disruption of flow regimes 688 land-use change 93-96 reduction initiatives 471 for transport 735 limitations 95-96 related to bioenergy crop deployment 19, riverscapes and riparian fringes 752 methods and applications 93-95 581-582, 687-688, 687, 7.SM.7.1, robust decision making 721 regional scale 94 RUE see rain use efficiency (RUE) 7.SM.7.3 uncertainties from unknown futures 92-93 ruminants 473, 479-480, 487-490, 604 related to drylands water scarcity 16, 684, 685, see also mitigation scenarios GHG emissions 473, 477, 478, 479-480, 7.SM.7.1, 7.SM.7.3 SDG see Sustainable Development Goals related to food security 16-17, 685-686, 685, 5.SM.5.3 sea ice* extent 174, 179 7.SM.7.1, 7.SM.7.3 methane (CH₄) emissions 159 sea level rise* 8, 372 adaptive governance and 743

climate related risks 7.SM.7.1, 7.SM.7.2 social-ecological systems (SES) 104, 556-558, 557 impact on food security 605, 606, 613 climate-change-induced 372 resilience 106 impact on land degradation 600-601, 601, 613 and coastal flooding 592 social learning 639 impact on NCP 628, 6.SM.6.4.3 and migration 517 social learning* 639, 745, 749 impact on SDGs 631, 6.SM.6.4.3 social policy instruments 106 saltwater intrusion 401-402 mitigation potential 192-193, 585-586, 586, 613 social protection policies 696-697, 698-699, 716 socio-economic effects 372 policy instruments 726 sea surface temperature (SST)* 142, 174 societal transformation* 512 potential across land challenges 613 anomalies and rainfall 258-259, 266 socio-cultural barriers 618, 619-623, 6.SM.6.4.1 sensitivity to climate change impacts 624 changes in 186 socio-ecological resilience 706 soil carbon sequestration (SCS)* 100, 483, 484, climate change and 174, 174, 258-259 socio-economic drivers 583-584, 605, 624 sea walls 402-403 desertification 259-260, 684 agroforestry 485, 485 land degradation 359-360, 684-685 impact of desertification 278 seasonal variations 139, 140 secondary organic aerosols (SOA) 166, 167, measures to combat desertification 20 land-use change 79, 93 169, 170 socio-economic pathways see SSPs soil conservation* 287, 292-294, 382-383 seed sovereignty see local seeds socio-economic responses 283-284, 285 soil erosion* 5, 354, 356, 367 self-regulation 106 socio-economic systems 33-34, 272-276, 279 adaptation limits 21 semi-arid ecosystems 271, 595 sodic soils* 258 case studies 292-294 semi-natural forests 560, 561, 561, 562, 633 sodification 357 caused by human activity 293 Sendai Framework for Disaster in Central Asia 293-294 soil Risk Reduction* 744 biological soil crusts 356, 358 costs 682 sequestration* see carbon sequestration carbon 381, 382-383, 398, 584 cropping methods and 280-281 shared socio-economic pathways see SSPs carbon management 189, 382-383, 584 dryland areas 258, 259 shock scenarios 94 carbon uptake 278 erosivity of rainfall 370-371 short-lived climate forcers (SLCF)* 99, 166-170 chemical degradation processes 355, 357 field-based data 366 short-lived climate pollutants (SLCP)* 451, CO₂ release from deep soil 203 hotspots of desertification 292-294, 295 586, 740 compaction/hardening 357 impact of climate change 258, 292-294, 360, silicate minerals 374 degradation 89, 350, 393-395, 456 361-362, 363, 393 silvopasture systems 504 increased water scarcity 274 impact on GHG 376 sink* 84 and urban sprawl 603 irrigation and excessive water use 293, 294 of atmospheric CH₄ 159 direct temperature effects 362 land sink and 156 atmospheric hydroxyl radical (OH) sink 158-159 dryland areas 271 management and mitigation potential 192 observed erosion rates 361-362, 361 capacity 624 enhancing carbon storage 100 forest carbon sink 21, 156, 180, 386 GHG emissions 476 projected 278 increasing 157, 165 GHG mitigation 483 rainfall intensity and 258, 361 global extent of chemical degradation 597, 600 land sink 8-9, 84, 153, 154, 155-157 reduction methods 292-294 non-anthropogenic land sink 157 impact of flooding 148 risk due to precipitation changes 370-371 indicators of land degradation 364 risks from climate change 681, 682, 7.SM.7.1 ocean sink 153, 157 integrated crop-soil-water management see also carbon sink RUSLE model 366 Siwa oasis 301, 302 280-281 vegetation cover and 362 SLCF see short-lived climate forcers land management response options 97 see also reduced soil erosion; wind erosion SLCP see short-lived climate pollutants methane (CH₄) uptake 159 soil management 280-281, 382-383, 398-400, small hydropower projects (SHPs) 735 microbial and mesofaunal composition changes 500-501 small islands 355-356, *358* adaptation options 470-471 coastal degradation 400, 403 microbial processes 201, 202-203, 204 precision agriculture 503 food security 517, 518 N₂O emissions 11, 162 short-term static abatement costs 102 Small Island Developing States (SIDS) 193, nutrient depletion 357 see also reduced soil compaction; reduced 400, 403, 473 nutrient dynamics 202-203, 204 soil salinisation smallholders 593, 608, 697 pore volume loss 354-355 soil moisture* 146, 303, 303, 362 adaptive capacity 22 processes 201-204 climate feedbacks 184 agroecology 499-500 productivity 608 soil carbon and 204 climate change impacts 459-460 quality 148 soil organic carbon (SOC)* 201, 281 conservation agriculture 500 regional variation 204 climate change and 134, 258 land tenure 749, 750, 751 response to warming 203-204 conservation agriculture 500-501, 584 livelihood diversification 594 rewetting 162 emissions 201 poverty eradication 640 sustainable land management 100 land degradation 351, 352, 366 risk management 594 temperature 181 land degradation response measures 382-383, snow accumulation 361 see also reduced soil compaction; reduced 393-395, 397, 398 snow-albedo feedback 178, 179, 183-184 loss 381, 584 soil salinisation soil-based response options 100, 192-193, 381, snow melt 361 organic matter inputs by plants 204 382-383, 572-573, 610 peatlands 397, 398 social barriers to adaptation 715 adaptation potential 591, 591, 613 perennial grains and 383, 392, 393-395 social capital 284, 390 social cost of carbon (SCC)* 102, 694, 702 feasibility 620, 6.SM.6.4.1 permafrost storage 134, 184 impact on desertification 596, 596, 613 response to warming 203-204

| sequestration 192, 199 | risks related to food security 16–17, 685–686, | governance for 737–738, 742–743, 754 |
|---|---|--|
| urbanisation 187 | 685, 7.SM.7.1, 7.SM.7.3 | knowledge gaps 755 |
| vertical distribution 203 | risks related to land degradation 684-685, 685, | land tenure-climate change interactions |
| see also increased soil organic carbon content | 7.SM.7.1, 7.SM.7.3 | 751–752 |
| soil organic matter (SOM)* 393 | stakeholder engagement 28, 62, 639, 640, 723 | near-term action 34 |
| decline 357 | stakeholder involvement 293, 638–639, 709–710 | risk management and decision making 673–800 |
| indicators of land degradation/improvement 364 | decision making 29, 96, 721, 723, 725 | Sustainable Development Goals (SDGs)* 21, 79, |
| pool depletion 355 | knowledge sharing 288 | 388, 506, 507 |
| soil microbial processes and 203, 204 | participatory planning 43, <i>94</i> , 640, 720 | and bioenergy deployment 7.SM.7.1 |
| soil salinity* | valuing ecosystem services 350, 725 | climate change mitigation 97 |
| climate change and 258 | standards 707–709, 708 | desertification and 272 |
| combating 283 | storage, food system 472 | global scale 731, 732 |
| sea water intrusion 402 | stranded assets* 689 | governance 5.SM.5.5 |
| see also reduced soil salinisation | structural transformations 289 | impacts of integrated response options 627, |
| soil and water conservation (SWC) 561–562 | stylised scenarios 93–94 | 630, <i>631–632</i> , 6.SM.6.4.3 |
| Ethiopian Tigray region croplands 561–562 | subnational governance 737, 5.SM.5.5 | Land Degradation Neutrality (LDN) 705–706, <i>705</i> |
| solar power 275, 377, 735 | subsidence 354–355, <i>357</i> , 372, 684 | local and regional scale 730–731, 732 |
| solar radiation 177 | subsidies 697, 701, 741 | synergies and trade-offs 506, 507, 730–731, 732 |
| Somalia 518 | Sudan 263, 275, 380 | and traditional biomass use 741 |
| South America | Sundarbans mangroves 400 | sustainable development pathways 678 |
| biome shifts 371 | supply chains 493, 513 | sustainable development pathways 676 |
| | • • • | |
| Cerrados pasture intensification 562 | shortening 195, 491 | sustainable farming see sustainable agriculture sustainable food systems 465–466 |
| crop production 452 | sustainability 707–709, 708 | |
| desertification 265 | see also management of supply chains | sustainable forest management (SFM)* 21, 100, |
| dryland areas 255 | supply management response options 100–102, 578–579 | 351–353, 369, 385–387, <i>566–567</i> , <i>571</i> , 585 |
| dryland population 257 | | CO ₂ removal (CDR) technologies 386–387 |
| monsoon rainfall 176 | adaptation potential 493, 593, 594 | defined 21 <i>n</i> , 351 |
| soil erosion and no-till farming 292 | combined with bioenergy and BECCS 637 | REDD+ 385–386 |
| sustainable agricultural intensification 481–482 | delayed action 645 | sustainable intensification (of agriculture)* |
| South Asia 257, 264, 751 | feasibility 618, 622, 6.SM.6.4.1 | <i>481–482</i> , 501–502, <i>502–505</i> , <i>566–567</i> , |
| South Korea 395–396 | impact on desertification 598 | 583, 589 |
| Southeast Asia 168, 185, 397–398, 472 | impact on food security 607–608, 608 | sustainable land management (SLM)* 21, 100, |
| species | impact on Iand degradation 602, 602 | 138, 306, 351–353, 381, 404, <i>625–626</i> |
| compositional shifts 358 | impact on NCP 629, 6.5M.6.4.3 | adaptive governance 743 |
| extinction rates 564 | impact on SDGs <i>632</i> , 6.SM.6.4.3 | addressing desertification 255–256, 279–283 |
| impact of climate change 8, 7.SM.7.1 loss <i>358</i> | mitigation potential 493, 588, 588 | addressing land degradation 381–384 |
| | policy instruments 726 | adoption of 283–284, 285, 286, 387–388, <i>390</i> |
| range expansion 143 | potential across land challenges 610, 616 | barriers to implementation 28, 389–391 |
| see also invasive species | sensitivity to climate change impacts 624 | best practice 391, 723 |
| SR-LULUCF see IPCC Special Report on Land Use, Land-Use | supply side adaptation 470, 473 | cross-level integration 738 decision making 723 |
| | supply-side adaptation 470–472 | 5 |
| Change and Forestry | supply-side issues of land degradation 379–380 | defined 21 <i>n</i> , 351 |
| SR15 | supply-side mitigation 480–487 | economic assessment 692–694 |
| see IPCC Special Report on Global Warming | surface roughness 139, 177, 377 | farming systems 381, 465 |
| of 1.5°C | surface runoff 371, 391, 392 | financing mechanisms 712 |
| SRCCL | sustainability* | gender-inclusive approach 80, 104–105 |
| see IPCC Special Report on Climate Change | community-owned solutions 104 | indigenous and local knowledge 381, 747–748 |
| and Land | education 512 | investment 285, 387, 390, 391 |
| SRES see IPCC Special Report on Emission Scenarios | food supply 79–80 | migration and 259 |
| SREX see IPCC Special Report on Extreme Events | gender agency 104–105 | near-term actions 33–34 |
| SSPs (shared socio-economic pathways)* 13, | response options to key challenges 96 | policies 27–29, 258, 285–289, <i>696</i> , 723 |
| 92–93, 195, <i>196</i> , 278, <i>641–644</i> , 680 | standards and certification 707–709, 708 | resilience considerations 388–389 |
| land challenges in 564, 565 | sustainable adaptation 743–745 | soil erosion reduction 294 |
| land use, prices and risk of hunger 460–462, 461 | sustainable agriculture 381–384, <i>465–466</i> , 507 | women and 717–719 |
| land use/cover change 30–32 | sustainable certification programmes 602, | sustainable soil management 500–501 |
| mitigation and climate impacts on food security | 707–709 | sustainable sourcing 567, 578 |
| 495–496 | palm oil 398, <i>562</i> , 624, <i>708</i> | adaptation potential 593, 594 |
| mitigation responses and land 30–32 | sustainable development (SD)* | feasibility 622, 6.SM.6.4.1 |
| risks related to bioenergy crop deployment 19, | co-benefits of combating desertification 19–20 | impact on desertification 598 |
| 687–688, <i>687</i> , 7.SM.7.1, 7.SM.7.3 | consequences of climate-land change 690–695 | impact on food security 607, 608 |
| risks related to drylands water scarcity 16, 684, | contribution of response options 18, 627, 630, | impact on land degradation 602, 602 |
| 685, 7.SM.7.1, 7.SM.7.3 | <i>631–632</i> , 6.SM.6.4.3 | impact on NCP <i>629</i> , 6.SM.6.4.3 |
| | gender-inclusive approaches 717–719 | impact on SDGs 632, 6.SM.6.4.3 |

| mitigation potential 588, 588 policy instruments 726 | biophysical warming 172, 174, 175, 177–178, 179, 197 | land use intensity and long-term sustainability 504 land use/management decisions 350, 353 |
|--|--|--|
| potential across land challenges 610, 616 | changes due to deforestation/forestation | land-based mitigation 733 |
| sensitivity to climate change impacts 624 | 176–180 | mitigation strategies 5.SM.5.3 |
| Sweden 582 | diurnal 178, 179, 180, <i>186–187</i> | policy choices 28–29, 725 |
| synergies 33, 388, <i>506</i> , 507 | effect on soils 203–204, 362 | policy interactions 733 |
| adaptation, mitigation and food security 448 | extremes 145–147, 174, 176, 186–187 | renewable energy 735 |
| agricultural sector 733 | increase and BVOC emissions 170 | socio-economic 97 |
| between food security and bioenergy 733 | increase and crop yields 680–681 | in Sustainable Development Goals (SDGs) |
| | | |
| between integrated response options and SDGs 630 | increase and crops 143, 300–301, 453, 454 increase and desertification 276–278 | 730–731, <i>732</i> |
| | increase and food security 5.SM.5.2 | traditional biomass 20, 288, 375, 709, 740–742 |
| between LDN and NDCs 388 | , | transformation* |
| climate-smart agriculture 500 | increase and livestock production 454, 455 | in governance 737, 743 |
| ecosystem services (ES) 730, 731, 731, 735 | increase and soil erosion 682 | societal 512 |
| empowering women 29, 448 | interannual growing-season variability 467 | transformational adaptation* 360, 466–467, |
| food system 490–491, 492, 493, 513–514 | irrigation effect on 180, 181 | 466, 467, 717 |
| forestry sector 733 | land cover change impacts 174, 176 | transformational change 21, 385, 390, 449, 743 |
| integrated response options 627, 636–637 | and livestock 455, 455, 456 | transformative change* 465–466, 749 |
| mitigation and adaptation 22, 448, 499–502, | local change due to bioenergy crops 194 | transitions* 390–391, 511 |
| 507, 756 | local surface temperature 179–180, 181–182 | risk <i>14</i> , 680–688, 7.SM.7.1–3 |
| mitigation strategies 5.SM.5.3 | mean global annual surface air temperature | transnational governance 737 |
| policy choices 725 | 171–173, <i>172</i> , <i>173</i> , <i>175</i> | transport 471–472 |
| policy interactions 733 | mean surface air temperature 174 | GHG emissions 478–479 |
| Sustainable Development Goals (SDGs) | plant and ecosystem production thermal | infrastructure 275, 379–380, 472 |
| 730–731, <i>732</i> | response 201–202 | waterways 735 |
| synthetic aperture radar (SAR) 364 | projected 276–278, 362, 363, 373 | tree mortality 202, 371–372, 7.SM.7.1 |
| Syria 264, 275, 518 | regional changes 84–85 | treeline migration 172, 182 |
| | sea surface temperature (SST)* 142, 174, 174, | tropical cyclones* 372, <i>392</i> , 400–401, 518 |
| _ | 186, 258–259, 266 | climate related risks 7.SM.7.1 |
| I | since pre-industrial period 6 , 7 | early warning systems (EWS) 594 |
| taxation 105, 698, 701, 727 | urban areas 186–187 | impact on food security 5.SM.5.2 |
| carbon tax 68, 498, 510, 702, 714, 753 | see also global warming; GMST; GSAT; LSAT | tropical regions 15 |
| TCRE (transient climate response to cumulative | temperature overshoot* 675, 686, 701 | BVOC emissions 169 |
| CO ₂ emissions) 243, <i>243</i> –247 | terracing 383 | crop yields 680–681, 681, 7.SM.7.1 |
| technical mitigation potential | tier* methods 160, 164 | deforestation/forestation 149, 177–178, 177, |
| crop production 21, 483 | timber yield 352 | 179–180, <i>185</i> , 191 |
| cropland soil carbon sequestration 483 | Time Series Segmentation-RESTREND | forest restoration and resilience 562 |
| dietary change 21, 487–489, 488 | see TSS-RESTREND | land cover change and climate feedbacks 12, |
| | tipping points* 389, 645, 679, 743 | 175, 177–178, <i>177</i> , 179–180 |
| food system 21 | desertification 265 | peatlands 397, 398 |
| livestock sector 21, 483, 484, 485–486 | peatlands 62 | vegetation greening/browning 183 |
| uncertainties 5.SM.5.3 | permafrost collapse 684 | troposphere*, ozone in 170 |
| technical potential of integrated response | sagebrush ecosystems 299 | TSS-RESTREND 266, 267 |
| options 609 | socio-ecological 755 | Tunisia 300, <i>300</i> , 301 |
| technological barriers 618, 619–623, 715, | Tracking Adaptation 474 | Turkey 264, 292–293, <i>293</i> |
| 6.SM.6.4.1 | trade 80, 86, <i>87</i> , 101, 472, 690 | Tuvalu 403, <i>517</i> |
| technology, adopting 33, 389–391 | trade policies 508 | |
| technology transfer* 33, 698, 704 | trade-offs 80, 281, 506, 507, 625 | |
| teleconnections* 184–186, 373, 379 | acceptable levels 403 | U |
| telecoupling 88, 514 | agricultural sector 733 | UGI see urban green infrastructure |
| temperate forest 149, 179–180, 192, 596 | barriers to land-based mitigation 756 | UHI see urban heat island |
| temperate regions 12, 45, <i>150, 504</i> | between adaptation and mitigation 103 | uncertainty* 91 |
| biochar 605 | between ecosystem services 730 | adaptive governance 742–743 |
| peatlands 397 | between integrated response options | adaptive management and 724 |
| projected impacts 456 | and SDGs 630 | assessing desertification 255 |
| seasonal climate 173, 174 | CDR and bioenergy 492, 494, <i>739</i> | assessing risks of land degradation 369 |
| soil erosion 362 | | |
| water use efficiency 144, 165 | conservation agriculture 501 | from bioenergy and CDR 374 |
| temperature | conventional and cultured meat 487 | contributing factors 89 |
| albedo-induced surface temperature changes 172 | food security 492, 494 | costs of mitigation 102 |
| biogeochemical cooling 179 | food system 513–514 | dealing with 91–93, 96 |
| biogeochemical warming 135, 176–177, 179 | forest management 191, 352, 368, 733 | in decision making 96 |
| biophysical cooling 172-173, 174-175, 177, | green energy with biodiversity and ES 735 | decision making under 693, 719, 721–723, 722 |

integrated response options 627

178, 179

| demand-side mitigation potential 489–490, | urban green infrastructure (UGI)* 188, 391–393, | SOM inputs 204 spatial mosaic 371 |
|---|--|--|
| 5.SM.5.3 drivers of land use 88 | 392, 563 | • |
| | urban heat island (UHI) 186–187, 505, 563 | stressors 363 |
| Earth system models (ESMs) 201–202 | urban and peri-urban agriculture* 505, 507, | thermal response of plant respiration 201–202 |
| futures analysis 93, 94 | <i>563</i> , 608 | trends 365 |
| knowledge gaps and 305–306, 403–404 | | variability with rainfall 265–266, 361, 451 |
| model parameters 94 | W | vegetation browning* 7, 133, 143, 144, 183 |
| in models 80, 92–93 | V | vegetation greening* 7, 143–144, 261–262, |
| in observations 91–92 | Vallerani system 303, 303 | 363, 365 |
| plant and soil processes 201, 202 | value chain management 19, <i>97</i> , 100–102, <i>566</i> , | Africa 263 |
| projecting land-climate interactions 201–203 | 567, 577–579 | Asia 263 |
| unknown futures 92–93 | | Australia 264 |
| undernourishment 5, 442, 605 | adaptation effects 593, 594 | boreal regions 172 |
| risk of under different SSPs 495, 7.SM.7.1 | barriers 618, 6.SM.6.4.1 | climate feedbacks 172 |
| underweight, global trends 444, 445, 446 | delayed action 645 | global trends 133 |
| UNEP Emissions Gap Report 201 | demand-side | tropical regions 183 |
| United Nations Convention to Combat | see demand management response options | vegetation optical depth (VOD) 262, 265, 364 |
| Desertification (UNCCD)* | feasibility 618, 622, 6.SM.6.4.1 | villages |
| definition of land degradation 350 | global potential 24 | climate smart villages (CSV) 563 |
| report 83 | impact on desertification 598 | deployment of response options 633, 633 |
| United Nations Framework Convention on | impact on food security 607–608 | overlapping land challenges 560, 561, 561, 563 |
| Climate Change (UNFCCC)* 473, 701, 704 | impact on land degradation 602 | visions 94, 95, 96 |
| United States of America 265 | impact on NCP <i>629</i> , 6.SM.6.4.3 | VOD see vegetation optical depth (VOD) |
| biofuel modelling studies 194 | impact on SDGs 632, 6.SM.6.4.3 | Volta River basin 263 |
| dust emissions 167 | mitigation potential 587–588 | voluntary agreements 106 |
| invasive plants 299 | policy instruments 726 | voluntary carbon market 385, 386, 388 |
| mesoscale convective systems (MCS) 370 | potential across land challenges 610, 615-616 | vulnerability* 16, 103, 557, 688, <i>688–689</i> , <i>745</i> |
| | sensitivity to climate change impacts 624 | access to land-based resources 104 |
| United States Environmental Protection Agency | supply-side | |
| (USEPA) 160 | see supply management response options | in agriculture 5.SM.5.2 |
| unprecedented climatic conditions 15 | value to society 692 | livestock production systems 454–455 |
| unused land 85, 86 | Vanuatu 517 | pastoral systems 439, 454–456, 458 |
| uptake* 79, 278, 386 | | production/crop yields 464 |
| | vegan giet 487.488 | W II 6 450 460 |
| CH ₄ in upland soils 159 | vegan diet 487, 488 | smallholder farmers 459–460 |
| enhanced by CO ₂ fertilisation 165 | vegetation | in aquaculture and fisheries 459, 5.SM.5.2 |
| enhanced by CO ₂ fertilisation <i>165</i> global terrestrial carbon uptake 586, 596 | vegetation acclimation 201–202 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 |
| enhanced by CO ₂ fertilisation <i>165</i> global terrestrial carbon uptake 586, 596 urban agriculture* | vegetation acclimation 201–202 assessing changes in 261–262 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential <i>718</i> |
| enhanced by CO ₂ fertilisation 165 global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential <i>718</i> dryland populations 16, 256–258, 272, |
| enhanced by CO ₂ fertilisation <i>165</i> global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* urban areas 17, 86, <i>186–188</i> , <i>563</i> | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential <i>718</i> dryland populations 16, 256–258, 272, 277–278, 452 |
| enhanced by CO ₂ fertilisation 165 global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 clearing processes 355 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential <i>718</i> dryland populations 16, 256–258, 272, 277–278, 452 of ecosystems to irreversibility 645 |
| enhanced by CO ₂ fertilisation <i>165</i> global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* urban areas 17, 86, <i>186–188</i> , <i>563</i> | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 clearing processes 355 cover change 7.SM.7.1 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential <i>718</i> dryland populations 16, 256–258, 272, 277–278, 452 |
| enhanced by CO ₂ fertilisation <i>165</i> global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* urban areas 17, 86, <i>186–188</i> , <i>563</i> adaptation 706–707 | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 clearing processes 355 cover change 7.5M.7.1 albedo impacts 377 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential <i>718</i> dryland populations 16, 256–258, 272, 277–278, 452 of ecosystems to irreversibility 645 |
| enhanced by CO ₂ fertilisation <i>165</i> global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* urban areas 17, 86, <i>186–188</i> , <i>563</i> adaptation 706–707 aerosols 166, 168 | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 clearing processes 355 cover change 7.SM.7.1 albedo impacts 377 changing rainfall regimes 361 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential <i>718</i> dryland populations 16, 256–258, 272, 277–278, 452 of ecosystems to irreversibility 645 gender and 446, <i>447–448</i> , <i>717</i> |
| enhanced by CO ₂ fertilisation <i>165</i> global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* urban areas 17, 86, <i>186–188</i> , <i>563</i> adaptation 706–707 aerosols 166, 168 carbonaceous aerosols 168 | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 clearing processes 355 cover change 7.SM.7.1 albedo impacts 377 changing rainfall regimes 361 climate feedbacks 270, 377 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential <i>718</i> dryland populations 16, 256–258, 272, 277–278, 452 of ecosystems to irreversibility 645 gender and 446, <i>447–448</i> , <i>717</i> global food system 682 |
| enhanced by CO ₂ fertilisation <i>165</i> global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* urban areas 17, 86, <i>186–188</i> , <i>563</i> adaptation 706–707 aerosols 166, 168 carbonaceous aerosols 168 climate change and food security 447 | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 clearing processes 355 cover change 7.SM.7.1 albedo impacts 377 changing rainfall regimes 361 climate feedbacks 270, 377 climate induced 258, 259, 369–370, | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential <i>718</i> dryland populations 16, 256–258, 272, 277–278, 452 of ecosystems to irreversibility 645 gender and 446, <i>447–448</i> , <i>717</i> global food system 682 and land tenure <i>751–752</i> |
| enhanced by CO ₂ fertilisation 165 global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* urban areas 17, 86, 186–188, 563 adaptation 706–707 aerosols 166, 168 carbonaceous aerosols 168 climate change and food security 447 diets 505 | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 clearing processes 355 cover change 7.SM.7.1 albedo impacts 377 changing rainfall regimes 361 climate feedbacks 270, 377 climate induced 258, 259, 369–370, 371–372 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential <i>718</i> dryland populations 16, 256–258, 272, 277–278, 452 of ecosystems to irreversibility 645 gender and 446, <i>447–448</i> , <i>717</i> global food system 682 and land tenure <i>751–752</i> of oases 301–302 |
| enhanced by CO ₂ fertilisation 165 global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* urban areas 17, 86, 186–188, 563 adaptation 706–707 aerosols 166, 168 carbonaceous aerosols 168 climate change and food security 447 diets 505 food forests 578 | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 clearing processes 355 cover change 7.SM.7.1 albedo impacts 377 changing rainfall regimes 361 climate feedbacks 270, 377 climate induced 258, 259, 369–370, 371–372 drivers of 265–268, 267 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential 718 dryland populations 16, 256–258, 272, 277–278, 452 of ecosystems to irreversibility 645 gender and 446, 447–448, 717 global food system 682 and land tenure 751–752 of oases 301–302 prediction and assessment 288 |
| enhanced by CO ₂ fertilisation 165 global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* urban areas 17, 86, 186–188, 563 adaptation 706–707 aerosols 166, 168 carbonaceous aerosols 168 climate change and food security 447 diets 505 food forests 578 food security 188, 449, 505, 507, 607 | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 clearing processes 355 cover change 7.5M.7.1 albedo impacts 377 changing rainfall regimes 361 climate feedbacks 270, 377 climate induced 258, 259, 369–370, 371–372 drivers of 265–268, 267 due to land use 84 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential 718 dryland populations 16, 256–258, 272, 277–278, 452 of ecosystems to irreversibility 645 gender and 446, 447–448, 717 global food system 682 and land tenure 751–752 of oases 301–302 prediction and assessment 288 reduction via microfinance 475 |
| enhanced by CO ₂ fertilisation 165 global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* urban areas 17, 86, 186–188, 563 adaptation 706–707 aerosols 166, 168 carbonaceous aerosols 168 climate change and food security 447 diets 505 food forests 578 food security 188, 449, 505, 507, 607 increased heat 186–187, 505, 563 infrastructure 188, 391–393, 392, 563 | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 clearing processes 355 cover change 7.SM.7.1 albedo impacts 377 changing rainfall regimes 361 climate feedbacks 270, 377 climate induced 258, 259, 369–370, 371–372 drivers of 265–268, 267 due to land use 84 degradation 681, 683, 7.SM.7.1 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential 718 dryland populations 16, 256–258, 272, 277–278, 452 of ecosystems to irreversibility 645 gender and 446, 447–448, 717 global food system 682 and land tenure 751–752 of oases 301–302 prediction and assessment 288 reduction via microfinance 475 rural areas 449 |
| enhanced by CO ₂ fertilisation 165 global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* urban areas 17, 86, 186–188, 563 adaptation 706–707 aerosols 166, 168 carbonaceous aerosols 168 climate change and food security 447 diets 505 food forests 578 food security 188, 449, 505, 507, 607 increased heat 186–187, 505, 563 infrastructure 188, 391–393, 392, 563 land tenure-climate change interactions 752 | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 clearing processes 355 cover change 7.SM.7.1 albedo impacts 377 changing rainfall regimes 361 climate feedbacks 270, 377 climate induced 258, 259, 369–370, 371–372 drivers of 265–268, 267 due to land use 84 degradation 681, 683, 7.SM.7.1 drought response 202 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential 718 dryland populations 16, 256–258, 272, 277–278, 452 of ecosystems to irreversibility 645 gender and 446, 447–448, 717 global food system 682 and land tenure 751–752 of oases 301–302 prediction and assessment 288 reduction via microfinance 475 rural areas 449 of soils 591 to climate-related extremes 138 |
| enhanced by CO ₂ fertilisation 165 global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* urban areas 17, 86, 186–188, 563 adaptation 706–707 aerosols 166, 168 carbonaceous aerosols 168 climate change and food security 447 diets 505 food forests 578 food security 188, 449, 505, 507, 607 increased heat 186–187, 505, 563 infrastructure 188, 391–393, 392, 563 land tenure-climate change interactions 752 maintaining forest cover 590 | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 clearing processes 355 cover change 7.SM.7.1 albedo impacts 377 changing rainfall regimes 361 climate feedbacks 270, 377 climate induced 258, 259, 369–370, 371–372 drivers of 265–268, 267 due to land use 84 degradation 681, 683, 7.SM.7.1 drought response 202 drylands 281–282 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential 718 dryland populations 16, 256–258, 272, 277–278, 452 of ecosystems to irreversibility 645 gender and 446, 447–448, 717 global food system 682 and land tenure 751–752 of oases 301–302 prediction and assessment 288 reduction via microfinance 475 rural areas 449 of soils 591 |
| enhanced by CO ₂ fertilisation 165 global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* urban areas 17, 86, 186–188, 563 adaptation 706–707 aerosols 166, 168 carbonaceous aerosols 168 climate change and food security 447 diets 505 food forests 578 food security 188, 449, 505, 507, 607 increased heat 186–187, 505, 563 infrastructure 188, 391–393, 392, 563 land tenure-climate change interactions 752 maintaining forest cover 590 mitigation strategies 505, 706 | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 clearing processes 355 cover change 7.SM.7.1 albedo impacts 377 changing rainfall regimes 361 climate feedbacks 270, 377 climate induced 258, 259, 369–370, 371–372 drivers of 265–268, 267 due to land use 84 degradation 681, 683, 7.SM.7.1 drought response 202 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential 718 dryland populations 16, 256–258, 272, 277–278, 452 of ecosystems to irreversibility 645 gender and 446, 447–448, 717 global food system 682 and land tenure 751–752 of oases 301–302 prediction and assessment 288 reduction via microfinance 475 rural areas 449 of soils 591 to climate-related extremes 138 to climate-related land degradation 16, 378 to desertification 16, 277–278 |
| enhanced by CO ₂ fertilisation 165 global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* urban areas 17, 86, 186–188, 563 adaptation 706–707 aerosols 166, 168 carbonaceous aerosols 168 climate change and food security 447 diets 505 food forests 578 food security 188, 449, 505, 507, 607 increased heat 186–187, 505, 563 infrastructure 188, 391–393, 392, 563 land tenure-climate change interactions 752 maintaining forest cover 590 mitigation strategies 505, 706 pollution 187–188, 603, 691 | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 clearing processes 355 cover change 7.SM.7.1 albedo impacts 377 changing rainfall regimes 361 climate feedbacks 270, 377 climate induced 258, 259, 369–370, 371–372 drivers of 265–268, 267 due to land use 84 degradation 681, 683, 7.SM.7.1 drought response 202 drylands 281–282 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential 718 dryland populations 16, 256–258, 272, 277–278, 452 of ecosystems to irreversibility 645 gender and 446, 447–448, 717 global food system 682 and land tenure 751–752 of oases 301–302 prediction and assessment 288 reduction via microfinance 475 rural areas 449 of soils 591 to climate-related extremes 138 to climate-related land degradation 16, 378 to desertification 16, 277–278 to drought 464 |
| enhanced by CO ₂ fertilisation 165 global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* urban areas 17, 86, 186–188, 563 adaptation 706–707 aerosols 166, 168 carbonaceous aerosols 168 climate change and food security 447 diets 505 food forests 578 food security 188, 449, 505, 507, 607 increased heat 186–187, 505, 563 infrastructure 188, 391–393, 392, 563 land tenure-climate change interactions 752 maintaining forest cover 590 mitigation strategies 505, 706 pollution 187–188, 603, 691 soil degradation 603 | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 clearing processes 355 cover change 7.5M.7.1 albedo impacts 377 changing rainfall regimes 361 climate feedbacks 270, 377 climate induced 258, 259, 369–370, 371–372 drivers of 265–268, 267 due to land use 84 degradation 681, 683, 7.5M.7.1 drought response 202 drylands 281–282 GHG flux 201, 270 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential 718 dryland populations 16, 256–258, 272, 277–278, 452 of ecosystems to irreversibility 645 gender and 446, 447–448, 717 global food system 682 and land tenure 751–752 of oases 301–302 prediction and assessment 288 reduction via microfinance 475 rural areas 449 of soils 591 to climate-related extremes 138 to climate-related land degradation 16, 378 to desertification 16, 277–278 to drought 464 to flood 744 |
| enhanced by CO ₂ fertilisation 165 global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* urban areas 17, 86, 186–188, 563 adaptation 706–707 aerosols 166, 168 carbonaceous aerosols 168 climate change and food security 447 diets 505 food forests 578 food security 188, 449, 505, 507, 607 increased heat 186–187, 505, 563 infrastructure 188, 391–393, 392, 563 land tenure-climate change interactions 752 maintaining forest cover 590 mitigation strategies 505, 706 pollution 187–188, 603, 691 soil degradation 603 surface runoff 391, 392 | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 clearing processes 355 cover change 7.5M.7.1 albedo impacts 377 changing rainfall regimes 361 climate feedbacks 270, 377 climate induced 258, 259, 369–370, 371–372 drivers of 265–268, 267 due to land use 84 degradation 681, 683, 7.5M.7.1 drought response 202 drylands 281–282 GHG flux 201, 270 impacts on monsoon rains 183 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential 718 dryland populations 16, 256–258, 272, 277–278, 452 of ecosystems to irreversibility 645 gender and 446, 447–448, 717 global food system 682 and land tenure 751–752 of oases 301–302 prediction and assessment 288 reduction via microfinance 475 rural areas 449 of soils 591 to climate-related extremes 138 to climate-related land degradation 16, 378 to desertification 16, 277–278 to drought 464 to flood 744 to price volatility 593 |
| enhanced by CO ₂ fertilisation 165 global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* urban areas 17, 86, 186–188, 563 adaptation 706–707 aerosols 166, 168 carbonaceous aerosols 168 climate change and food security 447 diets 505 food forests 578 food security 188, 449, 505, 507, 607 increased heat 186–187, 505, 563 infrastructure 188, 391–393, 392, 563 land tenure-climate change interactions 752 maintaining forest cover 590 mitigation strategies 505, 706 pollution 187–188, 603, 691 soil degradation 603 surface runoff 391, 392 traditional biomass use 740 | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 clearing processes 355 cover change 7.SM.7.1 albedo impacts 377 changing rainfall regimes 361 climate feedbacks 270, 377 climate induced 258, 259, 369–370, 371–372 drivers of 265–268, 267 due to land use 84 degradation 681, 683, 7.SM.7.1 drought response 202 drylands 281–282 GHG flux 201, 270 impacts on monsoon rains 183 increasing CO2 and 463 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential 718 dryland populations 16, 256–258, 272, 277–278, 452 of ecosystems to irreversibility 645 gender and 446, 447–448, 717 global food system 682 and land tenure 751–752 of oases 301–302 prediction and assessment 288 reduction via microfinance 475 rural areas 449 of soils 591 to climate-related extremes 138 to climate-related land degradation 16, 378 to desertification 16, 277–278 to drought 464 to flood 744 to price volatility 593 urban areas 706 |
| enhanced by CO ₂ fertilisation 165 global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* urban areas 17, 86, 186–188, 563 adaptation 706–707 aerosols 166, 168 carbonaceous aerosols 168 climate change and food security 447 diets 505 food forests 578 food security 188, 449, 505, 507, 607 increased heat 186–187, 505, 563 infrastructure 188, 391–393, 392, 563 land tenure-climate change interactions 752 maintaining forest cover 590 mitigation strategies 505, 706 pollution 187–188, 603, 691 soil degradation 603 surface runoff 391, 392 traditional biomass use 740 urban planning 186 | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 clearing processes 355 cover change 7.SM.7.1 albedo impacts 377 changing rainfall regimes 361 climate feedbacks 270, 377 climate induced 258, 259, 369–370, 371–372 drivers of 265–268, 267 due to land use 84 degradation 681, 683, 7.SM.7.1 drought response 202 drylands 281–282 GHG flux 201, 270 impacts on monsoon rains 183 increasing CO2 and 463 inherent interannual variability 363 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential 718 dryland populations 16, 256–258, 272, 277–278, 452 of ecosystems to irreversibility 645 gender and 446, 447–448, 717 global food system 682 and land tenure 751–752 of oases 301–302 prediction and assessment 288 reduction via microfinance 475 rural areas 449 of soils 591 to climate-related extremes 138 to climate-related land degradation 16, 378 to desertification 16, 277–278 to drought 464 to flood 744 to price volatility 593 |
| enhanced by CO ₂ fertilisation 165 global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* urban areas 17, 86, 186–188, 563 adaptation 706–707 aerosols 166, 168 carbonaceous aerosols 168 climate change and food security 447 diets 505 food forests 578 food security 188, 449, 505, 507, 607 increased heat 186–187, 505, 563 infrastructure 188, 391–393, 392, 563 land tenure-climate change interactions 752 maintaining forest cover 590 mitigation strategies 505, 706 pollution 187–188, 603, 691 soil degradation 603 surface runoff 391, 392 traditional biomass use 740 urban planning 186 urban sprawl 505, 507 | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 clearing processes 355 cover change 7.SM.7.1 albedo impacts 377 changing rainfall regimes 361 climate feedbacks 270, 377 climate induced 258, 259, 369–370, 371–372 drivers of 265–268, 267 due to land use 84 degradation 681, 683, 7.SM.7.1 drought response 202 drylands 281–282 GHG flux 201, 270 impacts on monsoon rains 183 increasing CO2 and 463 inherent interannual variability 363 invasive plants 259, 270 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential 718 dryland populations 16, 256–258, 272, 277–278, 452 of ecosystems to irreversibility 645 gender and 446, 447–448, 717 global food system 682 and land tenure 751–752 of oases 301–302 prediction and assessment 288 reduction via microfinance 475 rural areas 449 of soils 591 to climate-related extremes 138 to climate-related land degradation 16, 378 to desertification 16, 277–278 to drought 464 to flood 744 to price volatility 593 urban areas 706 |
| enhanced by CO ₂ fertilisation 165 global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* urban areas 17, 86, 186–188, 563 adaptation 706–707 aerosols 166, 168 carbonaceous aerosols 168 climate change and food security 447 diets 505 food forests 578 food security 188, 449, 505, 507, 607 increased heat 186–187, 505, 563 infrastructure 188, 391–393, 392, 563 land tenure-climate change interactions 752 maintaining forest cover 590 mitigation strategies 505, 706 pollution 187–188, 603, 691 soil degradation 603 surface runoff 391, 392 traditional biomass use 740 urban planning 186 urban sprawl 505, 507 urbanisation 86, 88, 391 | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 clearing processes 355 cover change 7.5M.7.1 albedo impacts 377 changing rainfall regimes 361 climate feedbacks 270, 377 climate induced 258, 259, 369–370, 371–372 drivers of 265–268, 267 due to land use 84 degradation 681, 683, 7.5M.7.1 drought response 202 drylands 281–282 GHG flux 201, 270 impacts on monsoon rains 183 increasing CO2 and 463 inherent interannual variability 363 invasive plants 259, 270 Karapìnar wind erosion area 293, 293 photosynthetic activity 143–144 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential 718 dryland populations 16, 256–258, 272, 277–278, 452 of ecosystems to irreversibility 645 gender and 446, 447–448, 717 global food system 682 and land tenure 751–752 of oases 301–302 prediction and assessment 288 reduction via microfinance 475 rural areas 449 of soils 591 to climate-related extremes 138 to climate-related land degradation 16, 378 to desertification 16, 277–278 to drought 464 to flood 744 to price volatility 593 urban areas 706 vulnerable groups adaptive capacity 104, 518, 691 |
| enhanced by CO ₂ fertilisation 165 global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* urban areas 17, 86, 186–188, 563 adaptation 706–707 aerosols 166, 168 carbonaceous aerosols 168 climate change and food security 447 diets 505 food forests 578 food security 188, 449, 505, 507, 607 increased heat 186–187, 505, 563 infrastructure 188, 391–393, 392, 563 land tenure-climate change interactions 752 maintaining forest cover 590 mitigation strategies 505, 706 pollution 187–188, 603, 691 soil degradation 603 surface runoff 391, 392 traditional biomass use 740 urban planning 186 urban sprawl 505, 507 urbanisation 86, 88, 391 and climate change 186–188, 285 | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 clearing processes 355 cover change 7.5M.7.1 albedo impacts 377 changing rainfall regimes 361 climate feedbacks 270, 377 climate induced 258, 259, 369–370, 371–372 drivers of 265–268, 267 due to land use 84 degradation 681, 683, 7.5M.7.1 drought response 202 drylands 281–282 GHG flux 201, 270 impacts on monsoon rains 183 increasing CO2 and 463 inherent interannual variability 363 invasive plants 259, 270 Karapìnar wind erosion area 293, 293 photosynthetic activity 143–144 plant biodiversity 271–272 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential 718 dryland populations 16, 256–258, 272, 277–278, 452 of ecosystems to irreversibility 645 gender and 446, 447–448, 717 global food system 682 and land tenure 751–752 of oases 301–302 prediction and assessment 288 reduction via microfinance 475 rural areas 449 of soils 591 to climate-related extremes 138 to climate-related land degradation 16, 378 to desertification 16, 277–278 to drought 464 to flood 744 to price volatility 593 urban areas 706 |
| enhanced by CO ₂ fertilisation 165 global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* urban areas 17, 86, 186–188, 563 adaptation 706–707 aerosols 166, 168 carbonaceous aerosols 168 climate change and food security 447 diets 505 food forests 578 food security 188, 449, 505, 507, 607 increased heat 186–187, 505, 563 infrastructure 188, 391–393, 392, 563 land tenure-climate change interactions 752 maintaining forest cover 590 mitigation strategies 505, 706 pollution 187–188, 603, 691 soil degradation 603 surface runoff 391, 392 traditional biomass use 740 urban planning 186 urban sprawl 505, 507 urbanisation 86, 88, 391 and climate change 186–188, 285 economic transformations 289 | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 clearing processes 355 cover change 7.5M.7.1 albedo impacts 377 changing rainfall regimes 361 climate feedbacks 270, 377 climate induced 258, 259, 369–370, 371–372 drivers of 265–268, 267 due to land use 84 degradation 681, 683, 7.5M.7.1 drought response 202 drylands 281–282 GHG flux 201, 270 impacts on monsoon rains 183 increasing CO2 and 463 inherent interannual variability 363 invasive plants 259, 270 Karapìnar wind erosion area 293, 293 photosynthetic activity 143–144 plant biodiversity 271–272 protection against erosion 362 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential 718 dryland populations 16, 256–258, 272, 277–278, 452 of ecosystems to irreversibility 645 gender and 446, 447–448, 717 global food system 682 and land tenure 751–752 of oases 301–302 prediction and assessment 288 reduction via microfinance 475 rural areas 449 of soils 591 to climate-related extremes 138 to climate-related land degradation 16, 378 to desertification 16, 277–278 to drought 464 to flood 744 to price volatility 593 urban areas 706 vulnerable groups adaptive capacity 104, 518, 691 |
| enhanced by CO ₂ fertilisation 165 global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* urban areas 17, 86, 186–188, 563 adaptation 706–707 aerosols 166, 168 carbonaceous aerosols 168 climate change and food security 447 diets 505 food forests 578 food security 188, 449, 505, 507, 607 increased heat 186–187, 505, 563 infrastructure 188, 391–393, 392, 563 land tenure-climate change interactions 752 maintaining forest cover 590 mitigation strategies 505, 706 pollution 187–188, 603, 691 soil degradation 603 surface runoff 391, 392 traditional biomass use 740 urban planning 186 urban sprawl 505, 507 urbanisation 86, 88, 391 and climate change 186–188, 285 economic transformations 289 vulnerability 706 | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 clearing processes 355 cover change 7.5M.7.1 albedo impacts 377 changing rainfall regimes 361 climate feedbacks 270, 377 climate induced 258, 259, 369–370, 371–372 drivers of 265–268, 267 due to land use 84 degradation 681, 683, 7.5M.7.1 drought response 202 drylands 281–282 GHG flux 201, 270 impacts on monsoon rains 183 increasing CO ₂ and 463 inherent interannual variability 363 invasive plants 259, 270 Karapìnar wind erosion area 293, 293 photosynthetic activity 143–144 plant biodiversity 271–272 protection against erosion 362 re-vegetation of saline land 283 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential 718 dryland populations 16, 256–258, 272, 277–278, 452 of ecosystems to irreversibility 645 gender and 446, 447–448, 717 global food system 682 and land tenure 751–752 of oases 301–302 prediction and assessment 288 reduction via microfinance 475 rural areas 449 of soils 591 to climate-related extremes 138 to climate-related land degradation 16, 378 to desertification 16, 277–278 to drought 464 to flood 744 to price volatility 593 urban areas 706 vulnerable groups adaptive capacity 104, 518, 691 |
| enhanced by CO ₂ fertilisation 165 global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* urban areas 17, 86, 186–188, 563 adaptation 706–707 aerosols 166, 168 carbonaceous aerosols 168 climate change and food security 447 diets 505 food forests 578 food security 188, 449, 505, 507, 607 increased heat 186–187, 505, 563 infrastructure 188, 391–393, 392, 563 land tenure-climate change interactions 752 maintaining forest cover 590 mitigation strategies 505, 706 pollution 187–188, 603, 691 soil degradation 603 surface runoff 391, 392 traditional biomass use 740 urban planning 186 urban sprawl 505, 507 urbanisation 86, 88, 391 and climate change 186–188, 285 economic transformations 289 vulnerability 706 zoning 706 | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 clearing processes 355 cover change 7.5M.7.1 albedo impacts 377 changing rainfall regimes 361 climate feedbacks 270, 377 climate induced 258, 259, 369–370, 371–372 drivers of 265–268, 267 due to land use 84 degradation 681, 683, 7.5M.7.1 drought response 202 drylands 281–282 GHG flux 201, 270 impacts on monsoon rains 183 increasing CO ₂ and 463 inherent interannual variability 363 invasive plants 259, 270 Karapìnar wind erosion area 293, 293 photosynthetic activity 143–144 plant biodiversity 271–272 protection against erosion 362 re-vegetation of saline land 283 restoration 162, 293 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential 718 dryland populations 16, 256–258, 272, 277–278, 452 of ecosystems to irreversibility 645 gender and 446, 447–448, 717 global food system 682 and land tenure 751–752 of oases 301–302 prediction and assessment 288 reduction via microfinance 475 rural areas 449 of soils 591 to climate-related extremes 138 to climate-related land degradation 16, 378 to desertification 16, 277–278 to drought 464 to flood 744 to price volatility 593 urban areas 706 vulnerable groups adaptive capacity 104, 518, 691 W |
| enhanced by CO ₂ fertilisation 165 global terrestrial carbon uptake 586, 596 urban agriculture* see urban and peri-urban agriculture* urban areas 17, 86, 186–188, 563 adaptation 706–707 aerosols 166, 168 carbonaceous aerosols 168 climate change and food security 447 diets 505 food forests 578 food security 188, 449, 505, 507, 607 increased heat 186–187, 505, 563 infrastructure 188, 391–393, 392, 563 land tenure-climate change interactions 752 maintaining forest cover 590 mitigation strategies 505, 706 pollution 187–188, 603, 691 soil degradation 603 surface runoff 391, 392 traditional biomass use 740 urban planning 186 urban sprawl 505, 507 urbanisation 86, 88, 391 and climate change 186–188, 285 economic transformations 289 vulnerability 706 | vegetation acclimation 201–202 assessing changes in 261–262 bioaerosol emissions 168 biophysical climate interactions 139 clearing processes 355 cover change 7.5M.7.1 albedo impacts 377 changing rainfall regimes 361 climate feedbacks 270, 377 climate induced 258, 259, 369–370, 371–372 drivers of 265–268, 267 due to land use 84 degradation 681, 683, 7.5M.7.1 drought response 202 drylands 281–282 GHG flux 201, 270 impacts on monsoon rains 183 increasing CO ₂ and 463 inherent interannual variability 363 invasive plants 259, 270 Karapìnar wind erosion area 293, 293 photosynthetic activity 143–144 plant biodiversity 271–272 protection against erosion 362 re-vegetation of saline land 283 | in aquaculture and fisheries 459, 5.SM.5.2 and delayed action 644–645 differential 718 dryland populations 16, 256–258, 272, 277–278, 452 of ecosystems to irreversibility 645 gender and 446, 447–448, 717 global food system 682 and land tenure 751–752 of oases 301–302 prediction and assessment 288 reduction via microfinance 475 rural areas 449 of soils 591 to climate-related extremes 138 to climate-related land degradation 16, 378 to desertification 16, 277–278 to drought 464 to flood 744 to price volatility 593 urban areas 706 vulnerable groups adaptive capacity 104, 518, 691 |

climate change impacts on resources 205 conservation 383 contaminated 462-463 demand 98, 301, 304, 731 drinking water 301, 402 for food production 450 forest area increase and water balance 98 future scenarios of water stress 564, 565 groundwater irrigation 734 harvesting systems 284, 303, 304 impacts of desertification on water use 274 integrated crop-soil-water management 280-281 land-based water cycle changes 137 oasis agriculture and 301 transport through soil-plant-atmosphere continuum 202 water use trade-offs 733-734 water erosion 295, 356 climate related risks 7.SM.7.1 direct measurements of 361-362 precipitation changes and 370-371 water management 291, 294, 471 see also integrated water management water policy 717 water quality 558, 559, 560 water rights 749, 750 water scarcity 681, 682-683, 684, 685, 692 adaptation measures 686 climate related risks 7.SM.7.1 impacts of desertification 274 under different SSPs 16, 7.SM.7.1

water security 731 water stress 564, 565, 595, 7.SM.7.1 water use efficiency (WUE) 165, 595 water vapour 185-186, 202 water-soluble organic compounds (WSOC) 168 waterlogging 355, 358 well-being* 5, 79, 81, 625 consequences of climate-land change 690-695 negative impacts of fire 683 negative impacts of forest dieback 683 Western North Pacific, monsoon rainfall 176 wetlands* 86, 358, 633 carbon balance 193 coastal wetland management 400-401 drainage for agriculture 89 dryland areas 256 GHG release 376-377 loss of 354 methane (CH₄) emissions 157-158, 159 mitigation potential of protection and restoration 193 restoration 401, 401 and sea level rise 372 wild forests 633 overlapping land challenges 560, 561, 561 wildfires 133, 148-150, 259, 299, 372, 685, 7.SM.7.1 damage 606, 681, 683-684 see also fire; fire management wind energy 275, 735 wind erosion 271, 294, 356, 362, 595, 600 Central Asian drylands 293 climate change and 277 climate related risks 7.SM.7.1 Green Dam regions, Algeria 295 prevention and mitigation in Karapìnar, Turkey 292-293, 293

windows of opportunity 694-695, 756 women 447-448, 717-719 access to resources 104-105 adaptive capacity 353, 448, 716, 717 empowering 29, 70, 286, 448, 488, 639, 718-719, 719 inequality in land use and management 353 role in response option implementation 639 traditional knowledge 747 vulnerability 456, 717 woody biomass 582, 637 woody encroachment 270, 355, 358, 456 clearance 280, 282-283 wildlife biodiversity 272 see also invasive species/ encroachment management World Atlas of Desertification 256, 365

Z

zero tillage *see* no-till farming **Zimbabwe**, smallholder farmers 459 **zoning ordinances** 706