# SAFETY DATA SHEET



Revision date: 07-Sep-2021

**Revision Number** 6

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier

Product Name SODIUM METABISULPHITE (ALL GRADES)

Product Code(s) 000031030201

Other means of identification

**CAS No.** 7681-57-4

Synonyms Sodium metabisulfite; Sodium pyrosulphite; Disodium pyrosulphite; SMB powder;

Grape guards; Sodium disulphite; AASOD33500; Birlasulf.

Recommended use of the chemical and restrictions on use

**Recommended use** Antioxidant. Preservative.

Uses advised against No information available.

Supplier

Ixom Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000

Australia

Telephone Number: +61 3 9906 3000

### Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

### **GHS Classification**

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Acute toxicity - Oral	Category 4
Serious eye damage/eye irritation	Category 1

## SIGNAL WORD

Danger

## Label elements



#### **Hazard statements**

H302 - Harmful if swallowed

H318 - Causes serious eye damage

#### **Precautionary Statements - Prevention**

Wash eyes thoroughly after handling.

Do not eat, drink or smoke when using this product

Wear eye/face protection

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

#### **Precautionary Statements - Storage**

No storage statements

## **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

## Other hazards which do not result in classification

AUH031 - Contact with acids liberates toxic gas

**General Hazards** 

Poisons Schedule (SUSMP) 5

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Chemical name	CAS No.	Weight-%
Sodium metabisulfite	7681-57-4	>=96
Impurities	-	to 100

## 4. FIRST AID MEASURES

#### **Description of first aid measures**

**General advice** Show this safety data sheet to the doctor in attendance.

Emergency telephone number Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

**Inhalation** Remove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. If

breathing has stopped, give artificial respiration. Get medical attention immediately.

Eye contact In case of eye contact, remove contact lens and rinse immediately with plenty of water, also

under the eyelids, for at least 15 minutes. Seek immediate medical attention/advice.

Skin contact Wash skin with soap and water. Get medical attention if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Get

immediate medical advice/attention.

Most important symptoms and effects, both acute and delayed

Symptoms Irritation/Corrosion. May cause redness and tearing of the eyes.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically. Can cause corneal burns.

## 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media** 

**Suitable Extinguishing Media** Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Non-combustible, substance itself does not burn but may decompose upon heating to

produce corrosive and/or toxic fumes.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes. Avoid breathing dust or spray mist. Evacuate personnel to

safe areas. Do not touch or walk through spilled material. Do not eat, drink or smoke when using this product. Use personal protective equipment as required. Wash thoroughly after

handling.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled

material and place in suitable container. Avoid generating dust. After cleaning, flush away

traces with water.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin and eyes. Avoid breathing dust or spray mist. Do not eat, drink or smoke when using this product. Use personal protection equipment. Wash thoroughly after handling.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Store away from foodstuffs. Keep out of the reach of children. Keep container

closed when not in use.

This material is a Scheduled Poison and must be stored, maintained and used in

accordance with the relevant regulations.

**Incompatible materials** Acids.

Poisons Schedule (SUSMP) 5

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

#### **Exposure Limits**

Sodium metabisulfite: 8hr TWA = 5 mg/m<sup>3</sup>

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

## **Appropriate engineering controls**

#### **Engineering controls**

Eyewash stations. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, DUST MASK.











**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection** Overalls. Wear suitable protective clothing. Boots.

Hand protection Impervious gloves.

**Respiratory protection** If determined by a risk assessment an inhalation risk exists, wear a dust mask/respirator

meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls** No information available.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid

**Appearance** No information available.

**Color** White

**Odor** Characteristic

Odor threshold No information available.

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

4.0-5.0 (50 g/L water, 20°C) Hq None known pH (as aqueous solution) No data available None known Melting point / freezing point ca. 150°C None known Boiling point / boiling range No data available None known Flash point No data available None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available Vapor pressure None known Vapor density No data available None known Relative density 1.48 None known Water solubility 640 g/l @ 20 °C None known Solubility(ies) No data available None known None known **Partition coefficient** No data available **Autoignition temperature** No data available None known **Decomposition temperature** >150°C None known

Kinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other information

Molecular formula Na2O5S2

## 10. STABILITY AND REACTIVITY

Reactivity

**Reactivity** Reacts with acids.

**Chemical stability** 

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions Contact with acids liberates toxic gas.

**Conditions to avoid** 

**Conditions to avoid** Heat. Exposure to air. Moisture.

Incompatible materials

Incompatible materials Acids.

**Hazardous decomposition products** 

Hazardous decomposition products Oxides of sulfur.

## 11. TOXICOLOGICAL INFORMATION

#### **Acute toxicity**

Information on likely routes of exposure

**Product Information**No adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:

Inhalation Inhalation of dust in high concentration may cause irritation of respiratory system. May

cause sensitization in susceptible persons.

**Eye contact** Causes serious eye damage.

**Skin contact** May cause irritation. May cause sensitization in susceptible persons.

**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms Irritation/Corrosion. May cause redness and tearing of the eyes.

Numerical measures of toxicity - Product Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium metabisulfite	= 1131 mg/kg (Rat)	-	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**No information available.

Serious eye damage/eye irritation Causes serious eye damage.

**Respiratory or skin sensitization** May cause sensitization in susceptible persons.

Germ cell mutagenicity No information available.

Carcinogenicity Refer to 'Chronic effects' section below.

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

Aspiration hazard No information available.

**Chronic effects:** Sodium metabisulfite can sensitise the respiratory tract of allergic persons.

Metabisulfites have been classified by the International Agency for Research on Cancer

(IARC) as a Group 3 -Not classifiable as to its carcinogenicity to humans.

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

**Ecotoxicity** Keep out of waterways.

١	Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
				microorganisms	
	Sodium metabisulfite	EC50: =48mg/L (72h,	LC50: =32mg/L (96h,	-	EC50: =89mg/L (24h,
		Desmodesmus	Lepomis macrochirus)		Daphnia magna Straus)
		subspicatus) EC50:			
		=40mg/L (96h,			
		Desmodesmus			
		subspicatus)			

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

**Bioaccumulation** No information available.

Chemical name	Partition coefficient
Sodium metabisulfite	-3.7

Mobility

Mobility in soil No information available.

Other adverse effects

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. TRANSPORT INFORMATION

#### ADG

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail: NON-DANGEROUS GOODS.

#### **IATA**

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

#### **IMDG**

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

## 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

## **National regulations**

#### Australia

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) 5

**International Inventories** 

AllC This material is listed on the Australian Inventory of Industrial Chemicals.

NZIOC This material is listed on the New Zealand Inventory of Chemicals.

#### Legend:

- Australian Inventory of Industrial Chemicals

#### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

## **16. OTHER INFORMATION**

Reason(s) For Issue: 5 Yearly Revised Primary SDS

Issuing Date: 07-Sep-2021

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

#### **Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

C Carcinogen

### Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

#### **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

**End of Safety Data Sheet**